

Appendix 1: Cross tabulation of respondents with different e-cigarette use statuses at T1 vs T2 and T2 vs T3

	<b>T1</b>		<b>T2 Non-users</b>		<b>T2 With nicotine</b>		<b>T2 Without nicotine</b>		<b>T2 Unsure of nicotine content</b>	
	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>
<b>Non-users T1</b>	<b>1785</b>	<b>100.0</b>	1644	93.4	46	1.9	83	4.1	12	0.6
<b>With nicotine T1</b>	<b>52</b>	<b>100.0</b>	20	43.1	27	47.7	4	7.7	1	1.5
<b>Without nicotine T1</b>	<b>154</b>	<b>100.0</b>	83	56.0	22	13.5	46	29.0	3	1.5
<b>Unsure of nicotine content T1</b>	<b>27</b>	<b>100.0</b>	18	70.0	1	10.0	5	12.0	3	8.0
<b>Sum</b>	<b>2018</b>	<b>100.0</b>	1765	87.5	96	4.8	138	6.8	19	0.9
	<b>T2</b>		<b>T3 Non-users</b>		<b>T3 With nicotine</b>		<b>T3 Without nicotine</b>		<b>T3 Unsure of nicotine content</b>	
	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>
<b>Non-users T2</b>	<b>1765</b>	<b>100.0</b>	1603	90.8	79	4.5	68	3.9	15	0.8
<b>With nicotine T2</b>	<b>96</b>	<b>100.0</b>	44	45.8	39	40.6	11	11.5	2	2.1
<b>Without nicotine T2</b>	<b>138</b>	<b>100.0</b>	69	50.0	23	16.7	43	31.2	3	2.2
<b>Unsure of nicotine content T2</b>	<b>19</b>	<b>100.0</b>	10	52.6	6	31.6	1	5.3	2	10.5
<b>Sum</b>	<b>2018</b>	<b>100.0</b>	1726	85.5	147	7.3	123	6.1	22	1.1