

Supplemental Western blots to:

Probiotics counteract hepatic steatosis caused by ketogenic diet and upregulate AMPK signaling in a model of infantile epilepsy

Chunlong Mu^{a,*}, Naghmeh Nikpoor^b, Thomas A. Tompkins^b, Jong M. Rho^c, Morris H. Scantlebury^{d,e}, and Jane Shearer^{a,e}

^aDepartment of Biochemistry and Molecular Biology, Cumming School of Medicine, University of Calgary, Calgary, AB T2N 1N4, Canada

^bRosell Institute for Microbiome and Probiotics, Lallemand Health Solutions, Montreal, QC H4P 2R2, CANADA

^cDivision of Pediatric Neurology, Rady Children's Hospital-San Diego, Department of Neurosciences, University of California, San Diego, San Diego, CA 92123, United States

^dDepartment of Pediatrics, Department of Clinical Neurosciences, Cumming School of Medicine, University of Calgary, Calgary, AB T2N 1N4, Canada

^eAlberta Children's Hospital Research Institute, Hotchkiss Brain Institute. University of Calgary, Calgary, AB T2N 1N4, Canada

* Corresponding author at: Department of Biochemistry and Molecular Biology, Cumming School of Medicine, University of Calgary, 2500 University Dr. NW, Calgary AB T2N 1N4, Canada

Email address: chunlong.mu1@ucalgary.ca (C. Mu)







