

Supplementary Table S1. *Adjusted Odds Ratios of Place of Death.*

Factor Related to Place of Death	Home vs. Hospital (N = 1,041)		Home vs. NH (N = 809)		Home vs. Hospice (N = 653)		Hospital vs. NH (N = 790)		Hospital vs. Hospice (N = 634)		NH vs. Hospice (N=402)	
	CI (N=289)	NCI (N=752)	CI (N=276)	NCI (N=533)	CI (N=198)	NCI (N=455)	CI (N=255)	NCI (N=535)	CI (N=177)	NCI (N=457)	CI (N=164)	NCI (N=238)
Age												
65-69	0.57 (.09-3.5)	0.87 (.48-1.6)	0.78 (.11-5.6)	4.63 (1.1-20.0)	0.55 (.05-6.2)	2.31 (.53-10.1)	1.36 (.22-8.3)	5.30 (1.24-22.7)	0.96 (.10-9.5)	2.65 (.61-11.5)	0.71 (.06-8.0)	0.50 (.07-3.6)
70-79	1.01 (.51-2.0)	1.13 (.83-1.5)	1.42 (.67-3.0)	2.50 (1.6-4.0)	1.53 (.50-4.7)	1.10 (.65-1.9)	1.41 (.65-3.1)	2.22 (1.37-3.6)	1.51 (.48-4.7)	0.97 (.58-1.7)	1.07 (.33-3.5)	0.44 (.23-.83)
80-89	0.84 (.53-1.3)	0.89 (.67-1.2)	0.83 (.51-1.3)	0.95 (.65-1.4)	1.21 (.61-2.4)	0.97 (.60-1.6)	0.98 (.60-1.6)	1.07 (.74-1.6)	1.43 (.72-2.9)	1.09 (.67-1.8)	1.46 (.72-2.9)	1.02 (.60-1.8)
90+	1.25 (.77-2.0)	1.08 (.74-1.6)	1.07 (.65-1.7)	0.37 (.25-.56)	0.73 (.37-1.4)	0.76 (.42-1.4)	0.85 (.51-1.4)	0.34 (.23-.52)	0.58 (.29-1.2)	0.70 (.39-1.3)	0.68 (.34-1.4)	2.05 (1.1-3.8)
Race												
White	1.12 (.66-1.9)	1.29 (.96-1.7)	0.81 (.48-1.4)	1.06 (.73-1.5)	1.17 (.54-2.5)	1.03 (.63-1.7)	0.72 (.42-1.3)	0.82 (.57-1.2)	1.04 (.47-2.3)	0.80 (.49-1.3)	1.43 (.65-3.2)	0.98 (.57-1.7)
Black	0.59 (.33-1.1)	0.70 (.49-1.0)	0.94 (.51-1.7)	1.81 (1.01-3.3)	0.80 (.34-1.9)	0.87 (.47-1.6)	1.59 (.87-2.9)	2.58 (1.45-4.6)	1.35 (.58-3.1)	1.24 (.67-2.3)	0.85 (.36-2.0)	0.48 (.22-1.0)
H/L	1.45 (.89-2.3)	1.06 (.76-1.5)	1.17 (.72-1.9)	0.61 (.41-.90)	1.05 (.53-2.1)	0.91 (.53-1.6)	0.81 (.49-1.4)	0.57 (.39-.86)	0.73 (.36-1.5)	0.86 (.50-1.5)	0.90 (.44-1.8)	1.50 (.83-2.7)
Female Gender	0.94 (.59-1.5)	1.10 (.83-1.5)	0.83 (.51-1.4)	0.90 (.62-1.3)	1.14 (.58-2.3)	1.16 (.71-1.9)	0.89 (.54-1.5)	0.81 (.56-1.2)	1.21 (.61-2.4)	1.05 (.65-1.7)	1.37 (.68-2.8)	1.29 (.75-2.2)
Marital Status												
M/P	1.39 (.81-2.4)	0.94 (.69-1.3)	1.54 (.88-2.7)	2.13 (1.37-3.3)	1.13 (.52-2.4)	1.09 (.65-1.8)	1.11 (.62-2.0)	2.27 (1.46-3.5)	0.81 (.37-1.8)	1.16 (.69-2.0)	0.73 (.33-1.6)	0.51 (.28-.94)
S/D	.212 (.06-.77)	1.32 (.81-2.2)	.17 (.05-.60)	0.90 (.50-1.60)	0.21 (.04-1.0)	1.56 (.64-3.8)	0.79 (.35-1.8)	.68 (.37-1.2)	0.96 (.29-3.2)	1.18 (.47-2.9)	1.22 (.38-4.0)	1.74 (.66-4.6)
W	1.01 (.62-1.7)	0.97 (.72-1.3)	1.01 (.61-1.7)	0.62 (.42-.91)	1.11 (.54-2.3)	1.00 (.61-1.7)	0.99 (.59-1.7)	0.64 (.43-.94)	1.09 (.53-2.3)	1.03 (.62-1.7)	1.10 (.53-2.3)	1.63 (.93-2.9)
S/NM	1.08	0.85	1.23	0.40	2.13	0.23	1.14	0.47	1.98	0.27	1.74	0.58

	(.35-3.3)	(.31-2.4)	(.38-4.0)	(.14-1.2)	(.26-18)	(.08-.71)	(.34-3.8)	(.17-1.3)	(.23-17)	(.09-.81)	(.20-15)	(.19-1.8)
Used MHB	14.46 (7.4-28.4)	6.25 (4.3-9.1)	3.36 (2.0-5.6)	2.42 (1.6-3.6)	0.68 (.60-.76)	0.68 (.63-.74)	0.23 (.11-.47)	0.39 (.24-.62)	.022 (.13-.36)	0.36 (.29-.46)	0.46 (.36-.58)	0.34 (.26-.44)

*Note:* CI=cognitively impaired; NCI=no cognitive impairment; NH=nursing home; H/L=Hispanic/Latino; M/P=married/partnered; S/D=separated/divorced; W=widowed; S/NM=single, never married; MHB=Medicare Hospice Benefit.