nature portfolio

Corresponding author(s):	NPJPARKD-00803 Ivana Rosenzweig
Last updated by author(s):	Nov 27, 2021

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section

<u> </u>			
Sta	۱† د	ıstı	105

	an oracles and refer to the ref
n/a	Confirmed
	\square The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
	A description of all covariates tested
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
\boxtimes	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
\boxtimes	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection

Provide a description of all commercial, open source and custom code used to collect the data in this study, specifying the version used OR state that no software was used.

Data analysis

Provide a description of all commercial, open source and custom code used to analyse the data in this study, specifying the version used OR state that no software was used.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about <u>availability of data</u>

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The datasets presented in this article are not readily available because the ethical approval granted to the authors by the NHS GSTT was for the specific clinical purpose and it does not allow the publication of the raw clinical data online. In order to re-analyse the raw clinical data (for different purposes), additional individual and purpose-specified ethical approval will be required. The datasets generated for this study are available upon reasonable request to the corresponding author.

Field-spe	ecific reporting		
<u>-</u>	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.		
Life sciences	Behavioural & social sciences		
	the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>		
.,			
Life scier	nces study design		
All studies must dis	sclose on these points even when the disclosure is negative.		
Sample size	The sample size was chosen as a representative of one year tertiary clinics attendance at the national UK Sleep Disorders Centre. No statistical methods were used to predetermine sample size, however, the sample size was similar (or significantly larger) to several previously reported studies, where phenotype of movements during events was assessed using video EEG recordings (Frauscher et al., 2007; Terzaghi et al., 2007; Seneviratne et al., 2010).		
Data exclusions	The data exclusion were pre-established. Out of forty eligible records, two were excluded, one due to co-morbid narcolepsy type 1 (n=1) and second due to incomplete data recorded in the database (n=1). Thirty eight patients, of whom thirty six were with no neurologic comorbidity, and two of whom later developed PD (n=1), and unclassified extra-pyramidal symptoms (n=1) respectively, were identified, and their eligibility confirmed through clinical records and the sleep diaries.		
Replication	Two sleep physicians have successfully replicated the analyses.		
Randomization	ot relevant, the study included all eligible iRBD patients and thus no randomisation was required.		
Blinding	Blinding was done during the re-analysis of the data, and during the statistical analysis.		
We require information system or method list			
Eukaryotic	cell lines Flow cytometry		
Palaeontol	ogy and archaeology MRI-based neuroimaging		
Animals an	d other organisms		
Human research participants			
Clinical data			
Dual use research of concern			
Antibodies			
Antibodies used	Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.		
Validation	Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.		
Eukaryotic c	ell lines		
Policy information	about <u>cell lines</u>		
Cell line source(s	State the source of each cell line used.		
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.		

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for

mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Mycoplasma contamination

Commonly misidentified lines

(See <u>ICLAC</u> register)

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

All patients diagnosed with iRBD in 2019 were included in the analyses, mean age 68.3 years; male 33 (86.84%) female 5 (13.16%). Also please refe to the socio-demographic as detailed in the Supplement.

Recruitment

A retrospective analysis of clinical and video polysomnographic (VPSG) findings of all patients diagnosed with iRBD in 2019 based on the American Academy of Sleep Medicine (AASM) classification, at a large tertiary sleep centre was conducted.

Ethics oversight

The study was granted ethical approval by the Hospital Clinic Research Ethics Committee (Project-No-9585, GSTT NHS, UK)

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

The study was granted ethical approval by the Hospital Clinic Research Ethics Committee (Project-No-9585, GSTT NHS, UK); according to the strict national guidelines, the study did not require written informed patients' consents due to use of retrospectively ascertained anonymized data and due to the fulfilment of the following non-negotiable stipulations 1) the study protocol abided by the strictest patients' data confidentiality and 2) it complied with all requirements of EU General Data Protection Regulation and with the Declaration of Helsinki regulations.

Study protocol

A retrospective analysis of clinical and video polysomnographic (VPSG) findings of all patients diagnosed with iRBD in 2019 based on the American Academy of Sleep Medicine (AASM) classification, at a large tertiary sleep centre was conducted at the Guy's Hospital, Sleep Disorders Centre, London, UK. The study protocol is detailed in the manuscript and in the manuscript's Supplement.

Data collection

A retrospective analysis of clinical and video polysomnographic (VPSG) findings of all patients diagnosed with iRBD in 2019 based on the American Academy of Sleep Medicine (AASM) classification, at a large tertiary sleep centre was conducted at the Guy's Hospital, Sleep Disorders Centre, London, UK.

Outcomes

All the primary and secondary measures are detailed in the Methods in the manuscript and more in-depth description is provided in the Supplement. In short, The semiology of each RBD-event was visually analysed and entered into a statistical database. RBD events were classified into distinct groups according to the predominant motor manifestation (Supplement Table S2); type of movement,

anatomic distribution, synchrony, symmetry, onset, offset, vocalization, were further evaluated and classified according to the predefined classification, and as previously described (see Figure 1; Supplement Table S2). Only motor events with a minimum duration of two seconds were selected and added to the database. Overlapping or successive motor events were scored as a single RBD event, and all motor components were marked. Movements associated with respiratory events or EEG arousals were disregarded.

Dual use research of concern

Policy information about <u>dual use research of concern</u>

ш	ı	7	\neg	r	М	0
	ıa		\boldsymbol{d}	11		١,

Could the accidental, deli in the manuscript, pose a	berate or reckless misuse of agents or technologies generated in the work, or the application of information presented threat to:		
No Yes Public health National security Crops and/or livest Ecosystems Any other significant			
Experiments of concer	n		
Does the work involve and	y of these experiments of concern:		
Confer resistance t Enhance the viruler Increase transmissi Alter the host rang Enable evasion of c Enable the weapon	to render a vaccine ineffective to therapeutically useful antibiotics or antiviral agents there of a pathogen or render a nonpathogen virulent bility of a pathogen the of a biological agent or toxin the of a biological agent or toxin the of a biological agent or toxin the open the		
•	and final processed data have been deposited in a public database such as <u>GEO</u> .		
Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.			
Data access links May remain private before public	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.		
Files in database submissi	on Provide a list of all files available in the database submission.		
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.		
Methodology			
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.		
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.		

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number. Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files Peak calling parameters Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment. Data quality

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots Confirm that:	
The axis labels state the ma	arker and fluorochrome used (e.g. CD4-FITC).
The axis scales are clearly v	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
All plots are contour plots	with outliers or pseudocolor plots.
A numerical value for num	ber of cells or percentage (with statistics) is provided.
Methodology	
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.
Instrument	Identify the instrument used for data collection, specifying make and model number.
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.
Tick this box to confirm that	at a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition

Imaging type(s)

Specify: functional, structural, diffusion, perfusion.

Field strength

Specify in Tesla

Sequence & imaging parameters

Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.

Area of acquisition

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Diffusion MRI Used

Not used

Preprocessing

Preprocessing software

Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).

Normalization

If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Normalization template

Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.			
Statistical modeling & infere	ence			
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).			
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.			
Specify type of analysis: Whole brain ROI-based Both				
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.			
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).			
Models & analysis				
n/a Involved in the study				
Functional and/or effective connectivity				
Graph analysis				
Multivariate modeling or predictive analysis				
Functional and/or effective conr	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).			

Graph analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph,

subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,