Supplemental table 1 Baseline characteristics of the discovery cohort

Characteristic	Overall , N = 105 ¹	Non- Responder, N = 33	Responder, N = 41	Flare- Responder, N = 31	p- value ²
age					0.6
Median, (IQR)	63, (58, 71)	62, (57, 75)	63, (58, 69)	66, (60, 71)	
Range	31, 91	43, 84	31, 91	49, 88	
histology					0.8
adenocarcinoma	83 (83%)	26 (81%)	34 (85%)	23 (82%)	
SCC	14 (14%)	4 (12%)	5 (12%)	5 (18%)	
other	3 (3.0%)	2 (6.2%)	1 (2.5%)	0 (0%)	
Unknown	5	1	1	3	
concurrent cytostatic					0.13
therapy	50 (1907)	20(6107)	10(4607)	11 (2507)	
no	50 (48%)	20 (61%)	19 (46%)	11 (35%)	
yes	55 (52%)	13 (39%)	22 (54%)	20 (65%)	0.14
smoking status	20 (1507)	7(200)	17 (5001)	15 (5407)	0.14
current	39 (45%)	7 (29%)	17 (50%)	15 (54%)	
former	39 (45%)	14 (58%)	16 (47%)	9 (32%)	
never	8 (9.3%)	3 (12%)	1 (2.9%)	4 (14%)	
Unknown	19	9	7	3	0.2
ECOG 0	O(007)	O(OO)	O(OO)	O(O(7))	0.2
0	0(0%)	0 (0%) 3 (9.1%)	0(0%)	0(0%)	
2	14 (14%) 52 (50%)	3 (9.1%) 19 (58%)	7 (17%)	4 (14%) 18 (62%)	
>2	32 (30%) 37 (36%)	19 (38%) 11 (33%)	15 (37%) 19 (46%)	18 (02%) 7 (24%)	
Unknown	2	0	0	2	
sex	2	0	0	2	0.3
male	58 (55%)	15 (45%)	26 (63%)	17 (55%)	0.5
female	47 (45%)	13 (45 %) 18 (55%)	20 (0 <i>3</i> %) 15 (37%)	14 (45%)	
line of therapy	ч <i>г</i> (ч <i>3 №)</i>	10 (33 %)	15 (5770)	14 (4570)	0.043
first line	70 (67%)	17 (53%)	33 (80%)	20 (65%)	0.045
later lines	34 (33%)	17 (<i>33</i> %) 15 (47%)	8 (20%)	11 (35%)	
Unknown	1	1	0	0	
presence of cerebral					0.6
metastasis					0.6
no	60 (57%)	17 (52%)	23 (56%)	20 (65%)	
yes	45 (43%)	16 (48%)	18 (44%)	11 (35%)	
concurrent steriod therapy					0.3
no	80 (76%)	22 (67%)	34 (83%)	24 (77%)	
yes	25 (24%)	11 (33%)	7 (17%)	7 (23%)	

Baseline characteristics of the discovery cohort								
Characteristic	Overall, N = 105 ¹	Non- Responder, N = 33	Responder, N = 41	Flare- Responder, N = 31	p- value ²			
TPS score					0.055			
Median, (IQR)	10, (0, 60)	10, (0, 56)	50, (5, 80)	5, (0, 45)				
Range	0, 100	0, 100	0, 100	0, 95				
Unknown	13	5	4	4				
TPS score					0.2			
TPS $\leq 50\%$	65 (71%)	20 (71%)	23 (62%)	22 (81%)				
TPS > 50%	27 (29%)	8 (29%)	14 (38%)	5 (19%)				
Unknown	13	5	4	4				
baseline CRP					<0.001			
Median, (IQR)	17, (6, 47)	6, (2, 28)	28, (10, 60)	13, (6, 31)				
Range	0, 305	0, 78	2, 305	1, 185				
Unknown	3	2	0	1				
baseline CRP					<0.001			
Baseline CRP ≤ 5 mg/L	21 (21%)	14 (45%)	1 (2.4%)	6 (20%)				
Baseline CRP > 5 mg/L	81 (79%)	17 (55%)	40 (98%)	24 (80%)				
Unknown	3	2	0	1				
¹ c("Median, (IQR)", "Range"); n (%)								

Supplemental table 1 Baseline characteristics of the discovery cohort

² Kruskal-Wallis rank sum test; Fisher's exact test; Pearson's Chi-squared test