

Supplemental Figure legends

Figure S1. **(a)** Expression of hnRNP E1 transcript levels in NMuMG cells treated with TGF β . β Actin was used as a loading control. **(b)** Polysome profiling of NMuMG cells either untreated or treated with TGF β for 7 days. hnRNP E1 is actively translated under both conditions, whereas, the positive control inhibin β A shifts to heavier polysome fractions following TGF β treatment. **(c)** Immunoblot of hnRNP E1 and Hsp90 (loading control) following treatment of NMuMG cells with cycloheximide for 12h and co-treatment with either the ER-Golgi trafficking inhibitor Brefeldin A, the lysosome inhibitor chloroquine or the proteasome inhibitor MG132. **(d)** Interaction between hnRNP E1 and ARIH1 in yeast 2 hybrid assay. Growth observed on Leu-/Trp-/Ade- plates indicating interaction between hnRNP E1 and ARIH1. **(e)** Immunoblot of hnRNP E1, ARIH1 and Hsp90 (loading control) following ARIH1 siRNA in NMuMG cells. **(f)** hnRNP E1 protein levels following treatment with the neddylation inhibitor MLN4924. **(g)** Immunoprecipitation of exogenous V5 tagged hnRNP E1 followed by K63 ubiquitin immunoblot. **(h)** Protein stability, assessed by cycloheximide chase assay, of WT and K314R or K351R mutant V5-tagged hnRNP E1 with or without MG132 treatment.

Figure S2. **(a)** Transcript levels of the epithelial marker, E-cadherin, in NMuMG cells treated with TGF β , as determined by semi-quantitative PCR. β Actin was used as a loading control. **(b)** Rhodamine phalloidin staining of actin in NMuMG control and ARIH1 KD cells following 2 d of TGF β treatment. **(c)** 3D invasion assay of NMuMG control and ARIH1 KD cells; representative images of invasion in Matrigel, invasive areas are delineated. **(d)** Immunoblot of ARIH1 expression levels in SUM159 control and ARIH1 ORF cells and SUM159 scrambled control and ARIH1 KD clones (sh5 and sh11). Hsp90 was used as a loading control. **(e)** Protein levels of hnRNP E1 in cycloheximide-treated SUM159 scrambled control and ARIH1 KD cells. Hsp90 is used as a loading control. **(f)** Proliferation of SUM159 WT, scrambled control and ARIH1 KD cells, as assessed by MTT assay. **(g)** Immunoblot of ARIH1 expression levels in LM2 scrambled control

(scram) and ARIH1 sh8 KD cells. Hsp90 was used as a loading control. **(h)** Proliferation rates of LM2 scrambled control and ARIH1 KD cells.

Figure S3. **(a)** Protein levels of hnRNP E1 and the mesenchymal markers N-Cadherin and Vimentin in TGF β -treated SUM159 control and ARIH1 ORF cells. **(b)** 2D invasion assay of SUM159 control and ARIH1 ORF cells; representative images of invasive cells (left panel) and quantitation (Mean \pm SD, unpaired t-test compared to control; * = $P > 0.05$). **(c)** 3D invasion assay of SUM159 control and ARIH1 ORF cells; representative images of invasion in Matrigel. **(d)** Mammosphere assay of SUM159 control and ARIH1 ORF cells; representative images of spheres and quantitation of sphere number (Mean \pm SEM, paired t-test compared to control was not significant). **(e)** Image of excised tumors from mice injected with SUM159 cells stably expressing scrambled control. **(f)** Image of excised tumors from mice injected with SUM159 control and ARIH1 ORF cells. **(g)** Tumor volumes in NOD-SCID mice mammary fat pad injected with SUM159 control and ARIH1 ORF cells (mean \pm SEM). **(h)** Quantitation of tumor weight following xenograft of SUM159 control and ARIH1 ORF cells ($n = 9$ control xenografts, $n = 7$ ORF xenografts; mean + SEM, unpaired t-test; n.s = not significant).

Figure S4. **(a)** Protein levels of Vimentin and CD44 in LM2 scrambled control, ARIH1 Sh8 KD cells and ARIH1 sh8 KD with hnRNP E1 silencing (CRISPR 50 and 52). **(b)** Proliferation rates of LM2 scrambled control cells, ARIH1 sh8 KD cells and ARIH1 sh8 KD cells with hnRNP E1 silencing. **(c)** Representative image of excised tumors and **(d)** tumor weights from mice injected with LM2 ARIH1 sh8 E1 CRISPR 50 and 52. **(e)** Quantitation of 2D invasion, following crystal violet stain extraction, using LM2 ARIH1 KD cells and ARIH1 KD with hnRNP E1 silencing (mean +SD). **(f)** Representative images of 3D invasion assay with LM2 scrambled control cells and ARIH1 KD cells with hnRNP E1 silencing. **(g)** Protein levels of hnRNP E1 in SUM159 ARIH1 KD cells with hnRNP E1 CRISPR. **(h)** Proliferation rates of parental SUM159 ARIH1 KD cells and ARIH1 KD cells with hnRNP E1 CRISPR. **(i)** Representative

images of 3D invasion assay with SUM159 scrambled control cells, ARIH1 KD cells and ARIH1 KD cells with hnRNP E1 silencing. **(j)** Mammosphere formation in SUM159 scrambled control cells, ARIH1 KD cells and ARIH1 KD cells with hnRNP E1 silencing. V5 hnRNP E1 protein levels in **(k)** SUM159 ARIH1 ORF cells 3 d post transient nucleofection, and **(l)** stably selected SUM159 cells. V5 hnRNP E1 protein levels in stably selected SUM159 cells treated with cycloheximide for **(m)** 0, 4 and 8 h and for **(n)** 0 and 17 h. Hsp90 is used as a loading control. **(o)** V5 hnRNP E1 protein levels in stably selected SUM159 cells transiently transfected with control or ARIH1 siRNA for 72 h. **(p)** Proliferation of SUM159 cells stably expressing WT, K314R and K351R V5 hnRNP E1, as assessed by cell count. **(q)** Representative images and quantitation of mammosphere number (Mean \pm SEM, paired t-test compared to control; ** = $P > 0.01$, *** = $P > 0.001$). **(r)** Representative images of 2D invasion assay using SUM159 cells stably expressing WT, K314R and K351R V5 hnRNP E1.

Figure S5. **(a)** Kaplan-Meier analysis of survival in TCGA breast cancer patient data. ($n = 1194$, TCGA dataset; $P=0.05$, log-rank test). **(b)** Kaplan-Meier analysis of relapse-free survival in breast cancer patients. ($n = 3951$, KM-plotter; $P<0.001$, log-rank test). Correlation between ARIH1 protein levels and the epithelial markers **(c)** E-cadherin and **(d)** Occludin in breast cancer patient samples analyzed using cBioPortal. **(e)** Protein expression of ARIH1 in normal lung and lung adenocarcinoma tissue. **(f)** Protein expression of ARIH1 across lung cancer grade.

Figure S6. **(a)** Protein levels of hnRNP E1 and ARIH1 across a panel of colorectal cancer cell lines. Hsp90 was used as a loading control (top panel). hnRNP E1 transcript levels are not altered across these lines, as assessed by semi-quantitative PCR. GAPDH was used as a loading control (bottom panel). **(b)** Representative images of HCT116 scrambled control and ARIH1 KD cell morphology. **(c)** Proliferation of HCT116 scrambled control and ARIH1 KD cells, as assessed by cell count across 4 days. **(d)** 3D invasion assay of HCT116 WT, scrambled control and ARIH1 KD cells; representative images of invasion in Cultrex. **(e)** Correlation between ARIH1 protein

levels and the mesenchymal marker Vimentin (left panel) and the epithelial marker E-Cadherin (right panel) in colorectal cancer patient samples analyzed using cBioPortal.


Table S1. Sequences and expected product size of primers used for PCR.

Table S2. List of proteins identified from ARIH1-miniTurbold experiment.


Table S3. Sanger sequencing results for hnRNP E1 CRISPR clones.

Supplemental Figure 1


a



b




c




d




e




f



g




h




Supplemental Figure 2

a




b




c


Invasion: Matrigel




d




e




f




g




h




Supplemental Figure 3



Supplemental Figure 4



Supplemental Figure 5



Supplemental Figure 6




Table S1. Primers used for PCR

Target	Sequence	Product size
Mouse hnRNP E1	Forward: AAGGCGCCAACATCAATGAG; Reverse: GGGTTACGAGCGAACCTACG	204 bp
Mouse ARIH1	Forward: GAGGTCTCCAGAACATCCAGCA ; Reverse: TGCGCAGGACACGAAATAGT	338 bp
Mouse E-Cadherin	Forward: GAAGGCTTGAGCACAAACAGC; Reverse: AGATGGGGCTTCATTCAAG	400 bp
Mouse Inhibin β A	Forward: TCCCCCACCCCAGGATCCGA; Reverse: ACCGGCTGGGTGACATCGGG	173 bp
Mouse GAPDH	Forward: GGTTGTCTCCTGCGACTTCA; Reverse: TAGGGCCTCTTGCTCAGT	220 bp
Human hnRNP E1	Forward: CCACGTAACGAGGCCAAT; Reverse: CCCTCCGAGATGTTGATCCG	200 bp
Human ARIH1	Forward: AGAGAATGCCACAGAGGTGC; Reverse: CCCTCGTCAACTCTCACAG	119 bp
Human Aldh1a1	Forward: ATCAAAGAAGCTGCCGGGAA; Reverse: GCATTGCCAAGTCGGCATC	101 bp
Human Klf4	Forward: ATGCTCACCCCACCTTCTTC; Reverse: GGTGGTCCGACCTGGAAAAT	340 bp
Human Oct4	Forward: CTCACCCTGGGGTTCTATT; Reverse: CTGGTTCGTTCTCTTCG	203 bp
Human Sox2	Forward: AACCAAGCGCATGGACAGTTA; Reverse: GACTTGACCACCGAACCCAT	278 bp
Human Nanog	Forward: AAAGGCAACAACCCACTTC; Reverse: CATTGCTATTCTCGGCCAG	274 bp
Human GAPDH	Forward: TGATGACATCAAGAAGGTGGTGAAG; Reverse: TCCTTGAGGCCATGTGGCCAT	240 bp
β -Actin	Forward: TCATGAAGTGTGACGTTGACATCCGT; Reverse: CCTAGAAGCATTGCGGTGCACGATG	285 bp
miniturbold ARIH1	Forward: GGTGGTAAGCTTATGGACTCGGACGAGGGCTACA; Reverse: TGCTTAGCGGCCGCGTCTCAATGTAACCCCACA	1.6 kb
hnRNP E1 CRISPR primer set A	Forward: ACTTGACCACGTAACGAGCC; Reverse: TCCAGCATGACCAGGCAAAT	554 bp
hnRNP E1 CRISPR primer set B	Forward: TCGGCTTCTTATGCACGGAA; Reverse: CTTCCCTCCAGCTTGTGATGA	197 bp
K351 site directed mut. primers	Forward: CCCCATGCCCTCTCAGAGGAAAGCCTGGC; Reverse: GCCAGGCTTCCTCTGAGAGGGGCATGGGG	n/a
K314 site directed mut. primers	Forward: CTGGGTTGGCAATTCTGATCTGGGCCCG; Reverse: CGGGGCCAGATCAGAATTGCCAACCCAG	n/a

Table S2. Proteins identified from ARIH1-miniTurboID experiment

reference	Gene Symbol	Annotation	Unique hits:		Total hits:		Unique hits:		Total hits:	
			Hek_ARIH1	mTboid_Con	Hek_ARIH1	mTboid_Con	Hek_ARIH1	mTboid_Biotin	Hek_ARIH1	mTboid_Biotin
sp P21333 FLNA_HUMAN	FLNA	Filamin-A OS=Homo sapiens GN=FLNA PE=1 SV=4	0	0	51	56	0	0	51	56
sp P49327 FAS_HUMAN	FASN	Fatty acid synthase OS=Homo sapiens GN=FASN PE=1 SV=3	0	0	21	21	0	0	21	21
sp P50990 TCPQ_HUMAN	CCT8	T-complex protein 1 subunit theta OS=Homo sapiens GN=CCT8 PE=1 SV=4	0	0	16	16	0	0	16	16
sp Q04637 IF4G1_HUMAN	EIF4G1	Eukaryotic translation initiation factor 4 gamma 1 OS=Homo sapiens GN=EIF4G1 PE=1 SV=4	0	0	10	10	0	0	9	10
sp P11388 TOP2A_HUMAN	TOP2A	DNA topoisomerase 2-alpha OS=Homo sapiens GN=TOP2A PE=1 SV=3	0	0	7	7	0	0	7	7
sp Q99613 EIF3C_HUMAN	EIF3C	Eukaryotic translation initiation factor 3 subunit C OS=Homo sapiens GN=EIF3C PE=1 SV=1	0	0	7	7	0	0	7	7
sp Q6WCQ1 MPPRIP_HUMAN	MPPRIP	Myosin phosphatase Rho-interacting protein OS=Homo sapiens GN=MPPRIP PE=1 SV=3	0	0	7	7	0	0	7	7
sp P46060 RAGP1_HUMAN	RANGAP1	Ran GTPase-activating protein 1 OS=Homo sapiens GN=RANGAP1 PE=1 SV=1	0	0	7	7	0	0	7	7
sp Q09666 AHNAK_HUMAN	AHNAK	Neuroblast differentiation-associated protein AHNAK OS=Homo sapiens GN=AHNAK PE=1 SV=2	0	0	7	7	0	0	7	7
sp P27816 MAP4_HUMAN	MAP4	Microtubule-associated protein 4 OS=Homo sapiens GN=MAP4 PE=1 SV=3	0	0	7	7	0	0	7	7
sp P37802 TAGL2_HUMAN	TAGLN2	Transgelin-2 OS=Homo sapiens GN=TAGLN2 PE=1 SV=3	0	0	6	7	0	0	6	7
sp P52907 CAZ1_HUMAN	CAPZA1	F-actin-capping protein subunit alpha-1 OS=Homo sapiens GN=CAPZA1 PE=1 SV=3	0	0	5	6	0	0	5	6
sp Q9UM54 MYO6_HUMAN	MYO6	Unconventional myosin-VI OS=Homo sapiens GN=MYO6 PE=1 SV=4	0	0	5	5	0	0	5	5
sp Q86VP6 CAND1_HUMAN	CAND1	Cullin-associated NEDD8-dissociated protein 1 OS=Homo sapiens GN=CAND1 PE=1 SV=2	0	0	5	5	0	0	5	5
sp Q9Y4X5 ARI1_HUMAN	ARIH1	E3 ubiquitin-protein ligase ARIH1 OS=Homo sapiens GN=ARIH1 PE=1 SV=2	0	0	4	4	0	0	4	4
sp Q14152 EIF3A_HUMAN	EIF3A	Eukaryotic translation initiation factor 3 subunit A OS=Homo sapiens GN=EIF3A PE=1 SV=1	0	0	4	4	0	0	4	4
sp Q6Y7W6 GGYF2_HUMAN	GIGYF2	GRB10-interacting GYF protein 2 OS=Homo sapiens GN=GIGYF2 PE=1 SV=1	0	0	4	4	0	0	4	4
sp P40227 TCPZ_HUMAN	CCT6A	T-complex protein 1 subunit zeta OS=Homo sapiens GN=CCT6A PE=1 SV=3	0	0	4	4	0	0	4	4
sp Q9YSK6 CD2AP_HUMAN	CD2AP	CD2-associated protein OS=Homo sapiens GN=CD2AP PE=1 SV=1	0	0	4	4	0	0	4	4
sp O75367 H2AY_HUMAN	H2AFY	Core histone macro-H2A.1 OS=Homo sapiens GN=H2AFY PE=1 SV=4	0	0	4	4	0	0	4	4
sp P49368 TCPG_HUMAN	CCT3	T-complex protein 1 subunit gamma OS=Homo sapiens GN=CCT3 PE=1 SV=4	0	0	4	4	0	0	4	4
sp Q00341 VIGLN_HUMAN	HDLBP	Vigilin OS=Homo sapiens GN=HDLBP PE=1 SV=2	0	0	3	3	0	0	3	3
sp Q9Y490 TLN1_HUMAN	TLN1	Talin-1 OS=Homo sapiens GN=TLN1 PE=1 SV=3	0	0	3	3	0	0	3	3
sp Q9P0K7 RAI14_HUMAN	RAI14	Ankyrin OS=Homo sapiens GN=RAI14 PE=1 SV=2	0	0	3	3	0	0	3	3
sp O75821 EIF3G_HUMAN	EIF3G	Eukaryotic translation initiation factor 3 subunit G OS=Homo sapiens GN=EIF3G PE=1 SV=2	0	0	3	3	0	0	3	3
sp P49411 EFTU_HUMAN	TUFM	Elongation factor Tu, mitochondrial OS=Homo sapiens GN=TUFM PE=1 SV=2	0	0	3	3	0	0	3	3
sp Q92900 RENT1_HUMAN	UPF1	Regulator of nonsense transcripts 1 OS=Homo sapiens GN=UPF1 PE=1 SV=2	0	0	3	3	0	0	3	3
sp Q58FF7 H90B3_HUMAN	HSP90AB3P	Putative heat shock protein HSP 90-beta-3 OS=Homo sapiens GN=HSP90AB3P PE=5 SV=1	0	0	3	3	0	0	3	3
sp Q16512 PKN1_HUMAN	PKN1	Serine/threonine-protein kinase N1 OS=Homo sapiens GN=PKN1 PE=1 SV=2	0	0	3	3	0	0	3	3
sp P49959 MRE11_HUMAN	MRE11	Double-strand break repair protein MRE11 OS=Homo sapiens GN=MRE11 PE=1 SV=3	0	0	3	3	0	0	3	3
sp Q15365 PCBP1_HUMAN	PCBP1	Poly(rC)-binding protein 1 OS=Homo sapiens GN=PCBP1 PE=1 SV=2	0	0	2	3	0	0	2	3
sp P52597 HNRPF_HUMAN	HNRNPF	Heterogeneous nuclear ribonucleoprotein F OS=Homo sapiens GN=HNRNPF PE=1 SV=3	0	0	2	3	0	0	2	3
sp Q14157 UBP2L_HUMAN	UBAP2L	Ubiquitin-associated protein 2-like OS=Homo sapiens GN=UBAP2L PE=1 SV=2	0	0	2	2	0	0	2	2
sp P50914 RL14_HUMAN	RPL14	60S ribosomal protein L14 OS=Homo sapiens GN=RPL14 PE=1 SV=4	0	0	2	2	0	0	2	2
sp O00303 EIF3F_HUMAN	EIF3F	Eukaryotic translation initiation factor 3 subunit F OS=Homo sapiens GN=EIF3F PE=1 SV=1	0	0	2	2	0	0	2	2
sp P07814 SYEP_HUMAN	EPRS	Bifunctional glutamate/proline-tRNA ligase OS=Homo sapiens GN=EPRS PE=1 SV=5	0	0	2	2	0	0	2	2
sp Q13765 NACA_HUMAN	NACA	Nascent polypeptide-associated complex subunit alpha OS=Homo sapiens GN=NACA PE=1 SV=1	0	0	2	2	0	0	2	2
sp Q14247 SRC8_HUMAN	CTTN	Src substrate cortactin OS=Homo sapiens GN=CTTN PE=1 SV=2	0	0	2	2	0	0	2	2
sp Q15393 SF3B3_HUMAN	SF3B3	Splicing factor 3B subunit 3 OS=Homo sapiens GN=SF3B3 PE=1 SV=4	0	0	2	2	0	0	2	2
sp P60866 RS20_HUMAN	RPS20	40S ribosomal protein S20 OS=Homo sapiens GN=RPS20 PE=1 SV=1	0	0	2	2	0	0	2	2
sp P31943 HNRH1_HUMAN	HNRNPH1	Heterogeneous nuclear ribonucleoprotein H OS=Homo sapiens GN=HNRNPH1 PE=1 SV=4	0	0	2	2	0	0	2	2
sp P17661 DESM_HUMAN	DES	Desmin OS=Homo sapiens GN=DES PE=1 SV=3	0	0	2	2	0	0	2	2
sp P78527 PRKDC_HUMAN	PRKDC	DNA-dependent protein kinase catalytic subunit OS=Homo sapiens GN=PRKDC PE=1 SV=3	0	0	2	2	0	0	2	2
sp P14868 SYDC_HUMAN	DARS	Aspartate-tRNA ligase, cytoplasmic OS=Homo sapiens GN=DARS PE=1 SV=2	0	0	2	2	0	0	2	2
sp P57737 CORO7_HUMAN	CORO7	Coronin-7 OS=Homo sapiens GN=CORO7 PE=1 SV=2	0	0	2	2	0	0	2	2
sp P63173 RL38_HUMAN	RPL38	60S ribosomal protein L38 OS=Homo sapiens GN=RPL38 PE=1 SV=2	0	0	2	2	0	0	2	2
sp P13010 XRCC5_HUMAN	XRCC5	X-ray repair cross-complementing protein 5 OS=Homo sapiens GN=XRCC5 PE=1 SV=3	0	0	2	2	0	0	2	2
sp P63244 RACK1_HUMAN	RACK1	Receptor of activated protein C kinase 1 OS=Homo sapiens GN=RACK1 PE=1 SV=3	0	0	2	2	0	0	2	2
sp Q15019 SEPT2_HUMAN	SEPT2	Septin-2 OS=Homo sapiens GN=SEPT2 PE=1 SV=1	0	0	2	2	0	0	2	2
sp Q16555 DPYL2_HUMAN	DPYSL2	Dihydropyrimidinase-related protein 2 OS=Homo sapiens GN=DPYSL2 PE=1 SV=1	0	0	2	2	0	0	2	2
sp P50991 TCPD_HUMAN	CCT4	T-complex protein 1 subunit delta OS=Homo sapiens GN=CCT4 PE=1 SV=4	0	0	2	2	0	0	2	2
sp O95347 SMC2_HUMAN	SMC2	Structural maintenance of chromosomes protein 2 OS=Homo sapiens GN=SMC2 PE=1 SV=2	0	0	2	2	0	0	2	2
sp P78344 IF4G2_HUMAN	EIF4G2	Eukaryotic translation initiation factor 4 gamma 2 OS=Homo sapiens GN=EIF4G2 PE=1 SV=1	0	0	2	2	0	0	2	2
sp Q9NQC7 CYLD_HUMAN	CYLD	Ubiquitin carboxyl-terminal hydrolase CYLD OS=Homo sapiens GN=CYLD PE=1 SV=1	0	0	2	2	0	0	2	2
sp A6NNT2 CP096_HUMAN	C16orf96	Uncharacterized protein C16orf96 OS=Homo sapiens GN=C16orf96 PE=4 SV=3	0	0	2	2	0	0	2	2
sp Q07157 ZO1_HUMAN	TJP1	Tight junction protein ZO-1 OS=Homo sapiens GN=TJP1 PE=1 SV=3	0	0	2	2	0	0	2	2
sp P33176 KINH_HUMAN	KIF5B	Kinesin-1 heavy chain OS=Homo sapiens GN=KIF5B PE=1 SV=1	0	0	2	2	0	0	2	2
sp P62851 RS25_HUMAN	RPS25	40S ribosomal protein S25 OS=Homo sapiens GN=RPS25 PE=1 SV=1	0	0	2	2	0	0	2	2
sp P11021 GRP78_HUMAN	HSPA5	78 kDa glucose-regulated protein OS=Homo sapiens GN=HSPA5 PE=1 SV=2	1	1	5	5	1	1	5	5
sp P17987 TCPA_HUMAN	TCP1	T-complex protein 1 subunit alpha OS=Homo sapiens GN=TCP1 PE=1 SV=1	1	1	5	5	1	1	5	5
sp P62701 RS4X_HUMAN	RPS4X	40S ribosomal protein S4, X isoform OS=Homo sapiens GN=RPS4X PE=1 SV=2	1	1	4	5	1	1	4	5
sp P54652 HSP72_HUMAN	HSPA2	Heat shock-related 70 kDa protein 2 OS=Homo sapiens GN=HSPA2 PE=1 SV=1	1	1	4	4	1	1	4	4
sp Q14240 IF4A2_HUMAN	EIF4A2	Eukaryotic initiation factor 4A-II OS=Homo sapiens GN=EIF4A2 PE=1 SV=2	1	1	4	4	1	1	4	4
sp O94832 MYO1D_HUMAN	MYO1D	Unconventional myosin-Id OS=Homo sapiens GN=MYO1D PE=1 SV=2	1	1	4	4	1	1	4	4
sp P13639 EF2_HUMAN	EEF2	Elongation factor 2 OS=Homo sapiens GN=EEF2 PE=1 SV=4	1	1	3	4	1	1		

Table S3. Sanger sequencing of hnRNP E1 CRISPR clones

Legend: Guide RNA, Ref = ARIH1 KD parental sequencing results.	
LM2-4175 ARIH1 sh8 hnRNP E1 CRISPR clone 50 product (550 bp)	
<p>Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 1 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 2 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG</p> <p>Ref CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTGAT Seq 1 CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTGAT Seq 2 CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTGAT</p> <p>Ref GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC Seq 1 GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC Seq 2 GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC</p> <p>Ref ACTTCCTTCCGTGATAAGAGCGAATGGTGAGAGTCACATTAGTCCAC-C-TTCAGTCACACCGGCATCCATGGCAGCGCGGGCGTTCGGGG Seq 1 ACTTCCTTCCGTGATAAGAGCGAATGGTGAGAGTCACATTAGTCCAC-C-TTCAGTCACACCGGCATC-ACACCGGCATCATGGCAGCGCGGGCGTTCGGGG Seq 2 ACTTCCTTCCGTGATAAGAGCGAATGGTGAGAGTCACATTAGTCCAC-C-TTCAGTCACACCGGCATCCATGGCAGCGCGGGCGTTCGGGG</p>	
LM2-4175 ARIH1 sh8 hnRNP E1 CRISPR clone 52 product A (550 bp)	
<p>Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 1 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 2 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 3 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGTGG</p> <p>Ref CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATC-----TC-----CAGCTTGTGATGATC-----ATAGCGAAAGCCTAAAGATGG---CA Seq 1 CGGTGAAGGGTGTGATAGAAC-----CTTCCA-----T-----TTGTCATCATC-----TTGTCGAATGACTAAAGAAAG---CC Seq 2 CGGTGGCGTGTGAT-----TGA-ATCTCGGAATTGTCCTCATCTGGCGA-----AGACCTAA---CGAAAGCCTTG--AAGGGGACCG Seq 3 CGGTGCTCTGGTATG-----TG-----TGCG-----GTCA-TCATCTGTGCGAGCTCGCGAGAT-TAATAGAAAACACTAGAAAATGAA---</p> <p>Ref TTGGTGGGG-CGGTCA-----GAGTGTGATG-----ATTCTCTCC-----GGACAATTCCCCTCCG-----AGATGTTGATCCGCGCGCCTCTCTCGGGATCTCT Seq 1 TTGAAGGGGA-CGGTTG-----GAGGGGCG-----GTTCTAAC-----GAAAATTCCCCT-----CGAAAAATGCCATCGAAGGTACTCCCCTCCCCGATCTCT Seq 2 TTGGAGGGG-CGGT-----TCTAAGGGGTG-----ATTTC-----CCCTGGAAAATTCCCCTCCGAAAGCTT-----ATCCCCTCCCCCATCTCT Seq 3 -TGGGGGGATCAGTCACTTTA-----TGCAATCTCGCC-----AAATCTGTTCC-----ACGCTTGGATTCCCCGAACTCTCTCGCCAACTCT <p>Ref TAACCGACTCCCTTCTCCAAATGATGCTCC-----TACTTCCTTCCGTGCA-----AAGAAGCGAATG-----GTGAGA-----G-----T----- Seq 1 TAACCGACCCCCCTAATCTCCCCCTGCTCC-----TACTGACCTCCCTACTT-----CCTAACCGGAATG-----AAGAGA-CCAACGG-----TTAA Seq 2 TACCGGACCCCCCTAACCAACCCCCCTTGCTCCA-----ATTCTTCTCTGCTTC-----TTAACCGGAATG-----AAGAGACCCATTG-----TTAA Seq 3 TTCCGGA-----TT-----CCCGATCTTCAATGTC-----CTTCGACTATAATTACCCGATTGTAAGGTGA-----AATGGGGATTAA</p> <p>Ref -----CACATTAGTCCACTTTCAGTCACACCGGCATCCATGGCAGCGGGGG Seq 1 AA-CACTCTTAACTCCACTT-----CATCCCCGGCACCAGCGGG Seq 2 AAGCCCTTTTTA-TCCACTCCCT-----CCA-----C-----GGCGTCCACCGGG Seq 3 AAC-----A-TCGACA-CCTGTGACATTGTA-----GGCGT-----GGG</p> </p>	
LM2-4175 ARIH1 sh8 hnRNP E1 CRISPR clone 52 product B (~300 bp)	
<p>Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 1 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG</p> <p>Ref CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTGAT Seq 1 CGGT-----</p> <p>Ref GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC Seq 1 -----</p> <p>Ref ACTTCCTTCCGTGATAAGAGCGAATGGTGAGAGTCACATTAGTCCACTTTCAGTCACACCGGCATCCATGGCAGC Seq 1 -----CAGTCACACCGGCATCATGGCAGC</p>	
SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 1 product A (550 bp)	
<p>Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 1 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG Seq 2 TCGCGGATCTTTGATCTTACACCCGCTTCCCAATCAGGGAGCCGACTGGGTGGCCGGCACCAACCAGCCTCAGGGTGACCGGGGGCTGCTGGCCG</p> <p>Ref CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAG-CGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTG Seq 1 CGGTACTGTTGGTCATGGAGCTGTTGATATCTCCTCCAGCTTGTGATGATCATAG-CGAAAGCCTAAAGATGGCATTGGTGGGGCCGGTCAGAGTG Seq 2 CGGCCTTGTGGCCAGCGTCCGGCGGAAATGGTGGGGCCGGTGTGGGTACTCATAGCGTAA-CCTGAAAGATGACATTGGTGGGGCCGGTCAGAGTG <p>Ref TGATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC Seq 1 TGATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC Seq 2 TGATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGCGCCTCTCGGGATCCTTAAACCGACTCCCTTCTTCCAAATGATGCTTCC</p> </p>	

Ref TACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC-CA**CTTCAGTCACACCGGCATC**CATGGCGAGCGGGCGGGC-GG
Seq1 TACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC-CACTT-----GGCATCCCTGCCGCGCGGGCGGG
Seq2 TACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTCACACC---GTCACACAGGGATACTGGCGAGCGCTTGCAGGG

SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 1 product B (~300 bp)

Ref CGGTACTTGGTCATGGAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGCCGGTCAGAGTGAT
Seq1 CGGTA-----AGT-----
Seq2 CTG-----CCTCCA-----

Ref GATTCTCTCCGACAATTCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCTTCCAAATGATGCTTCT
Seq1 -----CTCGC-----
Seq2 -----

Ref ACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC**CTTCAGTCACACCGGCATC**CATGGCGAGCGGGCGGGCGTTGGGG
Ref -----CAGCGGC-----CATGG-----GCGGTCGCGGG
Seq2 -----ACACGGGCATCGATGGGATCGGGGAGGGCGGGCGGG

Ref AGTTGGGCTCGTTA
Seq1 CGTTGTTCTCGTTA
Seq2 ACGTGGGCTCGTTA

SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 16 product A (550 bp)

Ref TCGCGGATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGGG
Seq1 TCGCGGATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGGG
Seq2 TCGCGGATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGGG

Ref CGGTACTTGGTCATGGAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGC---GGTCAGAGT
Seq1 CGGTACTTGGTCATGGAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGC---GGTCAGAGT
Seq2 CGGT-----GGAGCTGGTGTATTGTCAAATTGTCAGCAGATTTGGCGAAAATCTTAAAGAAGGATTGGAGAGGACATTGGT---AGG

Ref GATGATTCTCTCCGACA--ATTCCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCT--TCCAATGAT
Seq1 GATGATTCTCTCCGACA--ATTCCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCT--TCCAATGAT
Seq2 GATGATTCTATC--GATAATATTCTCTGACAATGTCGATCTCACAGCCGATCTCTCGCGATCCTCTTAACGAACTCCCTTTCTACTCCCCT--AT

Ref GCTTCCTACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC-C**CTTCAGTCACACCGGCATC**CATGGCGAGCGGGCGGGCG
Seq1 GCTTCCTACTTCCTTCCGTGATAAGAAGACGAATGGTGAGAGTCACATTAGTC-CAC-----CGGCATCCATGGCGAGCGGGGGCGGGCG
Seq2 CTTTCCTACTATGTTCTAGTATCTAACCGAATGGTAAGACTAACGTTGAGACTCATTTCATC-CACCGGCATCCATGGCAAGCGGGGGCGGGCG

SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 16 product B (~300 bp)

Ref GTACTCTCGC-GGATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTG
Seq1 GTACTCTCGCGGATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTG
Seq2 GTACAGTCGCGTACATCTCTTGATCTTACACCCGCCCTTCCAAATCAGGGAGTCGACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTG

Ref CTGGCCCGGGTACTTGGTCATGGAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGGTCA
Seq1 ATGGCCCG-----ACCTGT-----
Seq2 CTGGTCGCTGT-----

Ref GAGTGTGATTCTCTCCGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCTTCCAAATGAT
Seq1 -----
Seq2 -----

Ref GCTTCCTACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC**CTTCAGTCACACCGGCATC**CATGGCGAGCGGGGGCG
Seq1 -----CACACCAGCATCCATGGCGAGCGGGGGCGGGCG
Seq2 -----CAGGCACACCAGCATCCATGGCGAGCGGGGGCGGGCG

Ref TCGGGGGAGTTGGGCTCGTTACGGGG
Seq1 TCGGGGGAGTTGGGCTCGTTACGTGG
Seq2 TCGGGGGAGTTGGGCTCGTTACGTGG

SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 20 product A (550 bp)

Ref CGGT-ACTTGGTCATG--GAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGGTAGAGT
Seq1 CGGT-ACTTGGTCATG--GAGCTGTTGATATCTTCCTCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGGTAGAGT
Seq2 GTGTGACCGGCATCCATGGCGAGCGGGGG---CGCGCTTCACTGATCATAGCGAAAGCCTGAAAGATGGCATTGGTGGGGCGGTAGAGT

Ref GATGATTCTCTCCGACAATTCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCTTCCAAATGATGCTT
Seq1 GATGATTCTCTCCGACAATTCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCTTCCAAATGATGCTT
Seq2 GATGATTCTCTCCGACAATTCCCCTCCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCCTTCTTCCAAATGATGCTT

Ref CCTACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTC**CTTCAGTCACACCGGCATC**CATGGCG
Seq1 CCTACTTCCTTCCGTGATAAGAAGCGGAATGGTGAGAGTCACATTAGTCACACCGGCATCCATGGCG

Seq2 CCTACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATT-----CAGTCACACCGCATCCATGGCG
SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 20 product B (~300 bp)
Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq1 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq2 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG
Ref CGGTACTTGGTCATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGTCAGAGTGT Seq1 -----GTGTGA----- Seq2 -----
Ref GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT Seq1 ----- Seq2 -----
Ref ACTTCCTTCCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC CATGGCAGCGGGCGGGCGTTGGGG Seq1 -----CCGGCATCCATGGCAGCGGGCGGGCGTTGGGG Seq2 -----CCGAATTAAATGGCAGCGGGCGGGCGTTGGGG
SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 54 product (550 bp)
Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq1 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq2 TCGCGGATCTTTGATCTTACACCCGATCTCCTACAGGGGGCGTGTATTGCAAGCCTTCAACTGAGTGGGGGGGGCGCAGGGAT
Ref CGGTACTGT-TGGTCATGGAGCTGTTGATATCTT-----CCTCCA-GCTTGTGATGATCATAGCGAAAGCCTAA-AGA-TGGCATTGGTGGGGCG Seq1 CGGTACTGT-TGGTCATGGAGCTGTTGATATCTT-----CCTCCA-GCTTGTGATGATCATAGCGAAAGCCTAA-AGA-TGGCATTGGTGGGGCG Seq2 CAGT-CTCTCCGGACAATTACCTGTCGATATGTTGATCCGCGCTCCTCTCAGATCCT-----CTAACCGACTCCCTTCTCGGGCG
Ref GTCAGAGTGATGATTCTCTCGGACAATTCCCCTCGAGATGTTGA---TCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCC Seq1 GTCAGAGTGATGATTCTCTCGGACAATTCCCCTCGAGATGTTGA---TCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCC Seq2 G-CAGAATGATGATTCTCTCCGACCATCCCCCTCCAAAAGT-GAGAGTCCC---CACTCCCTTCCGATCCTCTTAACCCACTCCCATTGTCG
Ref CAAT-GATGCTTCTACTTCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC ATGGCAGCGGC Seq1 CAAT-GATGCTTCTACTTCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC ATGGCAGCGGC Seq2 GAATGGATGCT-CCGACTTTCTTCGTTGATTAGAAAGCAAAGGTGAGAAGCACATTAACTCCACTTTCAATTCCCCCGGTTCAATTGAAAGGGGG
SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 11 product (550 bp)
Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq1 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq2 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG
Ref CGGTACTTGGTCATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGTCAGAGTGT Seq1 CGGTACTTGGTCATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGTCAGAGTGT Seq2 CGGTACTTGGGCGATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGGATTGGTGGGGCGGAGATGAT
Ref GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT Seq1 GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT Seq2 GAATCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT
Ref ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC CATGGC Seq1 ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC CATGGC Seq2 ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAATCACATTAACTCCACTT-CAGTCACACCGGCATCCATGGG
SUM159 ARIH1 sh5 hnRNP E1 CRISPR clone 37 product (550 bp)
Ref TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq1 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG Seq2 TCGCGGATCTTTGATCTTACACCCGCTTCCCACAGGGAGCCGCACTGGGTGGCCGGCACACCAGCCTCAGGGTACCGGGGGCTGCTGGCG
Ref CGGTACTTGGTCATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGTCAGAGTGT Seq1 CGGTACTTGGTCATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGCATTGGTGGGGCGTCAGAGTGT Seq2 CGGTACTTGGGCGATGGAGCTGTTGATATCTTCCAGCTGATGATCATAGCGAAAGCCTAAAGATGGGATTGGTGGGGCGGAGATGAT
Ref GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT Seq1 GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT Seq2 GATTCTCTCCGGACAATTCCCCTCGAGATGTTGATCCGCGGCCACTCTCTCGCGATCCTCTTAACCGACTCCCTTCTCCAAATGATGCTTCT
Ref ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC CATGGC Seq1 ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA CTTCAGTCACACCGGCATC CATGGC Seq2 ACTTCCTTCCGTGCATAAGAAGCGAATGGTGAGAGTCACATTAGTCCA -----GGCATCCATGGG