Supplemental Online Content

Boussat B, Cazzorla F, Le Marechal M, et al. Incidence of avoidable 30-day readmissions following hospitalization for community-acquired pneumonia in France. *JAMA Netw Open.* 2022;5(4):e226574. doi:10.1001/jamanetworkopen.2022.6574

eTable 1. ICD-10 Codes That Define Pneumonia

eTable 2. Description of Scales Used by Physician Reviewers to Rate Readmission Causation and Avoidability

eFigure. Distribution of Avoidable Probability

This supplemental material has been provided by the authors to give readers additional information about their work.

ICD-10	Description		
Primary diagno	gnosis code of pneumonia		
B01.2	Varicella pneumonia		
B20.6	HIV disease resulting in Pneumocystis jirovecii pneumonia		
B25.0	Cytomegaloviral pneumonitis		
B59	Pneumocystosis		
J10.0	Influenza with pneumonia, seasonal influenza virus identified		
J11.0	Influenza with pneumonia, virus not identified		
J12.x	Viral pneumonia, not elsewhere classified		
J13	Pneumonia due to Streptococcus pneumoniae		
J14	Pneumonia due to Haemophilus influenzae		
J15.x	Bacterial pneumonia, not elsewhere classified		
J16.x	Pneumonia due to other infectious organisms, not elsewhere classified		
J17.x	Pneumonia in diseases classified elsewhere		
J18.x	Pneumonia, organism unspecified		
J69.0	Pneumonitis due to inhalation of food and vomit		
Primary diagnosis code of sepsis, respiratory failure, or compatible symptoms with a secondary diagnosis			
code of pneumonia			
A40.x	Streptococcal sepsis		
A41.x	Other sepsis		
D65	Disseminated intravascular coagulation (defibrination syndrome)		
E86.x	Volume depletion		
E87.x	Other disorders of fluid, electrolyte and acid-base balance		
J80	Adult respiratory distress syndrome		
J81	Pulmonary edema		
J85.1	Abscess of lung with pneumonia		
J90	Pleural effusion, not elsewhere classified		
J91	Pleural effusion in conditions classified elsewhere		
J96.x	Respiratory failure, not elsewhere classified		
099.5	Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium		
R04.2	Haemoptysis		
R06.0	Abnormalities of breathing		
R07.1	Chest pain on breathing		
R07.2	Precordial pain		
R07.3	Other chest pain		
R07.4	Chest pain, unspecified		
R41.0	Disorientation, unspecified		
R50.9	Fever, unspecified		
R57.1	Hypovolaemic shock		
R57.2	Septic shock		
R57.9	Shock, unspecified		

eTable 1. ICD-10 Codes that Define Pneumonia


R91	Abnormal findings on diagnostic imaging of lung

eTable 2. Description of Scales Used by Physician Reviewers to Rate Readmission Causation and Avoidability

RATING	CAUSATION	AVOIDABILITY
1	No evidence for management	No evidence for preventability
	causation	
2	Slight evidence for management	Slight evidence for preventability
	causation	
3	Management causation less than	Preventability less than 50-50 but
	50-50 but close call	close call
4	Management causation more	Preventability more than 50-50 but
	than 50-50 but close call	close call
5	Strong evidence for management	Strong evidence for preventability
	causation	
6	Virtually certain evidence for	Virtually certain evidence for
	management causation	preventability

For each domain, a rating of 4 or more indicated that the reviewer felt that evidence existed for causation or avoidability in that case.

eFigure 1



Distribution of avoidable probability