Supplementary table 1. Results of univariate logistic regression analyses of variables associated with unplanned 30-day readmission in patients who received total knee arthroplasty

	Odds Ratio			Upper GI disease	
Variables	OR	95% CI	p-value	Depression	
Public vs Private	4.2	1.2-14.2	0.02	Anxiety or panic disor	
Comorbidities				Visual impairment	
Arthritis [#]	1.8	0.2-14.6	0.56	Hearing impairment	
Osteoporosis	1.7	0.4-6.7	0.43	Degenerative disc dise	
Asthma	0.8	0.2-3.8	0.80	Morbidity scale	
COPD, ARDS, emphysema	1.8	0.2-14.9	0.58	0	
Angina	-	-	-	1	
Congestive heart failure (or	1.9	0.2-16.2	0.53	2	
heart disease)				3 or more	
Heart attack	-	-	-	Self-Rated Health	
Neurological disease	-	-	-	Poor	
Stroke or TIA	3.6	0.7-18.2	0.11	Fair	
Peripheral vascular disease	-	-	-	Good	
Diabetes type I and II	2.3	0.6-9.1	0.21	Very good	

0.6	0.2-2.4	0.52
0.6	0.1-2.9	0.55
1.6	0.4-6.3	0.46
1.0	0.3-3.7	0.98
1.3	0.3-6.0	0.80
1.6	0.5-5.4	0.44
-	-	-
0.6	0.1-2.5	0.50
0.4	0.1-2.0	0.27
-	-	-
-	-	-
0.3	0.0-3.0	0.3
0.2	0.0-2.0	0.1
0.1	0.0-1.0	0.1
	0.6 1.6 1.0 1.3 1.6 - 0.6 0.4 - - 0.3 0.2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Excellent	-	-	-	Medication for pain control	0.4	0.1-1.7	0.20
Before you went to hospital				Pain management with ice	0.9	0.2-4.2	0.90
Invited to attend session by	0.5	0.1-1.5	0.21	Breathing exercise	1.9	0.6-6.2	0.30
surgeon				Sleep			
Attended information session	1.0	0.3-3.2	0.99	Single/shared room (single)	1.4	0.4-4.8	0.55
Usefulness of pre-surgery	0.7	0.3-1.9	0.53	Quality of sleep (Poor)	1.2	0.4-4.0	0.80
information session				Medication for sleep	1.2	0.4-3.9	0.71
Not very useful	-	-	-	Feel rested when leaving	1.5	0.5-4.5	0.50
Moderately useful	0.1	0.0-1.8	0.13	hospital			
Very useful	0.3	0.0-1.8	0.21	Diet			
Given information package	-	-	-	Dietary requirement met	0.4	0.1-3.3	0.41
or checklist				Water in reach	3.5	0.7-17.1	0.12
Use of information package	-	-	-	Quality of food in	0.5	0.1-4.0	0.52
or checklist				hospital(average)			
Pain				Discussion of medications	0.5	0.1-2.1	0.38
Worst pain (more than six	1.5	0.4-5.7	0.51	with health care provider			
score)				Pharmacist	3.3	0.2-57.9	0.40
Pain experienced during	4.7	1.0-21.6	0.05	Doctor	-	-	-
hospital stay (general pain)				Nurse	1.2	0.1-13.3	0.90
Pain on discharge (less than	5.0	1.3-18.4	0.016	Physiotherapist	-	-	-
6)							

Other	-	-	-			
Don't know	-	-	-			
More than one	1.8	0.0-0.2	0.60			
Patient medication enablement						
Better understand use of	0.4	0.1-3.6	0.44			
medication						
Feel more confident about	0.7	0.1-6.2	0.80			
taking medications						
Take your medications	0.5	0.1-4.0	0.48			
Total medication enablement	0.9	0.6-1.4	0.59			
(medication scale)						
Patient enablement						
Able to cope with life	0.7	0.3-1.6	0.46			
Able to understand your	0.9	0.4-1.2	0.81			
condition						
Able to cope with your	0.8	0.3-1.7	0.50			
condition						
Able to keep yourself healthy	1.2	0.5-2.6	0.65			
Confident about your health	0.6	0.3-1.4	0.25			
Able to help yourself	1.3	0.6-2.8	0.54			

Total enablement score (less enabled)	1.0	0.3-3.3	0.96				
When you got home from hospital							
Recall being given	0.8	0.2-3.8	0.79				
information about who to							
contact							
Who were you instructed to	0.8	0.6-1.0	0.05				
contact?							
surgeon	-	-	-				
nurse at hospital	0.3	0.0-2.7	0.32				
GP	0.5	0.1-2.0	0.28				
emergency department	0.3	0.1-2.0	0.27				
other	-	-	-				
Go to ED within 30 days of	42.5	10.9-164.8	0.00				
discharge							
General Practice Questions							
Regular GP practice	-	-	-				
See the same doctor	0.3	0.0-3.0	0.33				
Regular appointments with	1.2	0.4-3.7	0.76				
GP							
Discussion of plan with GP	0.7	0.2-2.2	0.50				

1-6 weeks	1.9	0.2-14.7	0.56			
Don't know	-	-	-			
Usual waiting time to see GP						
same day	-	-	-			
Within a couple of days	0.6	0.2-2.1	0.43			
Within a week	0.2	0.0-2.1	0.19			
1-2 weeks	0.4	0.0-4.2	0.48			
>2 weeks	-	-	-			
How soon after surgery did you see GP						
Within 1 week	-	-	-			
2-3 weeks	0.5	0.1-1.9	0.33			
4-6 weeks	0.7	0.1-6.1	0.78			
Don't know	1.3	0.1-10.6	0.84			
Did GP know you were in	-	-	-			
hospital						
Rehabilitation						
Attendance to rehab program	0.1	0.0-0.4	0.00			
Attendance to rehab within 5	2.2	0.8-5.5	0.11			
days						

Length of attendance to rehab						
One week	-	-	-			
2 weeks	-	-	-			
3 weeks	-	-	-			
4 weeks	0.1	0.0-1.5	0.09			
>4 weeks	0.4	0.0-2.0	0.25			