

Strength training alters the tissue fatty acids profile and slightly improves the thermogenic pathway in the adipose tissue of obese mice

Diego Gomes de Melo; Chadi Pellegrini Anaruma; Kellen Cristina da Cruz Rodrigues; Rodrigo Martins Pereira; Thais Dantis Pereira de Campos; Raphael Santos Cancigliari; Camila Oliveira Ramos; Dennys Esper Cintra; Eduardo Rochete Ropelle; Adelino Sanchez Ramos da Silva; José Rodrigo Pauli; Leandro Pereira de Moura*.

Additional Material

Strength training alters the tissue fatty acids profile and slightly improves the thermogenic pathway in the adipose tissue of obese mice


The additional material corresponds to the RT-PCR analysis of the genes involved in the browning process of the subcutaneous adipose tissue. The data that were removed correspond to outliers that were identified after the statistical test (when using the ROUT method or when using the GRUBBS analysis).

BEFORE ANALYSIS

Group A	Group B	Group C
Data Set-A	Ppar γ	Data Set-C
0.20	2.64	1.92
0.07	1.67	2.14
0.13	4.87	4.93
0.14	1.94	0.10
6.11		
0.07		
0.30		

AFTER ANALYSIS

Group A	Group B	Group C
Data Set-A	Ppar γ	Data Set-C
1	0.20	2.64
2	0.07	1.67
3	0.13	4.87
4	0.14	1.94
5	6.11*	
6	0.07	
7	0.30	



Cleaned data Outliers Summary

Ppar γ

	A	B	C	D	E	F	G	H	I	J	K
1		0.200	2.640	1.920							
2		0.070	1.670	2.140							
3		0.130	4.870	4.930							
4		0.140	1.940	0.100							
5											
6			0.070								
7			0.300								

Cleaned data Outliers Summary

Ppar γ

	A	B	C	D	E	F	G	H	I	J	K
1	#5	6.110									
2											
3											
4											

Cleaned data Outliers Summary

Identify outliers Summary

Ppar γ

	A	B	C	D	E	F	G	H	I	J
1	Method									
2	ROUT (Q = 1%)									
3										
4	Number of points									
5	# Y values analyzed	7	4	4						
6	Outliers	1	0	0						


**IDENTIFY OUTLIERS
OF PPARgamma**

BEFORE ANALYSIS

	Group E	Group F	Group G
	Data Set-E	Pgc-1 α	Data Set-G
1	0.38	0.70	0.70
2	0.21	1.87	5.89
3	3.13	1.66	3.48
4	2.06	0.25	5.27
5	0.39		
6	0.73		
7	0.10		

AFTER ANALYSIS

	Group E	Group F	Group G
	Data Set-E	Pgc-1 α	Data Set-G
1	0.38	0.70	0.70
2	0.21	1.87	5.89
3	3.13	1.66	3.48
4	2.06	0.25	5.27
5	0.39		
6	0.73		
7	0.10		



Cleaned data

	A	B	C	D	E	F	G	H	I	J	K
1			Pgc-1 α								
2			0.380	0.700	0.700						
3			0.210	1.870	5.890						
4			3.130	1.660	3.480						
5			2.060	0.250	5.270						
6			0.390								
7			0.730								
8			0.100								

Outliers

	A	B	C	D	E	F	G	H	I	J	K
1											
2											
3											
4											
5											
6											
7											

Summary

	A	B	C	D	E	F	G	H	I	J	K
1											
2											
3											
4											
5											
6											
7											

Cleaned data

	A	B	C	D	E	F	G	H	I	J	K
1			Pgc-1 α								
2											
3											
4											
5											
6											
7											

Outliers

	A	B	C	D	E	F	G	H	I	J	K
1											
2											
3											
4											
5											
6											
7											

Summary

	A	B	C	D	E	F	G	H	I	J	K
1											
2											
3											
4											
5											
6											
7											

Identify outliers

	A	B	C	D	E	F	G	H	I	J	K
1	Method										
2	ROUT (Q = 1%)										
3											
4	Number of points										
5	# Y values analyzed	7	4	4							
6	Outliers	0	0	0							


**IDENTIFY OUTLIERS
OF PGC-1alpha**

BEFORE ANALYSIS

	Group I	Group J	Group K
	Data Set-I	Prdm16	Data Set-K
1	0.33	1.44	4.26
2	2.72	2.65	5.14
3	2.07	11.78	3.81
4	0.12	0.89	3.85
5	1.25		
6	0.28		
7	0.24		
8			

AFTER ANALYSIS

	Group I	Group J	Group K
	Data Set-I	Prdm16	Data Set-K
1	0.33	1.44	4.26
2	2.72	2.65	5.14
3	2.07	11.78*	3.81
4	0.12	0.89	3.85
5	1.25		
6	0.28		
7	0.24		
8			



Cleaned data Outliers Summary

Prdm16

1	0.330	1.440	4.260
2	2.720	2.650	5.140
3	2.070		3.810
4	0.120	0.890	3.850
5	1.250		
6	0.280		
7	0.240		
8			

Cleaned data Outliers Summary

Prdm16

1	#3	11.780
2		
3		
4		
5		
6		
7		

Cleaned data Outliers Summary

Identify outliers Summary

Prdm16

1	Method		
2	Grubbs (Alpha = 0.05) G = 1.653	G = 1.484	G = 1.416
3			
4	Number of points		
5	# Y values analyzed	7	4
6	Outliers	0	1
7		0	

IDENTIFY OUTLIERS
OF PRDM16

BEFORE ANALYSIS

	Group M	Group N	Group O
	Data Set-M	Ucp1	Data Set-O
1	2.71	0.61	1.38
2	0.05	0.64	3.58
3	3.31	0.49	2.29
4	0.01	0.83	46.90
5	0.33		
6	0.28		
7	0.31		
8			

AFTER ANALYSIS 1

	Group M	Group N	Group O
	Data Set-M	Ucp1	Data Set-O
1	2.71	0.61	1.38
2	0.05	0.64	3.58
3	3.31*	0.49	2.29
4	0.01	0.83	46.90*
5	0.33		
6	0.28		
7	0.31		
8			



Cleaned data

	A	B	C	D	E	F	G	H	I	J	K
1	2.710	0.610	1.380								
2	0.050	0.640	3.580								
3		0.490	2.290								
4	0.010	0.830									
5	0.330										
6	0.280										
7	0.310										
8											

Outliers

	A	B	C	D	E	F	G	H	I	J	K
1	#3	3.310									
2	#4		46.900								
3											
4											
5											
6											
7											
8											

Summary

	A	B	C	D	E	F	G	H	I	J	K
1	Method										
2	ROUT (Q = 1%)										
3											
4	Number of points										
5	# Y values analyzed	7	4	4							
6	Outliers	1	0	1							
7											
8											

Identify outliers

	A	B	C	D	E	F	G	H	I	J	K
1	Summary										
2	Method										
3	ROUT (Q = 1%)										
4	Number of points										
5	# Y values analyzed	7	4	4							
6	Outliers	1	0	1							
7											
8											

**IDENTIFY OUTLIERS
OF UCP1**

BEFORE ANALISYS

AFTER ANALISYS 2

	Group M	Group N	Group O
	Data Set-M	Ucp1	Data Set-O
1	2.71	0.61	1.38
2	0.05	0.64	3.58
3	3.31	0.49	2.29
4	0.01	0.83	46.90
5	0.33		
6	0.28		
7	0.31		
8			

	Group M	Group N	Group O
	Data Set-M	Ucp1	Data Set-O
1	2.71*	0.61	1.38
2	0.05	0.64	3.58
3	3.31*	0.49	2.29
4	0.01	0.83	46.90*
5	0.33		
6	0.28		
7	0.31		
8			



Three screenshots of a software interface showing data analysis steps:

- Cleaned data:** Shows a table with columns A, B, C, D, E, F, G, H, I, J, K. Row 1 is highlighted green and labeled "Ucp1". Rows 1 through 8 are listed.
- Outliers:** Shows a table with columns A, B, C, D, E, F, G, H, I, J, K. Row 1 is highlighted green and labeled "#1". Row 1 contains the value "2.710".
- Summary:** Shows a table with columns A, B, C, D, E, F, G, H, I, J, K. Row 1 is highlighted red and labeled "Identify outliers Summary". Rows 1 through 8 are listed, with row 1 containing "Method ROUT (Q = 1%)". Rows 5 and 6 show the number of points analyzed and outliers found respectively.

**IDENTIFY OUTLIERS
OF UCP1**