*Indicates required information. Only first name, last name, and suffix will appear in PubMed.

First Name and	Last Name*	Suffix		neostomy in Neurocritical Care Trial	Location (city,	Role or Contribution,	Group (if more than 1
Middle Initial(s)*		(eg, Jr, III)*	Degrees		state/province, country)	eg, chair, principal investigator	Group listed in the byline) and/or Subgroup (eg, Steering Committee)
Ahmad	Ramadan		MD	Department of Neurology, Henry Ford Health System	Detroit, MI, USA	principal investigator	belonging to the SETPOINT2 study group
Jan	Claassen		MD	Department of Neurology, New York Presbyterian Hospital, Columbia Presbyterian Medical Center	New York, NY, USA	principal investigator	belonging to the SETPOINT2 study group
Stephan	Mayer		MD	Department of Neurology, Mount Sinai Medical Center	New York, NY, USA	principal investigator	belonging to the SETPOINT2 study group
Harry	Peled		MD	Department of Cardiology, St Jude Medical Center	Fullerton, CA, USA	principal investigator	belonging to the SETPOINT2 study group
Thomas	Christianson		MD	Department of Anesthesia, University of Tennessee Medical	Knoxville, TN, USA	principal investigator	belonging to the SETPOINT2 study group
Teresa L.	May		MD	Department of Critical Care Services, Maine Medical Center	Portland, ME, USA	principal investigator	belonging to the SETPOINT2 study group
Richard R.	Riker		MD	Department of Critical Care Services, Maine Medical Center	Portland, ME, USA	principal investigator	belonging to the SETPOINT2 study group
Golschan	Asgarpur		MD	Department of Neurology, Charité Benjamin Franklin Campus	Berlin, Germany	principal investigator	belonging to the IGNITE study group
Henning	Stetefeld		MD	Department of Neurology, University of Cologne Faculty of Medicine and University Hospital Cologne	Köln, Germany	principal investigator	belonging to the IGNITE study group
Stefan	Kluge		MD	Department of Critical Care, University Hospital Hamburg Eppendorf	Hamburg, Germany	principal investigator	belonging to the IGNITE study group