

SUPPLEMENTARY INFORMATION FOR

“A TPE-benzothiazole piezochromic and acidichromic molecular switch with high solid state luminescent efficiency”

Chunping Ma,^{‡ab} Jiajun He,^{‡c} Bingjia Xu,^d Gaoyi Xie,^{*ef} Zongliang Xie,^c Zhu Mao^c and Zhenguo Chi^{c}**

^a Key Laboratory of Light Metal Materials Processing Technology of Guizhou Province, Guizhou Institute of Technology, Guiyang 550003, China.

^b School of Materials and Metallurgical Engineering, Guizhou Institute of Technology, Guiyang 550003, China.

^c PCFM Lab, GDHPPC Lab, Guangdong Engineering Technology Research Center for High-performance Organic and Polymer Photoelectric Functional Films, State Key Laboratory of OEMT, School of Chemistry and Chemical Engineering, Sun Yat-sen University, Guangzhou 510275, China. E-mail: chizhg@mail.sysu.edu.cn

^d Key Laboratory of Theoretical Chemistry of Environment, Ministry of Education, School of Chemistry and Environment, South China Normal University, Guangzhou 510006, China.

^e College of Chemical Engineering, Guizhou Institute of Technology, Guiyang 550003, China; E-mail: xiegaoyi@126.com

^f Guizhou Material Industry Technology Research Institute, Guiyang 550014, China. E-mail: xiegaoyi@126.com




Fig. S1 ¹H-NMR spectrum of B-TPEAN.




Fig. S2 ¹³C-NMR spectrum of B-TPEAN.

Instrument:DSQ(Thermo)
Ionization Method:EI
D:\DSQ\DATA-LR\13\112805

11/28/2013 3:42:32 PM

Thi

112805 #95 RT: 2.45 AV: 1 NL: 4.75E5
T: + c Full ms [45.00-800.00]




Fig. S3 MS spectrum of B-TPEAN.




Fig. S4 FT-IR spectrum of B-TPEAN.




Fig. S5 TGA curve of B-TPEAN.