

**Supplementary Table S2.** Recovery of radioactivity (cumulative percent of dose) in excreta of male rates following a single 100 mg/kg oral dose of [<sup>14</sup>C]PPI-1011 (Group 2).

Group 2: % of Dose							
Matrix	Time (hr)	5M	6M	7M	8M	Mean	SD
Urine	0	0.00	0.00	0.00	0.00	<b>0.00</b>	0.00
	0-8	0.69	0.86	0.34	0.05	<b>0.48</b>	0.36
	0-24	2.04	1.73	1.33	1.09	<b>1.55</b>	0.42
	0-48	2.37	2.13	1.67	1.34	<b>1.88</b>	0.46
	0-72	2.59	2.36	1.82	1.49	<b>2.06</b>	0.50
	0-96	2.72	2.51	1.91	1.57	<b>2.18</b>	0.53
	0-120	2.80	2.60	1.98	1.63	<b>2.26</b>	0.54
	0-144	2.90	2.74	2.04	1.68	<b>2.34</b>	0.58
	0-168	2.96	2.82	2.08	1.73	<b>2.40</b>	0.59
Feces	0	0.01	0.00	0.00	0.00	<b>0.00</b>	0.00
	0-24	47.26	27.14	33.48	30.45	<b>34.58</b>	8.84
	0-48	49.70	30.99	43.24	38.18	<b>40.53</b>	7.91
	0-72	50.31	33.17	44.52	39.04	<b>41.76</b>	7.35
	0-96	50.50	33.92	45.09	39.48	<b>42.25</b>	7.14
	0-120	50.63	34.05	45.22	39.60	<b>42.37</b>	7.14
	0-144	50.69	34.13	45.30	39.69	<b>42.45</b>	7.14
	0-168	50.79	34.18	45.34	39.72	<b>42.51</b>	7.16
CO <sub>2</sub>	0	0.00	0.00			<b>0.00</b>	0.00
	0-24	8.47	14.28			<b>11.37</b>	4.10
Cage Rinse	168	0.35	0.19	0.09	0.16	<b>0.20</b>	0.11
Total	0	0.01	0.00	0.00	0.00	<b>0.00</b>	0.00
	0-24	49.30	28.87	34.81	31.54	<b>36.13</b>	9.11
	0-48	52.08	33.12	44.90	39.53	<b>42.41</b>	8.05
	0-72	52.90	35.52	46.33	40.53	<b>43.82</b>	7.49
	0-96	53.22	36.43	47.00	41.05	<b>44.42</b>	7.29
	0-120	53.43	36.66	47.20	41.23	<b>44.63</b>	7.28
	0-144	53.60	36.87	47.33	41.37	<b>44.79</b>	7.27
	0-168*	54.10	37.19	47.51	41.61	<b>45.10</b>	7.34
0-168**	62.57	51.47			<b>57.02</b>	7.85	

\*Total at 0-168 hr included urine, feces and cage rinse.

\*\* Total at 0-168 hr included urine, feces, cage rinse, and expired air (<sup>14</sup>C-CO<sub>2</sub> for Rat #5M and 6M only; expired air (<sup>14</sup>C-CO<sub>2</sub>) were not collected for Rat #7M and 8M.