Table S1: Demographical variables of the study participants

Variables		n	Percentage %
Age group	<35 years	599	31.9%
	35-54 years	940	50.1%
	≥ 55 years	339	18.1%
Gender	Female	1151	61.3%
	Male	727	38.7%
Educational status	Graduate/Post graduate	1153	61.4%
	degree		
	High school / Diploma	429	22.9%
	Less than high school	162	8.6%
	No formal education	134	7.1%
Income	≤ 10,000 AED	572	38.6 %
	10,000 and above	969	61.4%
	Did not disclose	519	27.6%
Nationality	Emirati	909	48.4%
	Non-Emirati	969	51.6 %
Comorbidities	With comorbidities	526	28%
	No comorbidities	1352	72%
Previous COVID-19	Yes	332	17.7%
infection			
	No	1546	82.3%
Type of vaccine	Sinopharm	941	50.1%
	Pfizer	890	47.4%
	Others	47	2.5%
Adverse effects	Yes	1217	64.8%
	No	661	35.2%
Total		1878	100%

Table S2: Local and systemic side effects

	n (%)	
	Pain at the site of the vaccine	882 (47)
Local	Redness	36 (1.9)
Local	Itch	31 (1.7)
	Enlarged/swollen lymph nodes	10 (0.5)
	Drowsiness and Fatigue	530 (28.2)
	Muscle and Joint pain	433 (23.1)
	Headache	332 (17.7)
	Fever	270 (14.4)
	Chills	98 (5.2)
	Feeling dizzy	70 (3.7)
	Nausea	61 (3.2)
	Difficulty in sleeping	50 (2.7)
	Decreased appetite	46 (2.4)
Systemic	Flu-like symptoms	39 (2.1)
Systemic	Muscle weakness	38 (2)
	Heavy sweating	36 (1.9)
	Abdominal pain	34 (1.8)
	Feeling nervous	10 (0.5)
	Rash	7 (0.4)
	Constipation	7 (0.4)
	Gastritis	7 (0.4)
	Vomiting	5 (0.3)
	Change or loss of the ability to taste	4 (0.2)
	Temporary relaxation of one side of the face	1 (0.1)

Table S3: Association of the adverse effects with the type of vaccine

	Sinopharm	Pfizer-	Odds ratio	P value
Adverse effects	574 (61.0%)	BioNTech 610 (68.5 %)	1.39	<0.001
Adverse effects	n = 941	n = 890	(1.14-1.68)	<0.001
Local symptoms	393 (41.8%)	478 (53.7%)	1.61	< 0.001
Local symptoms	n = 941	n = 890	(1.34-1.94)	<0.001
Systemic symptoms	417 (44.3%)	432 (48.5%)	1.18	0.070
Systemic symptoms	n = 941	n = 890	(0.98-1.42)	0.070
Adverse effects after the	214 (37.3%)	103 (16.9%)	2.92	< 0.001
first dose	n = 574	n = 610	(2.23-3.83)	
Adverse effects after the	208 (36.2%)	268 (43.9%)	1.38	0.007
second dose	n = 574	n = 610	(1.09-1.74)	
Adverse effects after	128 (22.3%)	232 (38.0%)	2.14	< 0.001
both the doses	n = 574	n = 610	(1.66-2.76)	
Local adverse effects	142 (66.4%)	79 (76.7%)	1.67	0.062
after the first dose	n = 214	n = 103	(0.97-2.86)	
Local adverse effects	133 (63.9%)	193 (72.0%)	1.45	0.061
after the second dose	n = 208	n = 268	(0.98-2.14)	
Systemic effects after the	168 (78.5%)	66 (64.1%)	2.04	0.006
first dose	n = 214	n = 103	(1.22-3.43)	
Systemic effects after the	150 (72.1%)	232 (86.6%)	2.49	< 0.001
second dose	n = 208	n = 268	(1.57-3.96)	
Adverse effects that	27 (4.7%)	32 (5.3%)	1.12	0.668
required consultation/	n = 574	n = 610	(0.66-1.90)	
hospitalization				

^{*}Adverse effects: For Sinopharm 24 people (4.2%, n=574) didn't specify when they had these symptoms (after first, second or after both doses)

For Pfizer 7 people (1.1%, n=610) didn't specify when they had these symptoms (after first, second or after both doses)

Table S4: Number of side effects reported based on age group and type of vaccine

Age group	Vaccine (n)	Number of side effects reported		Adverse effects	Odds ratio	P value
		1-5	>5	(%)		
18-34 years	Sinopharm (366)	195 (53.3)	34 (9.3)	229 (62.6)	1.039 (0.923- 	0.078
	Pfizer- BioNTech (210)	102 (48.6)	16 (7.6)	92 (43.8)		
35-54 years	Sinopharm (505)	287 (56.8)	26 (5.1)	313 (62)	1.441 (1.752 - 1.184)	<0.001
	Pfizer- BioNTech (413)	231 (55.9)	73 (17.7)	304 (73.6)		
≥ 55 years	Inactive Sinopharm (70)	31 (44.3)	1 (1.4)	32 (45.7)	1.835 (1.382- 2.436)	<0.001
	Pfizer- BioNTech (267)	164 (61.4)	24 (9)	188 (70.4)		

Table S5: Treatment for side effects post vaccination based on age group

Age	Vaccine	Treatment for adverse effects		Odds ratio	P value
group	(n)	No treatment/home based treatment	Doctor consultation or a hospital-based treatment		
18-34 years	Sinopharm (222)	208 (93.7)	14 (6.3)	0.525 (0.169-1.635)	0.525
	Pfizer- BioNTech (117)	113 (96.6)	4 (3.4)		
35-54 years	Sinopharm (300)	289 (96.3)	11 (3.7)	1.490 (0.679-3.268)	0.318
	Pfizer- BioNTech (298)	282 (94.6)	16 (5.4)		
years	Inactive Sinopharm (30)	28 (93.3)	2 (6.7)	0.960 (0.230-4.519)	0.958
	Pfizer- BioNTech (187)	175 (93.6)	12 (6.4)		

Figure S1: Severity of side effects

