
## **Supplementary Material**

Intraventricular Hemorrhage Expansion in the CLEAR III Trial: A Post Hoc Exploratory Analysis

Ta	h	ما	Ωf	Cc	nte	ents	
ıa	v		OI.	$\mathbf{c}$	) I I L C	HILD	٠.

Supplementary	Figure I	Page 2
Supplementary	Table I	Page 3

**Supplemental Figure I**: Box plot showing a change in ICH volume (Y-axis) plotted against the increasing quintiles of change in IVH volume (X-axis). Note: Quintile 5 represents the maximum change in IVH volume from baseline to stability CT scans. Abbreviations: CT, computed tomography; ICH, intracerebral hemorrhage; IVH, intraventricular hemorrhage.



## Supplemental Table I: Logistic Regression Analyses Showing Factors Associated with Intraventricular Hemorrhage Expansion.

Factors	OR (95% CI)	P value
Age, per year increase	1.01 (0.98-1.03)	0.30
Female	1.28 (0.83-2.01)	0.27
Black race	0.87 (0.52-1.46)	0.59
Baseline ICH volume, per 1 mL increase	1.04 (1.01-1.08)	0.06
ICH expansion	6.69 (3.93-11.37)	<0.001
Prior anticoagulant therapy	1.51 (0.71-3.18)	0.28
Hypertension	1.26 (0.72-2.20)	0.41
Time from baseline CT scan to stability CT scan, per 1-hour increase	0.98 (0.97-1.01)	0.07
Thalamic location	1.67 (1.01-2.78)	0.049

**Abbreviations:** CI: confidence interval; ICH, intracerebral hemorrhage; OR: odds ratio; mL, milliliter; CT: computed tomography P value <0.05 was considered significant