

THE LANCET

Child & Adolescent Health

Supplementary appendix

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Lachassinne E, de Pontual L, Caseris M, et al. SARS-CoV-2 transmission among children and staff in daycare centres during a nationwide lockdown in France: a cross-sectional, multicentre, seroprevalence study. *Lancet Child Adolesc Health* 2021; published online Feb 8. [http://dx.doi.org/10.1016/S2352-4642\(21\)00024-9](http://dx.doi.org/10.1016/S2352-4642(21)00024-9).

Supplemental table: Symptoms on inclusion in the study groups

	Children attending daycare centres N = 314 *	Daycare centre staff N = 185 *	Comparator group N = 160 *
Fever	1% (n=3)	0% (n=0)	1% (n=1)
Respiratory signs	18% (n=58)	10% (n=19)	9% (n=14)
dyspnoea	0% (n=0)	0% (n=1)	0% (n=1)
cough	6% (n=19)	3% (n=6)	4% (n=6)
rhinitis	17% (n=54)	6% (n=12)	6% (n=10)
otitis	2% (n=5)	0% (n=1)	1% (n=2)
conjunctivitis	0% (n=1)	2% (n=3)	1% (n=2)
Abdominal signs	3% (n=10)	3% (n=6)	2% (n=3)
diarrhoea	2% (n=7)	1% (n=2)	1% (n=2)
vomiting	0% (n=1)	0% (n=0)	1% (n=2)
abdominal pain	1% (n=2)	2% (n=4)	1% (n=1)
Loss of appetite	2% (n=5)	1% (n=2)	1% (n=2)
Skin signs	2% (n=6)	0% (n=1)	1% (n=1)
Changes in behavior	2% (n=6)		
Headache	0% (n=0)	9% (n=18)	2% (n=3)
Asthenia	0% (n=0)	5% (n=10)	1% (n=2)
Myalgia		0% (n=0)	1% (n=1)
Anosmia		0% (n=0)	1% (n=1)
Ageusia		0% (n=0)	1% (n=1)
Chest pain		0% (n=0)	1% (n=1)
Joint pain		2% (n=3)	1% (n=2)

* participants with data on the presence or absence of symptoms