

## Supporting Information

### Metal-Free Domino Amination-Knoevenagel Condensation Approach to Access New Coumarins as Potent Nanomolar Inhibitors of VEGFR-2 and EGFR

Essam M. Eliwa<sup>a,b\*</sup>, Marcel Frese<sup>a</sup>, Ahmed H. Halawa<sup>b</sup>, Maha M. sultan<sup>c</sup>, Larissa V. Ponomareva<sup>d,e</sup>, Jon S. Thorson<sup>d,e</sup>, Khaled A. Shaaban<sup>d,e</sup>, Mohamed Shaaban<sup>a,f</sup>, Ahmed M. El-Agrody<sup>b,\*</sup> & Norbert Sewald<sup>a</sup>

<sup>a</sup> *Organic and Bioorganic Chemistry, Faculty of Chemistry, Bielefeld University, Bielefeld D-33501, Germany*

<sup>b</sup> *Chemistry Department, Faculty of Science, Al-Azhar University, Nasr City-Cairo 11884, Egypt*

<sup>c</sup> *Biology Unit, Central Laboratory for Pharmaceutical and Drug Industries Research Division, Chemistry of Medicinal Plants Department, Pharmaceutical and Drug Industries Research Division, National Research Centre, El Buhouth St. 33 Dokki-Giza Cairo 12622, Egypt*

<sup>d</sup> *Center for Pharmaceutical Research and Innovation, University of Kentucky, Lexington, Kentucky 40536, United States*

<sup>e</sup> *Department of Pharmaceutical Sciences, College of Pharmacy, University of Kentucky, Lexington, Kentucky 40536, United States*

<sup>f</sup> *Chemistry of Natural Compounds Department, Pharmaceutical and Drug Industries Research Division, National Research Centre, El-Beohoos St. 33, Dokki-Cairo 12622, Egypt*

\* Corresponding authors (emails: essameliwa85@azhar.edu.eg; elagrody\_am@azhar.edu.eg)

#### Table of Contents



Figures	Page No.
<b>Figure S1.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4a</b>	4
<b>Figure S2.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4a</b>	4
<b>Figure S3.</b> (+)-ESI-MS of <b>4a</b>	5
<b>Figure S4.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4b</b>	5
<b>Figure S5.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4b</b>	6
<b>Figure S6.</b> (+)-ESI-MS of <b>4b</b>	6
<b>Figure S7.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4c</b>	7
<b>Figure S8.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4c</b>	7
<b>Figure S9.</b> (+)-ESI-MS of <b>4c</b>	8
<b>Figure S10.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4d</b>	8
<b>Figure S11.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4d</b>	9
<b>Figure S12.</b> (+)-ESI-MS of <b>4d</b>	9
<b>Figure S13.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4e</b>	10
<b>Figure S14.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4e</b>	10
<b>Figure S15.</b> (+)-ESI-MS of <b>4e</b>	11
<b>Figure S16.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>4f</b>	11
<b>Figure S17.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>4f</b>	12

<b>Figure S18.</b> (+)-ESI-MS of <b>4f</b>	12
<b>Figure S19.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>8a</b>	13
<b>Figure S20.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>8a</b>	13
<b>Figure S21.</b> (+)-ESI-MS of <b>8a</b>	14
<b>Figure S22.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>8b</b>	14
<b>Figure S23.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>8b</b>	15
<b>Figure S24.</b> (+)-ESI-MS of <b>8b</b>	15
<b>Figure S25.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>8c</b>	16
<b>Figure S26.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>8c</b>	16
<b>Figure S27.</b> (+)-ESI-MS of <b>8c</b>	17
<b>Figure S28.</b> (+)-ESI-MS of <b>8d</b>	17
<b>Figure S29.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>8e</b>	18
<b>Figure S30.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>8e</b>	18
<b>Figure S31.</b> (+)-ESI-MS of <b>8e</b>	19
<b>Figure S32.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5a</b>	19
<b>Figure S33.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>5a</b>	20
<b>Figure S34.</b> (+)-ESI-MS of <b>5a</b>	20
<b>Figure S35A.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5d</b>	21
<b>Figure S35B.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5d</b>	21
<b>Figure S36.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>5d</b>	22
<b>Figure S37.</b> (+)-ESI-MS of <b>5d</b>	22
<b>Figure S38A.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5e</b>	23
<b>Figure S38B.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5e</b>	23
<b>Figure S39.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>5e</b>	24
<b>Figure S40.</b> (+)-ESI-MS of <b>5e</b>	24
<b>Figure S41A.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5f</b>	25
<b>Figure S41B.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>5f</b>	25
<b>Figure S42.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>5f</b>	26
<b>Figure S43.</b> (+)-ESI-MS of <b>5f</b>	26
<b>Figure S44A.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9a</b>	27
<b>Figure S44B.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9a</b>	27
<b>Figure S45.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>9a</b>	28
<b>Figure S46.</b> (+)-ESI-MS of <b>9a</b>	28
<b>Figure S47A.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9d</b>	29
<b>Figure S47B.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9d</b>	29
<b>Figure S48.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>9d</b>	30


---

<b>Figure S49.</b> (+)-ESI-MS of <b>9d</b>	30
<b>Figure S50.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9e</b>	31
<b>Figure S51.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>9e</b>	31
<b>Figure S52.</b> (+)-ESI-MS of <b>9e</b>	32
<b>Figure S53.</b> $^1\text{H}$ NMR (500 MHz, DMSO- $d_6$ ) of <b>9f</b>	32
<b>Figure S54.</b> $^{13}\text{C}$ NMR (125 MHz, DMSO- $d_6$ ) of <b>9f</b>	33
<b>Figure S55.</b> (+)-ESI-MS of <b>9f</b>	33


---





**Figure S1.** <sup>1</sup>H NMR (500 MHz, DMSO-*d*<sub>6</sub>) of **4a**.




**Figure S2.** <sup>13</sup>C NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **4a**




**Figure S3.** (+)-ESI-MS of **4a**





**Figure S4.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **4b**




**Figure S5.**  $^{13}\text{C}$  NMR (125 MHz,  $\text{DMSO}-d_6$ ) of **4b**




**Figure S6.** (+)-ESI-MS of **4b**





**Figure S7.**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) of **4c**




**Figure S8.**  $^{13}\text{C}$  NMR (125 MHz, DMSO- $d_6$ ) of **4c**




**Figure S9.** (+)-ESI-MS of **4c**





**Figure S10.**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) of **4d**




**Figure S11.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **4d**




**Figure S12.** (+)-ESI-MS of **4d**





**Figure S13.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **4e**




**Figure S14.**  $^{13}\text{C}$  NMR (125 MHz,  $\text{DMSO}-d_6$ ) of **4e**




**Figure S15.** (+)-ESI-MS of **4e**





**Figure S16.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **4f**




**Figure S17.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **4f**




**Figure S18.** (+)-ESI-MS of **4f**





**Figure S19.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **8a**




**Figure S20.**  $^{13}\text{C}$  NMR (125 MHz,  $\text{DMSO}-d_6$ ) of **8a**




**Figure S21.** (+)-ESI-MS of **8a**





**Figure S22.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **8b**




**Figure S23.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **8b**




**Figure S24.** (+)-ESI-MS of **8b**





**Figure S25.**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) of **8c**





**Figure S26.**  $^{13}\text{C}$  NMR (125 MHz, DMSO- $d_6$ ) of **8c**




**Figure S27.** (+)-ESI-MS of **8c**




**Figure S28.** (+)-ESI-MS of **8d**





**Figure S29.** <sup>1</sup>H NMR (500 MHz, DMSO-*d*<sub>6</sub>) of **8e**




**Figure S30.** <sup>13</sup>C NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **8e**




**Figure S31.** (+)-ESI-MS of **8e**





**Figure S32.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **5a**




**Figure S33.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **5a**




**Figure S34.** (+)-ESI-MS of **5a**




**Figure S35A.**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) of **5d**





**Figure S35B.**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) of **5d**




**Figure S36.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **5d**




**Figure S37.** (+)-ESI-MS of **5d**




**Figure S38A.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **5e**





**Figure S38B.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **5e**




**Figure S39.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **5e**




**Figure S40.** (+)-ESI-MS of **5e**




**Figure S41A.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **5f**





**Figure S41B.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **5f**




**Figure S42.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **5f**




**Figure S43.** (+)-ESI-MS of **5f**




**Figure S44A.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9a**





**Figure S44B.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9a**




**Figure S45.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **9a**




**Figure S46.** (+)-ESI-MS of **9a**




**Figure S47A.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9d**





**Figure S47B.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9d**




**Figure S48.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **9d**




**Figure S49.** (+)-ESI-MS of **9d**





**Figure S50.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9e**




**Figure S51.**  $^{13}\text{C}$  NMR (125 MHz,  $\text{DMSO}-d_6$ ) of **9e**




**Figure S52.** (+)-ESI-MS of **9e**



**Figure S53.**  $^1\text{H}$  NMR (500 MHz,  $\text{DMSO}-d_6$ ) of **9f**



**Figure S54.**  $^{13}\text{C}$  NMR (125 MHz, DMSO-*d*<sub>6</sub>) of **9f**



**Figure S55.** (+)-ESI-MS of **9f**