

**Table 4. Derived pharmacokinetic parameters for ALM201 following subcutaneous administration on Days 1, 3 and 18 of treatment cycle 1 at doses of 10, 20, 40, 80, 100, 160, 200 or 300 mg**

Parameter	Summary Statistic	Dose Level (mg)							
		10 mg	20 mg	40 mg	80 mg	100 mg	160 mg	200 mg	300 mg
<b>Day 1 Cycle 1</b>		(n = 1)	(n = 1)	(n = 1)	(n = 3)	(n = 4)	(n = 3)	(n = 4)	(n = 3)
C <sub>max</sub> (ng/mL)	Gmean (CV)	200	542	592	835 (10)	1810 (124)	1990 (12)	1490 (53)	2550 (32)
	Range				749 – 892	465 – 4600	1730 – 2190	890 -2690	2100 - 3650
t <sub>max</sub> (h)	Median	1.45	1.5	1.63	1.53	1.5	1.52	2.5	2
	Range				0.75 – 2.0	1.30 – 1.50	0.80 – 3.07	1.50 – 3.08	0.75 – 4.00
AUC <sub>0-t</sub> (ng.h/mL)	Gmean (CV)	485	1040	1920	3380 (10)	6280 (167)	6510 (15)	5860 (48)	11900 (24)
	Range				3100 - 3790	1140 – 14800	5600 - 7560	3460 – 10200	9470 – 15100
<b>Day 3 Cycle 1</b>		(n = 1)	(n = 1)	(n = 1)	(n = 3)	(n = 4)	(n = 3)	(n = 4)	(n = 3)
C <sub>max</sub> (ng/mL)	Gmean (CV)	406	614	759	861 (21)	2750 (50)	1490 (10)	1620 (47)	2690 (18)
	Range				762 – 1090	1450 - 4280	1390 – 1660	1160 – 3100	2300 – 3260
t <sub>max</sub> (h)	Median	0.5	1	1.5	1.5	1.61	1.52	2	1.02
	Range				1.05 – 2.0	0.50 – 2.02	1.52 – 2.05	1.48 – 2.00	1.00 – 2.00
AUC <sub>0-t</sub> (ng.h/mL)	Gmean (CV)	868	1160	898	2970 (13)	8870 (38)	5100 (3)	6630 (55)	12500 (17)
	Range				2660 - 3430	5380 - 12800	4970 – 5280	4460 – 11900	10500 – 14700
<b>Day 18 Cycle 1</b>		(n = 1)	(n = 1)	(n = 1)	(n = 2)	(n = 2)	(n = 3)	(n = 3)	(n = 3)
C <sub>max</sub> (ng/mL)	Gmean (CV)	352	319	405	1090 (NC)	2330 (NC)	1350 (7)	1670 (50)	2880 (18)
	Range				1090 - 1100	2140 – 2530	1240 – 1420	1230 – 2880	2420 – 3450
t <sub>max</sub> (h)	Median	1.58	1.02	1	1.23	1.9	1.5	2.03	1.5
	Range				0.47 – 2.0	1.45 – 2.35	0.50 – 2.00	1.00 – 3.50	1.00 – 2.07
AUC <sub>0-t</sub> (ng.h/mL)	Gmean (CV)	817	718	1840	3500 (NC)	8100 (NC)	4930 (10)	5570 (55)	12100 (6)
	Range				3440 - 3570	7000 - 9370	4400 - 5400	3900 - 10000	11400 – 12900

NC = not calculated (fewer than n = 3 values)