

Supplementary table 1. Sequences of qPCR primers

Target	Forward sequence (5' to 3')	Reverse sequence (5' to 3')
mouse <i>tnf-α</i>	GCCTCTTCTCATTCCCTGCTTG	CTGATGAGAGGGAGGCCATT
mouse <i>il-6</i>	GAGGATAACCACTCCCAACAGACC	AAGTGCATCATCGTTGTTTCATAC
mouse <i>ip-10</i>	CCAAGTGCTGCCGTCATTTTC	GGCTCGCAGGGATGATTTCAA
mouse <i>cxcl1</i>	CAATGAGCTGCGCTGTCAGTG	CTTGGGGACACCTTTTAGCATC
mouse <i>cxcl2</i>	CCAAGGGTTGACTTCAAGAAC	AGCGAGGCACATCAGGTACG
mouse <i>cxcl5</i>	CCGCTGGCATTCTGTTGCTGT	CAGGGATCACCTCCAAATTAGCG
mouse <i>ccl2</i>	TTAAAAACCTGGATCGGAACCAA	GCATTAGCTTCAGATTTACGGGT
mouse <i>ccl5</i>	GCTGCTTTGCCTACCTCTCC	TCGATGACAAACACGACTGC
mouse <i>ifn-γ</i>	CATGGCTGTTTCTGGCTGTTACTG	GTTGCTGATGGCCTGATTGTCTTT
mouse <i>gapdh</i>	GGAGAAACCTGCCAAGTATG	TGGGAGTTGCTGTTGAAG