Supplemental Information

Inhibition of Vascular Inflammation by Apolipoprotein A-IV

Kate Shearston¹, Joanne T.M. Tan², Blake J. Cochran¹, Kerry-Anne Rye¹. ¹Lipid Research Group, School of Medical Sciences, Faculty of Medicine, University of New South Wales, Sydney, Australia; ²Vascular Research Centre, South Australian Health and Medical Research Centre, Adelaide, South Australia.

Corresponding Author: Kerry-Anne Rye, Level 4E, Wallace Wurth Building, School of Medical Sciences ,Faculty of Medicine, University of New South Wales Sydney, Australia 2052.

Direction	Primer sequence		
Sense	5' CCA TCT ACA GCT TTC CGG CGC 3'		
Antisense	5' CTC TGG GGT GGC CTT CAG CA 3'		
Sense	5' ATG TAG TGT CAT GGG CTG TG 3'		
Antisense	5' GGA ATG AGT AGA GCT CCA CC 3'		
Sense	5' TCC ACA ACC CAA GAA CAC A 3'		
Antisense	5' TCC ACA ACC CAA GAA CAC A 3'		
Sense	5' CTC CTG CCG CTC TCG CTT ATC 3'		
Antisense	5' GTC TTG CTA CCC TGC TCC TTC C 3'		
Sense	5' TGA CAC TGG CAA AAC AAT GCA 3'		
Antisense	5' GGT CCT TTT CAC CAG CAA GCT 3'		
Sense	5' CAT CCA GCG TAC TCC AAA GA 3'		
Antisense	5' GAC AAG TCT GAA TGC TCC AC 3'		
	Sense Antisense Sense Antisense Sense Antisense Sense Antisense Sense Sense		

Supplementary Table 1: Real-time PCR Primers

Supplementary Table 2: A single apoA-IV infusion does not affect plasma lipid, NEFA, apoA-I or apoA-IV levels in NZW rabbits

Plasma Lipids	Treatment	Baseline (T=0 h)	Collar insertion (24 h)	Euthanasia (48 h)
	Saline	417.5 ± 35	412.2 ± 28	488.4 ± 35
Apolipoprotein (µmol/L)	ApoA-I	415.6 ± 52	444.6 ± 61	448.5 ± 80
	ApoA-IV	359.6 ± 15	372.2 ± 26	456.9 ± 31
	Saline	842.3 ± 37	856.7 ± 126	789.0 ± 36
Phospholipid (µmol/L)	ApoA-I	904.0 ± 80	853.2 ± 87	887.8 ± 76
	ApoA-IV	843.0 ± 70	819.6 ± 87	887.4 ± 73
Unesterified Cholesterol (µmol/L)	Saline	144.7 ± 17	123.4 ± 10	135.5 ± 11
	ApoA-I	145.2 ± 8	155.2 ± 25	144.2 ± 6
	ApoA-IV	146.7 ± 11	147.4 ± 24	162.7 ± 14
Total Cholesterol (μmol/L)	Saline	769.1 ± 66	635.8 ± 50	704.5 ± 50
	ApoA-I	699.1 ± 74	727.3 ± 99	635.3 ± 83
	ApoA-IV	685.5 ± 75	685.5 ± 75	755.1 ± 68

NZW rabbits (n=6/group) were randomised to receive iv saline, lipid-free apoA-I (8 mg/kg), or lipid-free apoA-IV (1 mg/kg) at 24 h prior to placement of a non-occlusive, peri-arterial collar around the left common carotid artery. The animals were euthanised 24 h after collar placement and plasma lipid, apoA-I and apoA-IV levels were quantified as described in Materials and Methods.

Supplementary Table 3: A single apoA-IV infusion does not affect HDL composition in NZW rabbits

Treatment	PL/UC/CE/apoA-I) (<i>mol/mol</i>)	Particle Diameter (<i>nm</i>)
Saline	17.6±4.0/1.5±0.8/13.6±0.3/1.0	8.9
ApoA-I	21.8±3.0/1.6±0.5/11.0±2.0/1.0	9.0
ApoA-IV	19.5±6.0/1.8±0.2/10.6.0/1.0	9.2

NZW rabbits (n=6/group) were randomised to receive iv saline, lipid-free apoA-I (8 mg/kg iv), or lipid-free apoA-IV (1 mg/kg iv) at 24 h prior to placement of a non-occlusive, peri-arterial collar around the left common carotid artery. The animals were euthanised 24 h after collar placement and HDLs were isolated by ultracentrifugation and their composition was quantified as described in Materials and Methods.