Supplementary Table 1. Prevalence of symptoms regarding recovery, memory and concentration assessed at 23 months follow-up

	Acute phase[8]	4 months post COVID[8],a	23 months post COVID ^b
	n=180	n=179	n=170
Symptoms, n (%) ^c	172 (95.6)	95 (53.1)	65 (38.2)
Mild symptoms, n (%) ^d	145 (80.6)	79 (44.1)	47 (27.6)
Moderate symptoms, n (%) ^d	142 (78.9)	42 (23.5)	28 (16.4)
Severe symptoms, n (%) ^d	145 (80.6)	17 (9.5)	6 (3.5)
Number of symptoms, n (%) ^c			
None	8 (4.4)	84 (46.9)	105 (61.8)
1-2	13 (7.2)	59 (33.0)	52 (19.4)
3-5	43 (23.9)	25 (14.0)	11 (6.5)
6-8	44 (24.4)	9 (5.0)	1 (0.6)
9-12	56 (31.1)	2 (1.1)	1 (0.6)
13+	16 (8.9)	0	0
Number of symptoms, mean (SD) ^c	7.7 (3.6)	2.7 (2.3)	0.7 (1.3)
Mild symptoms	3.1 (1.9)	1.9 (1.3)	0.4 (0.7)
Moderate symptoms	2.8 (1.6)	2.0 (1.3)	0.3 (0.7)
Severe symptoms	3.3 (2.2)	1.8 (1.1)	0.06 (0.4)

^aMedian (range) months to follow-up: 4.2 (1.5-5.1)

^bMedian (range) months to last follow-up: 21.6 (19.3-22.9)

^cDetailed questionnaire used in all follow-ups. Thus memory and concentration symptoms are not included

^dParticipants were asked to rate severity of any symptom separately, thus numbers in the column add up to more than total no of participants.


Supplementary Table 2: Symptoms reported during the acute phase, 4 months post COVID and 23 months post COVID

Questions	23 months post COVID
Questions	
	n=170
Do you feel fully recovered, n (%)	
Yes	129 (75.9)
Not completely	37 (21.8)
Not at all	4 (2.3)
Do you have difficulty remembering ^a , n (%)	
No	132 (82.5)
Yes, some difficulty	18 (11.3)
Yes, a lot of difficulty	6 (3.8)
Do not know	4 (2.5)
Do you have difficulty concentrating ^b , n (%)	
No	141 (87.6)
Yes, some difficulty	14 (8.7)
Yes, a lot of difficulty	3 (1.9)
Do not know	3 (1.9)
Do you feel different, n (%)	
No	141 (82.9)
Yes, somewhat different	24 (14.1)
Yes, very different	1 (0.6)
Do not know	4 (2.4)

^an=10 reported remembering difficulties before COVID-19 and are excluded, thus n=160

^bn=9 reported difficulty concentrating before COVID-19 and are excluded, thus n=161

Supplementary Figure 1. Prevalence of self-reported severity (mild, moderate, and severe) of COVID-19 symptoms at 23-months follow-up



Supplementary Figure 2. Prevalence (%) of long COVID (n=170) at 23-months follow-up, stratified according to age groups

