

**Table S1.**

Descriptive statistics for study measures stratified by maternal race/ethnicity.

Study Measures	Maternal Race/Ethnicity ( <i>M</i> ± <i>SD</i> )		
	Non-Latina/ Hispanic Black	Non-Latina/ Hispanic White	Latina/Hispanic
Preconception PTSD Symptoms (PCL-C)	1.4 ± 0.6	1.3 ± 0.4	1.6 ± 0.7
Prenatal CES-D (20 weeks' GA)	18.5 ± 4.5	15.7 ± 5.5	17.2 ± 5.0
Prenatal CES-D (33 weeks' GA)	19.9 ± 5.5	15.8 ± 4.1	16.2 ± 5.0
Postpartum CES-D (13 weeks postpartum)	17.4 ± 6.4	14.7 ± 4.0	15.4 ± 5.0
Prenatal PSS (20 weeks' GA)	15.5 ± 6.5	12.5 ± 6.2	14.8 ± 5.6
Prenatal PSS (33 weeks' GA)	17.8 ± 5.2	16.0 ± 5.0	17.7 ± 5.9
Postpartum PSS (13 weeks postpartum)	12.8 ± 6.9	12.6 ± 4.8	13.2 ± 5.4
Child Negative Affectivity (CBQ-VSF)	4.4 ± 0.9	4.1 ± 0.9	4.1 ± 0.7

**Table S2.**

Spearman's rank correlations between preconception PTSD symptoms, prenatal and postpartum depressive symptoms and perceived stress, and child negative affectivity.

	1	2	3	4	5	6
1. Preconception PTSD	--	.37**	.32**	.63***	.43***	.29**
2. Prenatal CES-D	--	--	.42***	.49***	.23*	.24*
3. Postpartum CES-D	--	--	--	.40***	.62***	.23*
4. Prenatal PSS	--	--	--	--	.48***	.11
5. Postpartum PSS	--	--	--	--	--	.19*
6. CBQ Negative Affectivity	--	--	--	--	--	--

Note. \* $p < .05$ . \*\* $p < .01$ . \*\*\* $p < .001$ .

**Table S3.**


Regression models of preconception maternal PTSD symptoms and child negative affectivity without imputation of missing data.

<b>Model</b>	<b>Predictors</b>	<b><math>\beta</math></b>	<b><i>SE</i></b>	<b><i>p</i></b>
<b>Model 1: Regression model with identified covariates</b>				
	Preconception PTSD	.23	.09	.010*
	Maternal SES	-.10	.11	.380
	Maternal age	.13	.11	.233
<b>Model 2: Regression model with identified covariates and concurrent maternal depressive symptoms</b>				
	Preconception PTSD	.20	.10	.043*
	Maternal SES	-.09	.11	.407
	Maternal age	-.13	.11	.239
	Concurrent maternal depressive symptoms	.07	.65	.516

*Note.* Analyses run only for participants with complete data ( $n = 87$ ). SES = socioeconomic status (composite of maternal education and per capita household income adjusted for cost of living).


\* $p < .05$ . \*\* $p < .01$ . \*\*\* $p < .001$ .

**Figure S1.** Prenatal and postpartum depressive symptoms mediational model.



$^\wedge p < .10$ .  $^*p < .05$ .  $^{**}p < .01$ .  $^{***}p < .001$ .

**Figure S2.** Prenatal and postpartum perceived stress mediational model.



$^{\wedge} p < .10$ .  $^* p < .05$ .  $^{**} p < .01$ .  $^{***} p < .001$ .