

The role and mechanism of noncoding RNAs in regulation of metabolic reprogramming in hepatocellular carcinoma

Wenwei Liao, Jinpeng Du, Zhen Wang, Qingbo Feng, Mingheng Liao,
Huixian Liu, Kefei Yuan, Yong Zeng

Supplementary tables

Table 1: ncRNAs dysregulated in HCC.

NcRNA category	NcRNA name	Expression	Function	Ref
miRNA	miR-155	up	Promotes proliferation, inhibits apoptosis	1
	miR-106b	up	Promotes proliferation, inhibits apoptosis	2
	miR-125a	down	Suppresses proliferation	3
	miR-125b	up	Promotes proliferation	4
	miR-26a	down	Suppresses angiogenesis	5
	miR-504	up	Promotes proliferation	6
	miR-1207-5p	down	Inhibits growth and invasion	7
	miR-449	down	Suppresses proliferation	8
	miR-384	up	Promotes proliferation, metastasis	9
	miR-21	up	Promotes proliferation	10
	miR-221	up	Promotes proliferation	11
	miR-222	up	Promotes proliferation, metastasis	12
	miR-122	down	Promotes migration	13
	miR-139	down	Suppresses migration	14
	miR-17	down	Suppresses migration, invasion	15
	miR-375	down	Inhibits proliferation, invasion	16
	miR-28-5p	down	Inhibits metastasis	17
	miR-124	down	Suppresses migration	18
	miR-199a-5p	down	Suppresses invasion	19
	miR-200	down	Inhibits migration	20
	miR-96	up	Promotes proliferation	21
	miR-182	up	Promotes proliferation	
	miR-151	up	Promotes invasion, metastasis	22
lncRNA	HULC	up	Promotes proliferation, metastasis	23
	linc01138	up	Promotes proliferation, invasion	24
	linc00462	down	Promotes proliferation	25
	H19	down	Inhibits proliferation, metastasis	26-27
	linc01419	up	Promotes proliferation	28
	lncUCA1	up	Promotes proliferation	29
	lncPANDA	up	Promotes proliferation	30
	lncHOTAIR	up	Promotes metastasis	31-34
	lncMALAT1	up	Promotes proliferation, invasion, metastasis	
	lncMVIH	up	Promotes metastasis	
	lncMEG3	down	Inhibits proliferation	
	lncATB	up	Promotes metastasis	35
	lncMIAT	up	Promotes proliferation, invasion	36

	lncPDPK2P	up	Promotes progression	37
	MCM3APas1	up	Promotes growth	38
	CDKN2BAS	up	Promotes metastasis	39
	HOXD-AS1	up	Promotes metastasis	40
	lncRNA AY	up	Promotes metastasis	41
	lncELF209	down	Inhibits progression	42
	lncPCNAP1	up	Enhances growth	43
	lncID2-AS1	down	Suppresses metastasis	44
	lncNBR2	down	Inhibits tumorigenesis	45
	linc00662	up	Promotes progression	46
	lnc01093	down	Suppresses progression	47
	lncUCID	up	Promotes growth	48
	lncCSMD1-1	up	Promotes progression	49
	linc01146	down	Inhibits tumorigenesis	50
	lncCYTOR	up	Promotes proliferation	51
circRNA	circ000839	up	Promotes invasion, migration	52
	circ0016788	up	Promotes invasion, proliferation	53
	circ0067934	up	Promotes migration and proliferation	54
	circ0000673	up	Promotes invasion, proliferation	55
	circHIPK3	up	Promotes migration and proliferation	56
	circCUL2	up	Promotes proliferation, migration	57
	circLRIG3	up	Facilitates progression	58
	circRHOT1	up	Promotes growth and metastasis	59
	SMARCA5	down	Inhibits growth and metastasis	60
	circCDR	up	Promotes growth	61
	circZEB1.33	up	Promotes proliferation	62
	circSETD3	down	Inhibits growth	63
	circMTO1	down	Inhibits progression	64
	circFBLim1	up	Promotes proliferation	65
	circSMAD2	up	Promotes proliferation	66
	circ5692	down	Inhibits progression	67
	circ100338	up	Promotes metastasis	68
	circ104348	up	Promotes progression	69
	circ104718	up	Promotes progression	70
	circ0001955	up	Promotes, proliferation,migration	71-72
	circASAP1	up	Promotes metastasis	73
	circ103809	up	Promoted development	74
	circ0051443	down	Suppresses progression	75
	circMMP2	up	Promotes metastasis	76
	TRIM33-12	down	Suppress progression	77
	circ001306	up	Enhances growth	78

	circSOD2	up	Promotes progression	79
	circMRPS35	up	Promotes progression	80
	circKCNN2	down	Suppresses progression	81
piRNA	piR-Hep1	up	Promotes growth, progression	82
	snoRD113-1	down	Suppresses growth	83
snoRNA	snoRD126	up	Promotes growth	84

References

- 1 Zhang Y, Wei W, Cheng N, et al. Hepatitis C virus-induced up-regulation of microRNA-155 promotes hepatocarcinogenesis by activating Wnt signaling. *Hepatology*. 2012;56(5):1631–40.
- 2 Shen G, Jia H, Tai Q, et al. MiR-106b down-regulates adenomatous polyposis coli and promotes cell proliferation in human hepatocellular carcinoma. *Carcinogenesis*. 2013;34(1):211–9.
- 3 Tang H, Li RP, Liang P, Zhou YL, Wang GW. miR-125a inhibits the migration and invasion of liver cancer cells via suppression of the PI3K/AKT/mTOR signaling pathway. *Oncol Lett* 2015; 10: 681-686
- 4 Le MT, Teh C, Shyh-Chang N, Xie H, Zhou B, Korzh V, Lodish HF, Lim B. MicroRNA-125b is a novel negative regulator of p53. *Genes Dev* 2009; 23: 862-876
- 5 Yang X, Zhang X F, Lu X, et al. MicroRNA - 26a suppresses angiogenesis in human hepatocellular carcinoma by targeting hepatocyte growth factor - cMet pathway[J]. *Hepatology*, 2014, 59(5): 1874-1885.
- 6 Hu W, Chan CS, Wu R, Zhang C, Sun Y, Song JS, Tang LH, Levine AJ, Feng Z. Negative regulation of tumor suppressor p53 by microRNA miR-504. *Mol Cell* 2010; 38: 689-699
- 7 Zhao G, Dong L, Shi H, et al. MicroRNA-1207-5p inhibits hepatocellular carcinoma cell growth and invasion through the fatty acid synthase-mediated Akt/mTOR signalling pathway. *Oncol Rep*. 2016, 1709-16.
- 8 Zhang H, Feng Z, Huang R, et al. MicroRNA-449 suppresses proliferation of hepatoma cell lines through blockade lipid metabolic pathway related to SIRT1. *International Journal of Oncology*, 2014, 45(5):2143.
- 9 Bai PS, Xia N, Sun H, et al. Pleiotrophin, a target of miR-384, promotes proliferation, metastasis and lipogenesis in HBV-related hepatocellular carcinoma. *Cell Mol Med*. 21 (2017) 3023–3043.
- 10 Li CH, Xu F, Chow S, et al. Hepatitis B virus X protein promotes hepatocellular carcinoma transformation through interleukin-6 activation of microRNA-21 expression. *Eur J Cancer*, 2014, 50(15): 2560-2569.
- 11 Pineau P, Volinia S, McJunkin K, et al. miR-221 overexpression contributes to liver tumorigenesis[J]. *Proceedings of the National Academy of Sciences*, 2010, 107(1): 264-269.
- 12 Wong Q W L, Ching A K K, Chan A W H, et al. MiR-222 overexpression confers cell migratory advantages in hepatocellular carcinoma through enhancing AKT signaling[J]. *Clinical Cancer Research*, 2010, 16(3): 867-875.

- 13 Wang S C, Lin X L, Li J, et al. MicroRNA-122 triggers mesenchymal-epithelial transition and suppresses hepatocellular carcinoma cell motility and invasion by targeting RhoA[J]. *PloS one*, 2014, 9(7): e101330.
- 14 Wong C C L, Wong C M, Tung E K K, et al. The microRNA miR-139 suppresses metastasis and progression of hepatocellular carcinoma by down-regulating Rho-kinase 2[J]. *Gastroenterology*, 2011, 140(1): 322-331.
- 15 Lin Y H, Liao C J, Huang Y H, et al. Thyroid hormone receptor represses miR-17 expression to enhance tumor metastasis in human hepatoma cells[J]. *Oncogene*, 2013, 32(38): 4509-4518.
- 16 Liu AM, Poon RTP, Luk JM. MicroRNA-375 targets Hippo-signaling effector YAP in liver cancer and inhibits tumor properties. *Biochem Biophys Res Commun*. 2010;394(3):623–7.
- 17 Zhou S L, Hu Z Q, Zhou Z J, et al. miR - 28 - 5p - IL - 34 - macrophage feedback loop modulates hepatocellular carcinoma metastasis[J]. *Hepatology*, 2016, 63(5): 1560-1575.
- 18 Zheng F, Liao Y J, Cai M Y, et al. The putative tumour suppressor microRNA-124 modulates hepatocellular carcinoma cell aggressiveness by repressing ROCK2 and EZH2[J]. *Gut*, 2012, 61(2): 278-289.
- 19 Shen Q, Cincinnati VR, Zhang X, et al. Role of microRNA-199a-5p and discoidin domain receptor 1 in human hepatocellular carcinoma invasion[J]. *Mol Cancer*, 2010, 9(1): 1-12.
- 20 Wong C M, Wei L, Au S L K, et al. MiR-200b/200c/429 subfamily negatively regulates Rho/ROCK signaling pathway to suppress hepatocellular carcinoma metastasis[J]. *Oncotarget*, 2015, 6(15): 13658.
- 21 Wang TH, Yeh CT, Ho JY, et al. OncomiR miR - 96 and miR - 182 promote cell proliferation and invasion through targeting ephrinA5 in hepatocellular carcinoma. *Mol Carcinog*, 2016, 55(4): 366-375.
- 22 Ding J, Huang S, Wu S, et al. Gain of miR-151 on chromosome 8q24. 3 facilitates tumour cell migration and spreading through downregulating RhoGDIα. *Nat Cell Biol*, 2010, 12(4): 390-399.
- 23 Xiong H, Ni Z, He J, et al. LncRNA HULC triggers autophagy via stabilizing Sirt1 and attenuates the chemosensitivity of HCC cells. *Oncogene*, 2017, 36(25): 3528-3540.
- 24 Li Z, Zhang J, Liu X, et al. The LINC01138 drives malignancies via activating arginine methyltransferase 5 in hepatocellular carcinoma. *Nat Commun*, 2018, 9(1): 1-14.
- 25 Gong J, Qi X, Zhang Y, Yu Y, Lin X, Li H, et al. Long noncoding RNA linc00462 promotes hepatocellular carcinoma progression. *Biomed Pharmacother*. 2017;93:40–7.
- 26 Matouk IJ, Mezan S, Mizrahi A, Ohana P, Abu-Lail R, Fellig Y, et al. The oncofetal H19 RNA connection: hypoxia, p53 and cancer. *Biochim Biophys Acta*. 2010;1803(4):443–51.
- 27 Zhang L, Yang F U, Yuan J, et al. Epigenetic activation of the MiR-200 family contributes to H19-mediated metastasis suppression in hepatocellular carcinoma[J].

- Carcinogenesis, 2013, 34(3): 577-586.
- 28 Zhang H, Zhu C, Zhao Y, et al. Long non-coding RNA expression profiles of hepatitis C virus-related dysplasia and hepatocellular carcinoma. Oncotarget, 2015, 6(41): 43770.
- 29 Kamel MM, Matboli M, Sallam M, et al. Investigation of long noncoding RNAs expression profile as potential serum biomarkers in patients with hepatocellular carcinoma. Transl Res, 2016, 168: 134-145.
- 30 Peng W, Fan H. Long non-coding RNA PANDAR correlates with poor prognosis and promotes tumorigenesis in hepatocellular carcinoma. Biomed Pharmacother. 2015;72:113–8.
- 31 Liu YR, Tang RX, Huang WT, et al. Long noncoding RNAs in hepatocellular carcinoma: Novel insights into their mechanism. World J Hepatol. 2015;7(28):2781 - 2791.
- 32 Li G, Zhang H, Wan X, et al. Long noncoding RNA plays a key role in metastasis and prognosis of hepatocellular carcinoma. Biomed Res Int. 2016;2014(5147):780521.
- 33 Huang JL, Zheng L, Hu YW, Wang Q. Characteristics of long non-coding RNA and its relation to hepatocellular carcinoma. Carcinogenesis. 2014;35(3):507.
- 34 Kenji T, Irene Y, Hiroaki H, Tushar P. Long noncoding RNA in liver diseases. Hepatology. 2014;60(2):744 - 753.
- 35 Yuan JH, Yang F, Wang F, et al. A long non-coding RNA activated by TGF-beta promotes the invasion-metastasis cascade in hepatocellular carcinoma. Cancer Cell. 2014;25(5):666–81.
- 36 Huang X, Gao Y, Qin J, et al. lncRNA MIAT promotes proliferation and invasion of HCC cells via sponging miR-214. Am J Physiol Gastrointest Liver Physiol, 2018, 314(5): G559-G565.
- 37 Pan W, Li W, Zhao J, et al. lnc RNA - PDPK 2P promotes hepatocellular carcinoma progression through the PDK1/AKT/Caspase 3 pathway. Molecular oncology, 2019, 13(10): 2246-2258.
- 38 Wang Y, Yang L, Chen T, et al. A novel lncRNA MCM3AP-AS1 promotes the growth of hepatocellular carcinoma by targeting miR-194-5p/FOXA1 axis[J]. Molecular cancer, 2019, 18(1): 1-16.
- 39 Chen J, Huang X, Wang W, et al. LncRNA CDKN2BAS predicts poor prognosis in patients with hepatocellular carcinoma and promotes metastasis via the miR-153-5p/ARHGAP18 signaling axis. Aging (Albany NY), 2018, 10(11): 3371.
- 40 Wang H, Huo X, Yang XR, et al. STAT3-mediated upregulation of lncRNA HOXD-AS1 as a ceRNA facilitates liver cancer metastasis by regulating SOX4. Molecular Cancer, 2017, 16(1):136.
- 41 Kang CL, Qi B, Cai QQ, et al. LncRNA AY promotes hepatocellular carcinoma metastasis by stimulating ITGAV transcription. Theranostics, 2019, 9(15).
- 42 Yang Y, Chen Q, Piao H Y, et al. HNRNPAB - regulated lncRNA - ELF209 inhibits the malignancy of hepatocellular carcinoma. International journal of cancer, 2020, 146(1): 169-180.
- 43 Feng J, Yang G, Liu Y, et al. LncRNA PCNAP1 modulates hepatitis B virus

- replication and enhances tumor growth of liver cancer. *Theranostics*, 2019, 9(18).
- 44 Yz A, Lin HA, Yw A, et al. LncRNA ID2-AS1 suppresses tumor metastasis by activating the HDAC8/ID2 pathway in hepatocellular carcinoma. *Cancer Letters*, 2020, 469:399-409.
- 45 Sheng JQ, Wang MR, Fang D, et al. LncRNA NBR2 inhibits tumorigenesis by regulating autophagy in hepatocellular carcinoma. *Biomedicine & Pharmacotherapy*, 2021, 133:111023.
- 46 Tian X, Wu Y, Yang Y, et al. Long noncoding RNA LINC00662 promotes M2 macrophage polarization and hepatocellular carcinoma progression via activating Wnt/β - catenin signaling. *Molecular oncology*, 2020, 14(2): 462-483.
- 47 He J, Zuo Q, Hu B, et al. A novel, liver-specific long noncoding RNA LINC01093 suppresses HCC progression by interaction with IGF2BP1 to facilitate decay of GLI1 mRNA. *Cancer letters*, 2019, 450: 98-109.
- 48 Wang YL, Liu JY, Yang JE, et al. Lnc-UCID promotes G1/S transition and hepatoma growth by preventing DHX9-mediated CDK6 down-regulation. *Hepatology*, 2019, 70(1): 259-275.
- 49 Liu J, Xu R, Mai SJ, et al. LncRNA CSMD1-1 promotes the progression of Hepatocellular Carcinoma by activating MYC signaling. *Theranostics*, 2020, 10(17):7527-7544.
50. Ma X, Mo M, Tan C, et al. Liver-specific LINC01146, a promising prognostic indicator, inhibits the malignant phenotype of hepatocellular carcinoma cells both in vitro and in vivo[J]. *Journal of translational medicine*, 2022, 20(1): 1-18.
51. Liu Y, Geng X. Long non-coding RNA (lncRNA) CYTOR promotes hepatocellular carcinoma proliferation by targeting the microRNA-125a-5p/LASP1 axis[J]. *Bioengineered*, 2022, 13(2): 3666-3679.
- 52 Wang B, Li J, Liu Y, et al. MicroRNA-200b suppresses the invasion and migration of hepatocellular carcinoma by downregulating RhoA and circRNA_000839. *Tumor Biology*, 2017, 39(7): 1010428317719577.
- 53 Guan Z, Tan J, Gao W, et al. Circular RNA hsa_circ_0016788 regulates hepatocellular carcinoma tumorigenesis through miR - 486/CDK4 pathway. *J Cell Physiol*. 2019;234(1):500–508.
- 54 Zhu Q, Lu G, Luo Z, et al. CircRNA circ_0067934 promotes tumor growth and metastasis in hepatocellular carcinoma through regulation of miR - 1324/FZD5/Wnt/beta - catenin axis. *Biochem Biophys Res Comm*. 2018;497(2):626 - 632.
- 55 Wang M, Yu F, Li P. Circular RNAs: characteristics, function and clinical significance in hepatocellular carcinoma. *Cancers*. 2018;10(8):258.
- 56 Chen G, Shi Y, Liu M, Sun J. circHIPK3 regulates cell proliferation and migration by sponging miR-124 and regulating AQP3 expression in hepatocellular carcinoma. *Cell Death Dis*. 2018;9(2):175.
- 57 Meng J, Chen S, Han JX, et al. Twist1 regulates vimentin through Cul2 circular RNA to promote EMT in hepatocellular carcinoma. *Can Res*. 2018;78(15):4150 - 4162.
- 58 Sun S, Gao J, Zhou S, et al. A novel circular RNA circ-LRIG3 facilitates the

- malignant progression of hepatocellular carcinoma by modulating the EZH2/STAT3 signaling. *J Exp Clin Cancer Res*, 2020, 39(1): 1-13.
- 59 Wang L, Long H, Zheng Q, et al. Circular RNA circRHOT1 promotes hepatocellular carcinoma progression by initiation of NR2F6 expression. *Molecular Cancer*, 2019, 18(1).
- 60 Yu J, Xu Q, Wang Z, et al. Circular RNA cSMARCA5 inhibits growth and metastasis in hepatocellular carcinoma. *Journal of hepatology*, 2018, 68(6): 1214-1227.
- 61 Lei Y, Gong X, Lei S, et al. The Circular RNA Cdr1as Act as an Oncogene in Hepatocellular Carcinoma through Targeting miR-7 Expression. *plos one*, 2016, 11(7):e0158347.
- 62 Gong Y, Mao J, Wu D, et al. Circ-ZEB1.33 promotes the proliferation of human HCC by sponging miR-200a-3p and upregulating CDK6. *Cancer Cell International*, 2018, 18(1):116-.
- 63 Xu L, Feng X, Hao X, et al. CircSETD3 (Hsa_circ_0000567) acts as a sponge for microRNA-421 inhibiting hepatocellular carcinoma growth. *J Exp Clin Cancer Res*, 2019, 38(1): 1-15.
- 64 Han D, Li J, Wang H, et al. Circular RNA circMTO1 acts as the sponge of microRNA-9 to suppress hepatocellular carcinoma progression. *Hepatology*, 2017, 66(4): 1151-1164.
- 65 Bai N, Peng E, Qiu X, et al. circFBLIM1 act as a ceRNA to promote hepatocellular cancer progression by sponging miR-346. *J Exp Clin Cancer Res*, 2018, 37(1): 1-9.
- 66 Zhang X, Luo P, Jing W, et al. circsMaD2 inhibits the epithelial-mesenchymal transition by targeting mir-629 in hepatocellular carcinoma. *OncoTargets Ther*, 2018, 11: 2853.
- 67 Liu Z, Yu Y, Huang Z, et al. CircRNA-5692 inhibits the progression of hepatocellular carcinoma by sponging miR-328-5p to enhance DAB2IP expression. *Cell Death & Disease*, 2019, 10(12).
- 68 Huang XY, Huang ZL, Huang J, et al. Exosomal circRNA-100338 promotes hepatocellular carcinoma metastasis via enhancing invasiveness and angiogenesis. *J Exp Clin Cancer Res*, 2020, 39(1): 1-16.
- 69 Huang G, Liang M, Liu H, et al. CircRNA hsa_circRNA_104348 promotes hepatocellular carcinoma progression through modulating miR-187-3p/RTKN2 axis and activating Wnt/ β -catenin pathway. *Cell death & disease*, 2020, 11(12): 1-14.
- 70 Yu J, Yang M, Zhou B, et al. CircRNA-104718 acts as competing endogenous RNA and promotes hepatocellular carcinoma progression through microRNA-218-5p/TXNDC5 signaling pathway. *Clinical Science*, 2019, 133(13):CS20190394.
- 71 Ding B, Fan W, Lou W. hsa_circ_0001955 Enhances In Vitro Proliferation, Migration, and Invasion of HCC Cells through miR-145-5p/NRAS Axis. *Mol Ther Nucleic Acids*, 2020, 22:445-455.
- 72 Yao Z, Xu R, Yuan L, et al. Circ_0001955 facilitates hepatocellular carcinoma (HCC) tumorigenesis by sponging miR-516a-5p to release TRAF6 and MAPK11.

- Cell Death & Disease, 2019, 10(12):945.
- 73 Hu ZQ, Zhou SL, Li J, et al. Circular RNA sequencing identifies CircASAP1 as a key regulator in hepatocellular carcinoma metastasis. Hepatology, 2020, 72(3): 906-922.
- 74 Zhan W, Liao X, Chen Z, et al. Circular RNA hsa_circRNA_103809 promoted hepatocellular carcinoma development by regulating miR-377-3p/FGFR1/ERK axis. Journal of cellular physiology, 2020, 235(2): 1733-1745.
- 75 Chen W, Quan Y, Fan S, et al. Exosome-transmitted circular RNA hsa_circ_0051443 suppresses hepatocellular carcinoma progression. Cancer letters, 2020, 475: 119-128.
- 76 Liu D, Kang H, Gao M, et al. Exosome-transmitted circ_MMP2 promotes hepatocellular carcinoma metastasis by upregulating MMP2. Molecular oncology, 2020, 14(6): 1365-1380.
- 77 Zhang PF, Wei CY, Huang XY, et al. Circular RNA circTRIM33-12 acts as the sponge of MicroRNA-191 to suppress hepatocellular carcinoma progression. Molecular cancer, 2019, 18(1): 1-15.
- 78 Liu Q, Wang C, Jiang Z, et al. circRNA 001306 enhances hepatocellular carcinoma growth by up - regulating CDK16 expression via sponging miR - 584 - 5p. J Cell Mol Med, 2020, 24(24): 14306-14315.
- 79 Zhao Z, Song J, Tang B, et al. CircSOD2 induced epigenetic alteration drives hepatocellular carcinoma progression through activating JAK2/STAT3 signaling pathway. J Exp Clin Cancer Res, 2020, 39(1):259.
- 80 Li P, Song R, Yin F, et al. circMRPS35 promotes malignant progression and cisplatin resistance in hepatocellular carcinoma[J]. Molecular Therapy, 2022, 30(1): 431-447.
- 81 Liu D, Liu W, Chen X, et al. circKCNN2 suppresses the recurrence of hepatocellular carcinoma at least partially via regulating miR - 520c - 3p/methyl - DNA - binding domain protein 2 axis[J]. Clinical and Translational Medicine, 2022, 12(1): e662.
- 82 Law PT, Qin H, Ching AK, et al. Deep sequencing of small RNA transcriptome reveals novel non-coding RNAs in hepatocellular carcinoma. J Hepatol, 2013, 58(6): 1165-1173.
- 83 Xu G, Yang F, Ding CL, et al. Small nucleolar RNA 113-1 suppresses tumorigenesis in hepatocellular carcinoma. Mol Cancer, 2014, 13(1): 1-14.
- 84 Fang X, Yang D, Luo H, et al. SNORD126 promotes HCC and CRC cell growth by activating the PI3K-AKT pathway through FGFR2. J Mol Cell Biol, 2017, 9(3): 243-255.

Table 2: miRNAs, circRNAs, etc. regulate HCC metabolic reprogramming.

NcRNA category	NcRNA name	Targets	Ref
miRNA	miR-122	PKM2, G6PD, CAT1	1-3
	miR-7	PI3K/Akt/mTOR	4
	miR-125a	HK2, PI3K/Akt/mTOR	5-6
	miR-202	HK2	7
	miR-33b	G6PC, PCK1	8
	miR-34a	HK2, PDK1, LDHA	9-10
	miR-520	PFK	11
	miR-326	PKM2	12
	miR-133	PKM2	13
	miR-143	HK2	14
	miR-155	HK2	15
	miR-223	GLUT4	16
	miR-376b	ATG4C, BECN1	17
	miR-195-5p	GLUT3	18
	miR-22	GLUT1	19
	miR-1291	GLUT1	20
	miR-340	GLUT1	21
	miR-205	ACSL1	22
	miR-199a	HK2, PKM2	23-24
	let-7	PDK1, LDHA	25-26
	miR-1207-5p	FASN	27
	miR-449	SIRT1, SREBP-1	28
	miR-342-3p	IGF-1R	29
	miR-130b	PTEN	30
	miR-181a	ATG5	31
	miR-885-5p	HK2	32
	miR-455-3p	AMPK	33
	miR-139-5p	PKM2	34
	miR-491-5p	PKM2	35
	miR-142-3p	LDHA	36
	miR-383	LDHA	37
	miR-100-5p	LDHA	38
	miR-455-5p	IGF-1R	39
	miR-125b	p53	40
	miR-504	p53	41
	miR-1228	p53	42
	circMAT2B	PKM2	43

circRNA	circSPECC1	TGF-β2	44
	circC3P1	PCK1	45
	circRPN2	ENO1	46
snoRNA	snoRD113-1	ERK1,ERK2	47
	snoRD126	PI3K/AKT pathway	48
piRNA	piR-Hep1	AKT	49

References

- 1 Liu AM, Xu Z, Shek FH, Wong KF, Lee NP, Poon RT, Chen J, Luk JM. miR-122 targets pyruvate kinase M2 and affects metabolism of hepatocellular carcinoma. *PLoS One* 2014; 9: e86872
- 2 Barajas JM, Reyes R, Guerrero MJ, Jacob ST, Motiwala T and Ghoshal K. The role of miR-122 in the dysregulation of glucose-6-phosphate dehydrogenase (G6PD) expression in hepatocellular cancer. *Sci Rep* 2018; 8: 9105.
- 3 Bhattacharyya SN, Habermacher R, Martine U, Closs EI, Filipowicz W. Relief of microRNA-mediated translational repression in human cells subjected to stress. *Cell* 2006;125:1111-24.
- 4 Fang Y, Xue JL, Shen Q, Chen J, Tian L. MicroRNA-7 inhibits tumor growth and metastasis by targeting the phosphoinositide 3-kinase/Akt pathway in hepatocellular carcinoma. *Hepatology*2012; 55: 1852-1862
- 5 Tang H, Li RP, Liang P, Zhou YL, Wang GW. miR-125a inhibits the migration and invasion of liver cancer cells via suppression of the PI3K/AKT/mTOR signaling pathway. *Oncol Lett* 2015; 10: 681-686
- 6 Jin F, Wang Y, Zhu Y, et al. The miR-125a/HK2 axis regulates cancer cell energy metabolism reprogramming in hepatocellular carcinoma. *Sci Rep*, 2017, 7(1):3089.
- 7 Wang J, Chen J, Sun F, et al. miR-202 functions as a tumor suppressor in hepatocellular carcinoma by targeting HK2. *Oncology letters*, 2020, 19(3): 2265-2271.
- 8 Ramirez CM, Goedeke L, Rotllan N, et al. MicroRNA 33 regulates glucose metabolism. *Mol Cell Biol*. 2013;33:2891–902.
- 9 Kaller M, Liffers ST, Oeljeklaus S, Kuhlmann K, Röh S, Hoffmann R, Warscheid B, Hermeking H. Genome-wide characterization of miR-34a induced changes in protein and mRNA expression by a combined pulsed SILAC and microarray analysis. *Mol Cell Proteomics* 2011; 10: M111.010462
- 10 Kim HR, Roe JS, Lee JE, Cho EJ, Youn HD. p53 regulates glucose metabolism by miR-34a. *Biochem Biophys Res Commun* 2013; 437: 225-231
- 11 Park YY, Kim SB, Han HD, Sohn BH, Kim JH, Liang J, Lu Y, Rodriguez-Aguayo C, Lopez-Berestein G, Mills GB, Sood AK, Lee JS. Tat-activating regulatory DNA-binding protein regulates glycolysis in hepatocellular carcinoma by regulating the platelet isoform of phosphofructokinase through microRNA 520. *Hepatology* 2013; 58: 182-191
- 12 Kefas B, Comeau L, Erdle N, Montgomery E, Amos S, Purow B. Pyruvate kinase M2 is a target of the tumor-suppressive microRNA-326 and regulates the survival of glioma cells. *Neuro Oncol* 2010; 12: 1102-1112

- 13 Wong T S, Liu X B, Chung - Wai Ho A, et al. Identification of pyruvate kinase type M2 as potential oncoprotein in squamous cell carcinoma of tongue through microRNA profiling[J]. International Journal of Cancer, 2008, 123(2): 251-257.
- 14 Peschiaroli A, Giacobbe A, Formosa A, Markert EK, BongiornoBorbone L, Levine AJ, Candi E, D'Alessandro A, Zolla L, Finazzi Agrò A, Melino G. miR-143 regulates hexokinase 2 expression in cancer cells. Oncogene 2013; 32: 797-802
- 15 Jiang S, Zhang LF, Zhang HW, Hu S, Lu MH, Liang S, Li B, Li Y, Li D, Wang ED, Liu MF. A novel miR-155/miR-143 cascade controls glycolysis by regulating hexokinase 2 in breast cancer cells. EMBO J 2012; 31: 1985-1998
- 16 Lu H, Buchan RJ, Cook SA. MicroRNA-223 regulates Glut4 expression and cardiomyocyte glucose metabolism. Cardiovasc Res 2010; 86: 410-420
- 17 Korkmaz G, le Sage C, Tekirdag KA, Agami R, Gozuacik D. miR-376b controls starvation and mTOR inhibition-related autophagy by targeting ATG4C and BECN1. Autophagy 2012;8:165-76.
- 18 Fei X, Qi M, Wu B, Song Y, Wang Y, Li T. MicroRNA-195-5p suppresses glucose uptake and proliferation of human bladder cancer T24 cells by regulating GLUT3 expression. FEBS Lett 2012; 586: 392-397
- 19 Chen B, Tang H, Liu X, Liu P, Yang L, Xie X, Ye F, Song C, Xie X, Wei W. miR-22 as a prognostic factor targets glucose transporter protein type 1 in breast cancer. Cancer Lett 2015; 356: 410-417
- 20 Yamasaki T, Seki N, Yoshino H, Itesako T, Yamada Y, Tatarano S, Hidaka H, Yonezawa T, Nakagawa M, Enokida H. Tumorsuppressive microRNA-1291 directly regulates glucose transporter 1 in renal cell carcinoma. Cancer Sci 2013; 104: 1411-1419
- 21 Xu P, Li Y, Zhang H, Li M, Zhu H. MicroRNA-340 Mediates Metabolic Shift in Oral Squamous Cell Carcinoma by Targeting Glucose Transporter-1. J Oral Maxillofac Surg 2016; 74: 844-850
- 22 Cui M, Wang Y, Sun B, et al. MiR-205 modulates abnormal lipid metabolism of hepatoma cells via targeting acyl-CoA synthetase long-chain family member 1 (ACSL1) mRNA. Biochem Biophys Res Commun 2014;444(2):270–5.
- 23 Guo W, Qiu Z, Wang Z, Wang Q, Tan N, Chen T, Chen Z, Huang S, Gu J, Li J, Yao M, Zhao Y, He X (2015) MiR-199a-5p is negatively associated with malignancies and regulates glycolysis and lactate production by targeting hexokinase 2 in liver cancer. Hepatology 62(4):1132–1144.
- 24 Shen Q, Cincinnati V R, Zhang X, et al. Role of microRNA-199a-5p and discoidin domain receptor 1 in human hepatocellular carcinoma invasion[J]. Molecular cancer, 2010, 9(1): 1-12.
- 25 Ma X, Li C, Sun L, Huang D, Li T, He X, et al. Lin28/let-7 axis regulates aerobic glycolysis and cancer progression via PDK1. Nat Commun 2014;5:5212.
- 26 Hermeking H. MicroRNAs in the p53 network: Micromanagement of tumour suppression. Nat. Rev. Cancer 2012, 12, 613–626.
- 27 Zhao G, Dong L, Shi H, Li H, Lu X, Guo X, Wang J. MicroRNA-1207-5p inhibits hepatocellular carcinoma cell growth and invasion through the fatty acid synthase-mediated Akt/mTOR signalling pathway. Oncol Rep 2016;36:1709-16.

- 28 Zhang H, Feng Z, Huang R, Xia Z, Xiang G, Zhang J. MicroRNA-449 suppresses proliferation of hepatoma cell lines through blockade lipid metabolic pathway related to SIRT1. *Int J Oncol* 2014;45:2143-52.
- 29 Liu W, Kang L, Han J, Wang Y, Shen C, Yan Z, et al. miR-342-3p suppresses hepatocellular carcinoma proliferation through inhibition of IGF-1R-mediated Warburg effect. *Onco Targets Ther* 2018;11:1643-53.
- 30 Miao Y, Zheng W, Li N, Su Z, Zhao L, Zhou H, Jia L. MicroRNA-130b targets PTEN to mediate drug resistance and proliferation of breast cancer cells via the PI3K/Akt signaling pathway. *Sci Rep* 2017;7:41942.
- 31 Tekirdag KA, Korkmaz G, Ozturk DG, Agami R, Gozuacik D. MIR181A regulates starvation- and rapamycin-induced autophagy through targeting of ATG5. *Autophagy* 2013;9:374-85.
- 32 Xu F, Yan JJ, Gan Y, Chang Y, Wang HL, He XX and Zhao Q. miR-885-5p negatively regulates Warburg effect by silencing hexokinase 2 in liver cancer. *Mol Ther Nucleic Acids* 2019; 18: 308-319
- 33 Lin Y, Wu M, Huang Y, Yeh C, Cheng M, Chi H, Tsai C, Chung I, Chen C and Lin K. Taurine upregulated gene 1 functions as a master regulator to coordinate glycolysis and metastasis in hepatocellular carcinoma. *Hepatology* 2018; 67: 188-203.
- 34 Hua S, Lei L, Deng L, Weng X, Liu C, Qi X, Wang S, Zhang D, Zou X, Cao C, Liu L and Wu D. miR-139-5p inhibits aerobic glycolysis, cell proliferation, migration, and invasion in hepatocellular carcinoma via a reciprocal regulatory interaction with ETS1. *Oncogene* 2018; 37: 1624-1636.
- 35 Xu Q, Dou C, Liu X, Yang L, Ni C, Wang J, Guo Y, Yang W, Tong X and Huang D. Oviductus ranae protein hydrolysate (ORPH) inhibits the growth, metastasis and glycolysis of HCC by targeting miR-491-5p/PKM2 axis. *Biomed Pharmacother* 2018; 107: 1692-1704.
- 36 Hua S, Liu C, Liu L and Wu D. miR-142-3p inhibits aerobic glycolysis and cell proliferation in hepatocellular carcinoma via targeting LDHA. *Biochem Biophys Res Co* 2018; 496: 947-954.
- 37 Fang Z, He L, Jia H, Huang Q, Chen D and Zhang Z. The miR-383-LDHA axis regulates cell proliferation, invasion and glycolysis in hepatocellular cancer. *Iran J Basic Med Sci* 2017; 20: 187-192.
- 38 Zhou Y, Huang Y, Hu K, Zhang Z, Yang J and Wang Z. HIF1A activates the transcription of lncRNA RAET1K to modulate hypoxia-induced glycolysis in hepatocellular carcinoma cells via miR-100-5p. *Cell Death Dis* 2020; 11: 176.
- 39 Hu Y, Yang Z, Bao D, Ni J and Lou J. miR-455-5p suppresses hepatocellular carcinoma cell growth and invasion via IGF-1R/AKT/GLUT1 pathway by targeting IGF-1R. *Pathol Res Pract* 2019; 215: 152674.
- 40 Le MT, Teh C, Shyh-Chang N, Xie H, Zhou B, Korzh V, Lodish HF, Lim B. MicroRNA-125b is a novel negative regulator of p53. *Genes Dev* 2009; 23: 862-876
- 41 Hu W, Chan CS, Wu R, Zhang C, Sun Y, Song JS, Tang LH, Levine AJ, Feng Z. Negative regulation of tumor suppressor p53 by microRNA miR-504. *Mol Cell* 2010; 38: 689-699
- 42 Zhang Y, Dai J, Deng H, Wan H, Liu M, Wang J, Li S, Li X, Tang H. miR-1228

- promotes the proliferation and metastasis of hepatoma cells through a p53 forward feedback loop. *Br J Cancer* 2015; 112: 365-374
- 43 Li Q, Pan X, Zhu D, et al. Circular RNA MAT2B promotes glycolysis and malignancy of hepatocellular carcinoma through the miR - 338 - 3p/PKM2 axis under hypoxic stress[J]. *Hepatology*, 2019, 70(4): 1298-1316.
- 44 Zhang B, Liu Z, Cao K, et al. Circ-SPECC1 modulates TGF β 2 and autophagy under oxidative stress by sponging miR-33a to promote hepatocellular carcinoma tumorigenesis. *Cancer Medicine*, 2020, 9(16).
- 45 Zhong L, Wang Y, Cheng Y, Wang W, Lu B, Zhu L and Ma Y. Circular RNA circC3P1 suppresses hepatocellular carcinoma growth and metastasis through miR-4641/PCK1 pathway. *Biochem Biophys Res Commun* 2018; 499: 1044-1049.
46. Li J, Hu ZQ, Yu S, et al. CircRPN2 inhibits aerobic glycolysis and metastasis in hepatocellular carcinoma[J]. *Cancer Research*, 2022.
- 47 Xu G, Yang F, Ding C L, et al. Small nucleolar RNA 113-1 suppresses tumorigenesis in hepatocellular carcinoma[J]. *Molecular cancer*, 2014, 13(1): 1-14.
- 48 Fang X, Yang D, Luo H, et al. SNORD126 promotes HCC and CRC cell growth by activating the PI3K-AKT pathway through FGFR2[J]. *Journal of molecular cell biology*, 2017, 9(3): 243-255.
- 49 Law PT, Qin H, Ching AK, et al. Deep sequencing of small RNA transcriptome reveals novel non-coding RNAs in hepatocellular carcinoma. *J Hepatol*, 2013, 58(6): 1165-1173.

Table 3: lncRNAs regulate HCC metabolic reprogramming.

NcRNA category	NcRNA name	Targets	Ref
lncRNA	lncCUDR	p53	1
	lncHOTAIR	mTOR pathway,GLUT1	2
	lncHOTTIP	GLS1	3
	lncHULC	ACSL1	4
	linc01554	PKM2,AKT/mTOR	5
	lncRNA-p21	GLUT1, LDHA	6
	lncMVIH	PGK1	7
	lncMALAT1	mTOR pathway,CF7L2	8
	lncSLC2A1-AS1	GLUT1	9
	lncWFDC21P	PFKP, PKM2	10
	lincRoR	HIF-1 α , PDK1	11
	lncRAET1K	LDHA	12
	linc00958	HDGF	13
	lncRP11-241J12.3	PC	14
	linc00326	CCT3	15

References

- 1 Wu M, An J, Zheng Q, et al. Double mutant P53 (N340Q/L344R) promotes hepatocarcinogenesis through upregulation of Pim1 mediated by PKM2 and LncRNA CUDR. *Oncotarget*, 2016, 7(41): 66525.
- 2 Wei S, Fan Q, Yang L, Zhang X, Ma Y, Zong Z, Hua X, Su D, Sun H, Li H, Liu Z (2017) Promotion of glycolysis by HOTAIR through GLUT1 upregulation via mTOR signaling. *Oncol Rep* 38:1902–1908
- 3 Ge Y, Yan X, Jin Y, Yang X, Yu X, Zhou L, Han S, Yuan Q, Yang M (2015) MiRNA-192 (corrected) and miRNA-204 directly suppress lncRNA HOTTIP and interrupt GLS1-mediated glutaminolysis in hepatocellular carcinoma. *PLoS Genet* 11:e1005726
- 4 Cui M, Xiao Z, Wang Y, Zheng M, Song T, Cai X, Sun B, Ye L, Zhang X (2015) Long noncoding RNA HULC modulates abnormal lipid metabolism in hepatoma cells through an miR-9-mediated RXRA signaling pathway. *Can Res* 75:846–857
- 5 Zheng YL, Li L, Jia YX, Zhang BZ, Li JC, Zhu YH, et al. LINC01554-Mediated Glucose Metabolism Reprogramming Suppresses Tumorigenicity in Hepatocellular Carcinoma via Downregulating PKM2 Expression and Inhibiting Akt/mTOR Signaling Pathway. *Theranostics*. 2019; 9: 796-810.
- 6 Yang F, Zhang H, Mei Y, Wu M. Reciprocal regulation of HIF-1 α and lincRNA-p21 modulates the Warburg effect. *Mol Cell* 2014; 53: 88-100
- 7 Yuan SX, Yang F, Yang Y, et al. Long non-coding RNA associated with microvascular invasion in hepatocellular carcinoma promotes angiogenesis and serves as a predictor for hepatocellular carcinoma patients' poor recurrence-free survival after hepatectomy. *Hepatology*. 2012;56(6):2231–41.
- 8 Malakar P, Stein I, Saragovi A, et al. Long noncoding RNA MALAT1 regulates cancer glucose metabolism by enhancing mTOR-mediated translation of TCF7L2. *Cancer research*, 2019, 79(10): 2480-2493.
- 9 Shang R, Wang M, Dai B, et al. Long noncoding RNA SLC2A1-AS1 regulates aerobic glycolysis and progression in hepatocellular carcinoma via inhibiting the STAT3/FOXM1/GLUT1 pathway. *Molecular oncology*, 2020, 14(6): 1381-1396.
- 10 Guan Y, Huang Q, Ai Y, Chen Q, Zhao W, Wang X, Wu Q and Chen H. Nur77-activated lncRNA WFDC21P attenuates hepatocarcinogenesis via modulating glycolysis. *Oncogene* 2020; 39: 2408-2423.
- 11 Takahashi K, Yan IK, Haga H and Patel T. Modulation of hypoxia-signaling pathways by extracellular linc-RoR. *J Cell Sci* 2014; 127: 1585-1594.
- 12 Zhou Y, Huang Y, Hu K, Zhang Z, Yang J and Wang Z. HIF1A activates the transcription of lncRNA RAET1K to modulate hypoxia-induced glycolysis in hepatocellular carcinoma cells via miR-100-5p. *Cell Death Dis* 2020; 11: 176.
- 13 Zuo X, Chen Z, Gao W, et al. M6A-mediated upregulation of LINC00958 increases lipogenesis and acts as a nanotherapeutic target in hepatocellular carcinoma. *J Hematol Oncol*, 2020, 13(1): 1-20.
- 14 Cheng L, Hu S, Ma J, et al. Long noncoding RNA RP11-241J12. 3 targeting pyruvate carboxylase promotes hepatocellular carcinoma aggressiveness by disrupting pyruvate metabolism and the DNA mismatch repair system[J]. *Molecular biomedicine*,

2022, 3(1): 1-16.

15. Søndergaard J N, Sommerauer C, Atanasoai I, et al. CCT3-LINC00326 axis regulates hepatocarcinogenic lipid metabolism[J]. Gut, 2022.