## Supplementary File 1: List of Excluded articles and reasons for exclusion

| Title  | Authors   | Publi<br>shed<br>Year | Journal   | V<br>ol<br>u<br>m<br>e | Issue        | Page<br>s   | Notes Tags   |
|--|---|-----------------------|---|------------------------|--------------|-------------|--|
| Trends in the use of complementary health approaches among adults: United States, 2002-2012  | Clarke, T. C.; Black, L. I.; Stussman, B. J.; Barnes, P. M.; Nahin, R. L.             | 2015                  | National health statisti<br>reports                             | cs                     | 79           | Jan-<br>16  | Exclusion reason: Does not report naturopathic consultations           |
| The prevalence and experience of Australian naturopaths and Western h  | erbalists working within community pharmacies   | 2011                  | Journal of the<br>Australian<br>Traditional-Medicine<br>Society | 17                     | 4            | 240-<br>240 | Exclusion reason:<br>Duplicate   |
| Why seek complementary medicine? An observational study in homeopathic, acupunctural, naturopathic and mainstream medical practice                           | Van Dulmen, S.; De Groot, J.; Koster, D.;<br>Heiligers, P. J. M.                      | 2010                  | Journal of<br>Complementary and<br>Integrative Medicine         | 7                      | 1            | 20          | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| The Australian Complementary Medicine Workforce: A Profile of 1,306 Practitioners from the PRACI Study   | Steel, A.; Leach, M.; Wardle, J.; Sibbritt, D.;<br>Schloss, J.; D. lezel H; Adams, J. | 2018                  | Journal of<br>Alternative and<br>Complementary<br>Medicine      | 24                     | 4            | 385-<br>394 | Exclusion reason: Does not report naturopathic consultations;          |
| Primary Care in Oregon: The Naturopathic Physician's Perspective   | Linn, Brooke L.; Metcalf, Gary  | 2018                  |   |                        | 109797<br>46 | 231         | Exclusion reason: Not original research;                               |
| Characteristics of the Australian complementary and alternative medicine (CAM) workforce   | Leach, Matthew J.; McIntyre, Erica; Frawley,<br>Jane                                  | 2014                  | Australian Journal of<br>Herbal Medicine                        | 26                     | 2            | 58-<br>65   | Exclusion reason: Does not report naturopathic consultations;          |
| [Which complementary and alternative medicine modalities are integrated within Israeli healthcare organizations and do they match the public's preferences?] | Keshet, Y.; Ben-Arye, E.  | 2011                  | Harefuah  | 15<br>0                | 8            | 635-<br>689 | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic                                     | Kennedy, Deborah A.; Bernhardt, Bob; Snyder,<br>Tara; Bancu, Viviana; Cooley, Kieran  | 2015                  | BMC Complementary & Alternative Medicine                        | 15                     | 1            | 1-<br>Oct   | Exclusion reason:<br>Wrong outcomes;                                   |
| Characteristics and job satisfaction of general practitioners using complementary and alternative medicine in Germanyis there a pattern?                     | Joos, Stefanie; Musselmann, Berthold;<br>Szecsenyi, Joachim; Goetz, Katja             | 2011                  | BMC<br>Complementary and<br>Alternative Medicine                | 11                     |              | 131         | Exclusion reason:<br>Wrong outcomes;                                   |
| Naturopathic practice at North American academic institutions: Description of 300,483 visits and comparison to conventional primary care                     | Chamberlin, S. R.; Oberg, E.; Hanes, D. A.;<br>Calabrese, C.                          | 2014                  | Integrative Medicine<br>Insights                                |                        | 9            | Jul-<br>15  | Exclusion reason:<br>Wrong outcomes;                                   |
| Complementary and alternative medicine among Filipinos: Prevalence, costs and patterns of use  | Morfe, J. H. D.; Lim, V. S.   | 2013                  | Phillippine Journal of<br>Internal Medicine                     | 51                     | 4            |             | Exclusion reason:<br>Wrong study design;                               |

| The prevalence and experience of Australian naturopaths and Western herbalists working within community pharmacies     | Braun, L. A.; Spitzer, O.; Tiralongo, E.; Wilkinson, J. M.; Bailey, M.; Poole, S.; Dooley, M. | 2011 | BMC<br>Complementary and<br>Alternative Medicine                | 11       | 41                              | (23<br>May<br>201<br>1) | Exclusion reason:<br>Wrong outcomes;                                   |
|--|---|------|---|----------|---------------------------------|-------------------------|--|
| Integration of complementary and alternative medicine into family practices in Germany: Results of a national survey   | Joos, S.; Musselmann, B.; Szecsenyi, J.   | 2011 | Evidence-based<br>Complementary and<br>Alternative Medicine     | 20<br>11 |                                 | 495<br>813              | Exclusion reason:<br>Wrong outcomes;                                   |
| USE OF COMPLEMENTARY AND ALTERNATIVE MEDICINE IN GEORGIA   | Nadareishvili, I.; Lunze, K.; Tabagari, N.; Beraia,<br>A.; Pkhakadze, G.                      | 2017 | Georgian Medical News   | •        | 272                             | 157-<br>164             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Complementary and alternative health care in Israel  | Shuval, J. T.; Averbuch, E.   | 2012 | Israel Journal of<br>Health Policy<br>Research                  | 1        | 1                               | 7                       | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| WHO global report on traditional and complementary medicine 2019   | World Health Organisation   | 2019 |   |          |                                 |                         | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| TRADITIONAL AND COMPLEMENTARY MEDICINE IN PRIMARY HEALTH CARE  | World Health Organisation   | 2018 |   |          | WHO/HIS,<br>2018.37             | /SDS/                   | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| The Philippines Health System Review   | World Health Organisation   | 2018 | Health Systems in<br>Transition                                 | 8        | 2                               | 352                     | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| SURGICAL WORKFORCE IN INDIA  | World Health Organisation   | 2015 |   |          |                                 |                         | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| The prevalence and experience of Australian naturopaths and Western h  | erbalists working within community pharmacies.  | 2011 | Journal of the<br>Australian<br>Traditional-Medicine<br>Society | 17       | 3                               | 167-<br>168             | Exclusion reason:<br>Duplicate;  |
| Use of traditional medicine and complementary and alternative medicine in Taiwan: a multilevel analysis                | Yeh, Mei-Ling; Lin, Kuan-Chia; Chen, Hsing-Hsia;<br>Wang, Yu-Jen; Huang, Yu-Chiao             | 2015 | Holistic Nursing<br>Practice                                    | 29       | 2                               | 87-<br>95               | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Benchmarks for training in traditional /complementary and alternative medicine: benchmarks for training in naturopathy | World Health Organisation   | 2010 |   |          |                                 |                         | Exclusion reason: Not original research;                               |
| Malaysia health system review  | World Health Organisation   | 2012 | Health Systems in<br>Transition                                 | 2        | ISBN<br>978 92<br>9061<br>584 2 | 122                     | Exclusion reason: Not original research;                               |

| New Zealand health system review   | World Health Organisation  | 2014 | Health Systems in<br>Transition                  | 4  |                                 | 272                   | Exclusion reason: Not original research;                               |
|--|--|------|--|----|---------------------------------|-----------------------|--|
| The Regional Strategy for Traditional Medicine in the Western Pacific (2011–2020)  | World Health Organisation  | 2012 | Tulisition                                       |    | ISBN<br>978 92<br>9061<br>559 0 | 71                    |  |
| WHO traditional medicine strategy: 2014-2023.  | World Health Organisation  | 2013 |  |    |                                 | 78                    | Exclusion reason: Not original research;                               |
| Two-Thirds of Survey Respondents in Southern Sweden Used Complementary or Alternative Medicine in 2015   | Wemrell, M.; Merlo, J.; Mulinari, S.; Hornborg, A.<br>C.   | 2017 | Complementary medicine research                  | 24 | 5                               | 302-<br>309           | Exclusion reason: Does not report naturopathic consultations;          |
| Determinants for the Use of Complementary and Alternative Medicine:<br>Results from a National Study   | Watts, Kristen Allen; Turner, Lori W.  | 2018 |  |    | 109346<br>35                    | 307                   | Exclusion reason: Does not report naturopathic consultations;          |
| Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: a step towards explaining high CAM use in rural health?                        | Wardle, Jon; Adams, Jon; Magalhaes, Ricardo J.<br>Soares; Sibbritt, David                                    | 2011 | The Australian<br>journal of rural<br>health     | 19 | 4                               | 197-<br>204           | Exclusion reason: Does not report naturopathic consultations;          |
| The interface with naturopathy in rural primary health care: A survey of referral practices of general practitioners in rural and regional New South Wales, Australia                      | Wardle, J. L.; Sibbritt, D. W.; Adams, J.  | 2014 | BMC<br>Complementary and<br>Alternative Medicine | 14 |                                 | 238                   | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Mapping the natural health landscape: New Zealand-based CAM professionals survey   | Vempati, R.; Dunn, J.; Cottingham, P.; Sibbritt, D.; Adams, J.   | 2012 | BMC<br>Complementary and<br>Alternative Medicine | 12 | SUPPL.<br>1                     |                       | Exclusion reason:<br>Conference abstract<br>only;                      |
| Use of Complementary and Alternative Medicine in Bayamon, Puerto<br>Rico   | Torres-Zeno, R. E.; Rios-Motta, R.; Rodriguez-<br>Sanchez, Y.; Miranda-Massari, J. R.; Marin-<br>Centeno, H. | 2016 | Puerto Rico Health<br>Sciences Journal           | 35 | 2                               | 69-<br>75             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Attitude of Conventional and CAM Physicians Toward CAM in India  | Telles, Shirley; Gaur, Vaishali; Sharma, Sachin;<br>Balkrishna, Acharya                                      | 2011 | Journal of Alternative & Complementary Medicine  | 17 | 11                              | 106<br>9-<br>107<br>3 | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Wellness versus treatment? Complementary and integrative healthcare (CIH) in the 2007 national health interview survey (NHIS)  | Stussman, B.; Alekel, L.; Nahin, R.; Edwards, E.;<br>Barnes, P.  | 2012 | BMC<br>Complementary and<br>Alternative Medicine | 12 | SUPPL.<br>1                     |                       | Exclusion reason: Conference abstract only;                            |
| Generational differences in complementary medicine use in young<br>Australian women: Repeated cross-sectional dataset analysis from the<br>Australian longitudinal study on women's health | Steel, A.; Munk, N.; Wardle, J.; Adams, J.;<br>Sibbritt, D.; Lauche, R.                                      | 2019 | Complementary<br>Therapies in<br>Medicine        | 43 |                                 | 66-<br>72             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Complementary and alternative medicine: attitudes, knowledge and use among surgeons and anaesthesiologists in Hungary  | Soos, Sandor Arpad; Jeszenoi, Norbert; Darvas,<br>Katalin; Harsanyi, Laszlo                                  | 2016 | BMC<br>Complementary and<br>Alternative Medicine | 16 | 1                               | 443                   | Exclusion reason: Does not report                                      |

|   |   |      |  |    |                  |                       | naturopathic consultations;  |
|---|---|------|--|----|------------------|-----------------------|--|
| Complementary and alternative medicine: contemporary trends and issues  | Smith, Joanna M.; John Sullivan, S.; David Baxter,<br>G.  | 2011 | Physical Therapy<br>Reviews  | 16 | 2                | 91-<br>95             | Exclusion reason: Not original research;                               |
| Use of complementary and alternative medicine in the population of Kedah Darul Aman, Malaysia   | Sivadasan, S.; Ali, A. N.; Lin, L. W.; Balakrishnan,<br>D.; Ramachandran, S.; Dhanaraj, S. A.       | 2014 | International Journal<br>of Pharmaceutical<br>Sciences and<br>Research | 5  | 4                | 126<br>3-<br>127<br>3 | Exclusion reason: Does not report naturopathic consultations;          |
| Epidemiology of the use of complementary and alternative medicine in central area of Sao Paulo  | Simoes, O.; Castro, B.  | 2013 | European Journal of<br>Epidemiology                                    | 28 | 1<br>SUPPL.<br>1 | S219                  | Exclusion reason:<br>Conference abstract<br>only;                      |
| [Complementary and alternative medicine services in Colombia]   | Rojas-Rojas, Alejandra  | 2012 | Servicios de<br>medicina alternativa<br>en Colombia.                   | 14 | 3                | 470-<br>7             | Exclusion reason: Does not report naturopathic consultations;          |
| Composition and distribution of the health workforce in India: estimates based on data from the National Sample Survey  | Rao, K. D.; Shahrawat, R.; Bhatnagar, A.  | 2016 | WHO South-East Asia<br>journal of public<br>health                     | 5  | 2                | 133-<br>140           | Exclusion reason: Does not report naturopathic consultations;          |
| Prevalence of Complementary and Alternative Medicine Use in the<br>General Population in the Czech Republic   | Pokladnikova, J.; Selke-Krulichova, I.  | 2016 | Forschende<br>Komplementarmediz<br>in (2006)                           | 23 | 1                | 22-<br>28             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Regional variation in use of complementary health approaches by U.S. adults   | Peregoy, J. A.; Clarke, T. C.; Jones, L. I.;<br>Stussman, B. J.; Nahin, R. L.                       | 2014 | NCHS Data Brief  |    | 146              | 1-<br>Aug             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Utilization of traditional and complementary medicine in Indonesia:<br>Results of a national survey in 2014-15  | Pengpid, S.; Peltzer, K.  | 2018 | Complementary<br>Therapies in Clinical<br>Practice                     | 33 |                  | 156-<br>163           | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Complementary and alternative medicine (CAM) utilization in Texas hospices  | Olotu, B.; Brown, C. M.; Lawson, K.; Barner, J. C.  | 2012 | Value in Health  | 15 | 4                | A25                   | Exclusion reason:<br>Conference abstract<br>only;                      |
| Complementary and alternative medicine utilization in Texas hospices:<br>Prevalence and challenges  | Olotu, B.; Brown, C.; Barner, J.; Lawson, K.  | 2012 | Journal of the<br>American<br>Pharmacists<br>Association               | 52 | 2                | 215-<br>216           | Exclusion reason:<br>Conference abstract<br>only;                      |
| Experiences and meanings of integration of TCAM (Traditional,<br>Complementary and Alternative Medical) providers in three Indian<br>states: results from a cross-sectional, qualitative implementation<br>research study | Nambiar, D.; Narayan, V. V.; Josyula, L. K.;<br>Porter, J. D. H.; Sathyanarayana, T. N.; Sheikh, K. | 2014 | BMJ Open   | 4  | 11               | e00<br>520<br>3       | Exclusion reason: Does not report naturopathic consultations;          |
| Naturopaths in Ontario, Canada: Geographic patterns in intermediately-sized metropolitan areas and integration implications   | Meyer, S. P.  | 2017 | Journal of<br>Complementary and<br>Integrative Medicine                | 14 | 1                | 92                    | Exclusion reason: Does not report                                      |

|   |   |      |  |          |                  |                       | naturopathic   |
|---|---|------|--|----------|------------------|-----------------------|--|
| An investigation into the use of complementary and alternative medicine in an urban general practice  | McKenna, F.; Killoury, F.   | 2010 | Irish Medical Journal  | 10<br>3  | 7                |                       | consultations; Exclusion reason: Does not report naturopathic consultations; |
| A survey to explore the views and practices of CAM practitioners in the UK  | Majumdar, A.; Williams, S.; Adams, N.   | 2012 | BMC<br>Complementary and<br>Alternative Medicine                   | 12       | SUPPL.<br>1      |                       | Exclusion reason: Conference abstract only;                                  |
| The prevalence of traditional and complementary medicine in the general population in Kashan, Iran, 2014  | Lotfi, M. S.; Adib-Hajbaghery, M.; Shahsavarloo,<br>Z. R.; Gandomani, H. S.                                       | 2016 | European Journal of<br>Integrative Medicine                        | 8        | 5                | 661-<br>669           | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations;       |
| Examining costs, utilization, and driving factors of complementary and<br>alternative medicine (CAM) services   | Lewing, B.; Sansgiry, S. S.   | 2018 | Value in Health  | 21       | Supple<br>ment 1 | S97                   | Exclusion reason:<br>Conference abstract<br>only;                            |
| Profiling the Australian Consumer of Complementary and Alternative Medicine: A Secondary Analysis of National Health Survey Data  | Leach, M. J.  | 2016 | Alternative therapies in health and medicine                       | 22       | 4                | 64-<br>72             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations;       |
| Complementary and alternative medicine (CAM) as part of primary<br>health care in Germany-comparison of patients consulting general<br>practitioners and CAM practitioners: A cross-sectional study | Krug, K.; Kraus, K. I.; Herrmann, K.; Joos, S.  | 2016 | BMC<br>Complementary and<br>Alternative Medicine                   | 16       | 1                | 409                   | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations;       |
| Understanding CAM use in Lebanon: Findings from a national survey   | Kharroubi, S.; Chehab, R. F.; El-Baba, C.;<br>Alameddine, M.; Naja, F.  | 2018 | Evidence-based<br>Complementary and<br>Alternative Medicine        | 20<br>18 |                  | 416<br>915<br>9       | Exclusion reason: Does not report naturopathic consultations;                |
| Use of complementary and alternative medicine in Europe: Health-<br>related and sociodemographic determinants   | Kemppainen, Laura M.; Kemppainen, Teemu T.;<br>Reippainen, Jutta A.; Salmenniemi, Suvi T.;<br>Vuolanto, Pia H.    | 2018 | Scandinavian Journal of Public Health                              | 46       | 4                | 448-<br>455           | Exclusion reason: Does not report naturopathic consultations;                |
| Complementary and alternative medicine usage in patients for different ailments in rural region of malwa area of punjab: A cross-sectional study  | Kaur, K.; Singh, B.; Kaur, G.   | 2016 | National Journal of<br>Physiology,<br>Pharmacy and<br>Pharmacology | 6        | 5                | 394-<br>398           | Exclusion reason: Does not report naturopathic consultations;                |
| Determinants of patients preferring Complementary and Alternative medicine attending public hospitals in Lahore, Pakistan   | Hussain, A.; Ayesha,; Mufti, R. K.; Shahid, M.;<br>Hassan, M. N.; Sultan, T.; Zahid, M. N.; Ali, I.;<br>Iqbal, H. | 2018 | Journal of the<br>Pakistan Medical<br>Association                  | 68       | 6                | 914-<br>918           | Exclusion reason: Does not report naturopathic consultations;                |
| State and Regional Comparisons of the Use of Complementary Health<br>Approaches: National Health Interview Survey, 2012   | Jones, Lindsey; Peregoy, Jennifer; Stussman,<br>Barbara; Nahin, Richard   | 2014 | Journal of<br>Alternative &<br>Complementary<br>Medicine           | 20       | 5                | A14<br>3-<br>A14<br>3 | Exclusion reason:<br>Conference abstract<br>only;                            |

| Knowledge, attitude and practice of complementary and alternative medicine: A patient's perspective   | Jaiswal, K. M.; Bajait, C. S.; Pimpalkhute, S. A.;<br>Dakhle, G. N.; Sontakke, S. D.; Magdum, A.  | 2013 | Indian Journal of<br>Pharmacology                               | 45       | SUPPL.<br>1 | S221         | Exclusion reason: Does not report naturopathic consultations;          |
|---|---|------|---|----------|-------------|--------------|--|
| Use of complementary and alternative medicine within Norwegian hospitals  | Jacobsen, R.; FÃ,nnebÃ,, V. M.; Foss, N.;<br>Kristoffersen, A. E.   | 2015 | BMC<br>Complementary &<br>Alternative Medicine                  | 15       | 1           | 1-<br>Jun    | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Association between belief and attitude toward preference of complementary alternative medicine use   | Islahudin, F.; Shahdan, I. A.; Mohamad-Samuri,<br>S.  | 2017 | Patient Preference<br>and Adherence                             | 11       |             | 913-<br>918  | Exclusion reason: Does not report naturopathic consultations;          |
| Patients' use of CAM: Results from the Health Survey for England 2005   | Hunt, K. J.; Ernst, E.  | 2010 | Focus on Alternative<br>and Complementary<br>Therapies          | 15       | 2           | 101-<br>103  | Exclusion reason: Does not report naturopathic consultations;          |
| The utilization of complementary and alternative medicine in Taiwan: An internet survey using an adapted version of the international questionnaire (I-CAM-Q) | Huang, C. W.; Tran, D. N. H.; Li, T. F.; Sasaki, Y.;<br>Lee, J. A.; Lee, M. S.; Arai, I.; Motoo, Y.; Yukawa,<br>K.; Tsutani, K.; Ko, S. G.; Hwang, S. J.; Chen, F. P. | 2019 | Journal of the<br>Chinese Medical<br>Association                | 82       | 8           | 665-<br>671  | Exclusion reason: Does not report naturopathic consultations;          |
| Utilization of complimentary and alternative health services in Iceland   | Helgadottir, B.; Vilhjalmsson, R.; Gunnarsdottir, T. J.   | 2010 | Laeknabladid  | 96       | 4           | 267-<br>273  | Exclusion reason: Does not report naturopathic consultations;          |
| The use of complementary and alternative medicine in Iceland: Results from a national health survey   | Gunnarsdottir, T. J.; Orlygsdottir, B.;<br>Vilhjalmsson, R.   | 2019 | Scandinavian Journal c  | of Publi | ic Health   | 1.40<br>E+15 | Exclusion reason: Does not report naturopathic consultations;          |
| The Natural Medicine Workforce in Australia: A National Survey Part 1   | Grace, S.; Rogers, S.; Eddey, S.  | 2013 | Journal of the<br>Australian<br>Traditional-Medicine<br>Society | 19       | 1           | 13-<br>18    | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| The natural medicine workforce in Australia: A national survey Part 2   | Grace, S.; Rogers, S.; Eddey, S.  | 2013 | Journal of the<br>Australian<br>Traditional-Medicine<br>Society | 19       | 2           | 79-<br>86    | Exclusion reason: Does not report naturopathic consultations;          |
| Complementary alternative medicine (CAM) use in Ireland: A secondary analysis of SLAN data  | Fox, P.; Coughlan, B.; Butler, M.; Kelleher, C.   | 2010 | Complementary<br>Therapies in<br>Medicine                       | 18       | 2           | 95-<br>103   | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Who uses complementary and alternative therapies in regional South Australia? Evidence from the Whyalla Intergenerational Study of Health                     | D'Onise, K.; Haren, M. T.; Misan, G. M. H.;<br>McDermott, R. A.   | 2013 | Australian Health<br>Review                                     | 37       | 1           | 104-<br>111  | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |

| The characteristics, experiences and perceptions of naturopathic and herbal medicine practitioners: results from a national survey in New Zealand   | Cottingham, P.; Adams, J.; Vempati, R.; Dunn, J.; Sibbritt, D.  | 2015 | Journal of the<br>Australian<br>Traditional-Medicine<br>Society | 21      | 2     | 130-<br>130           | Exclusion reason: Does not report naturopathic consultations;          |
|---|---|------|---|---------|-------|-----------------------|--|
| Integration of complementary and alternative medicine into medical schools in Austria, Germany and Switzerland - Results of a cross-sectional study | Brinkhaus, B.; Witt, C. M.; Jena, S.; Bockelbrink,<br>A.; Ortiz, M.; Willich, S. N.                         | 2011 | Wiener Medizinische<br>Wochenschrift                            | 16<br>1 | 1-Feb | 32-<br>43             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| The use of complementary therapies in Chile: Results from the national health survey 2010-2011  | Bedregal, P.; Passi, A.; Guerra, X.; Chang, M.  | 2016 | Journal of<br>Alternative and<br>Complementary<br>Medicine      | 22      | 6     | A10<br>3-<br>A10<br>4 | Exclusion reason:<br>Conference abstract<br>only;                      |
| Complementary and Alternative Medicine (CAM) among adults in Italy:<br>Use and related satisfaction   | Barbadoro, P.; Chiatti, C.; D'Errico, M. M.;<br>Minelli, A.; Pennacchietti, L.; Ponzio, E.;<br>Prospero, E. | 2011 | European Journal of<br>Integrative Medicine                     | 3       | 4     | e31<br>9-<br>e32<br>6 | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| A preliminary study of complementary and alternative medicine (CAM) practitioners in Singapore  | Ang, S. C.; Wilkinson, J. M.  | 2013 | Complementary<br>Therapies in<br>Medicine                       | 21      | 1     | 42-<br>49             | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Use of complementary and alternative medicine among asthmatic patients in primary care clinics in Malaysia  | Alshagga, M. A.; Al-Dubai, S. A.; Muhamad Faiq,<br>S. S.; Yusuf, A. A.                                      | 2011 | Annals of Thoracic<br>Medicine                                  | 6       | 3     | 115-<br>119           | Exclusion reason: Does<br>not report<br>naturopathic<br>consultations; |
| Knowledge, attitude and practice toward complementary and traditional medicine among Kashan health care staff, 2012                                 | Adib-Hajbaghery, M.; Hoseinian, M.  | 2014 | Complementary<br>Therapies in<br>Medicine                       | 22      | 1     | 126-<br>132           | Exclusion reason: Does not report naturopathic consultations;          |
| A survey of complementary and alternative medicine in Iran  | Abolhassani, Hassan; Naseri, Mohsen;<br>Mahmoudzadeh, Sanam   | 2012 | Chinese Journal of<br>Integrative Medicine                      | 18      | 6     | 409-<br>416           | Exclusion reason: Does not report naturopathic consultations;          |