

Table of Contents


Appendix table S1	2
Appendix figure S1	3
Appendix figure legend	3

Appendix table S1:

qRT-PCR primer sequence information:

Primer	Sense 5'-3'	Antisense 5'-3'
GPX4	CTCCATGCACGAATTCTCAG	ACGTCAGTTGCCTCATTG
PTGS2	CTGCGCCTTTCAAGGATGG	GGGGATACACCTCTCCACCA
ACOX1	CCTGATTCAAGGTAGGG	TCGCAGACCCCTGAAGAAATC
36B4	TGGAGACAAGGTGGAGCC	CACAGACAATGCCAGGACGC
FPN1	TCGGTTCCTCTCACTCCTGT	GTGGAGAGAGAGTGGCCAAG
HEPC1	CCTATCTCCATCAACAGATG	AACAGATAACCACACTGGAA
DMT1	TAGGCTGTGCTAAACCTACAGCA	TACATGAGAGGCCAGGCATGGTAGA
TRF	TGTAGCCTTGTGAAACACCAAGA	TCGGCAGGGTTCTTCCTT
MDM2	GGATCTTGACGATGGCGTAAG	AGGCTGTAATCTTCCGAGTCC
MDMX	GATCCAAGCCCTCTATGACA	CCGTGCTTCAGTCGGTCTT
CPT1	AGATCAATCGGACCCCTAGACAC	CAGCGAGTAGCGCATAGTCA

Appendix figure S1



Appendix Figure legend

Appendix Figure S1. Structure of the Fe^{2+} fluorescent probe.