## Supplemental Table 1: Agreement data from round 1 of the Delphi voting process (n=85)

The umbrella term for disorders of GI tract eosinophilic inflammation in the absence of secondary causes should be "eosinophilic gastrointestinal disease" (EGID)

Strongly agree: 58 (68) Agree: 24 (28) Neither agree nor disagree: 1 (1) Disagree: 1 (1) Strongly disagree: 1 (1)

When an EGID involves only the esophagus, the name should remain "eosinophilic esophagitis" (EoE) Strongly agree: 69 (81) Agree: 14 (16) Neither agree nor disagree: 0 (0) Disagree: 1 (1) Strongly disagree: 1 (1)

When an EGID involves only the stomach, the name should be "eosinophilic gastritis"

Strongly agree: 56 (66) Agree: 25 (19) Neither agree nor disagree: 1 (1) Disagree: 2 (2) Strongly disagree: 1 (1)

The abbreviation for eosinophilic gastritis should be "EG" Strongly agree: 44 (52) Agree: 29 (25)

Neither agree nor disagree: 6 (6) Disagree: 5 (6) Strongly disagree: 0 (0)

When an EGID involves only the colon, the name should be "eosinophilic colitis" Strongly agree: 55 (65)
Agree: 25 (30)
Neither agree nor disagree: 2 (2)
Disagree: 1 (10)
Strongly disagree: 1 (1)

The abbreviation for eosinophilic colitis should be "EC" Strongly agree: 43 (51) Agree: 30 (35) Neither agree nor disagree: 8 (9) Disagree: 4 (5) Strongly disagree: 0 (0) When an EGID involves the small intestine, the name should reflect the area(s) of involvement Strongly agree: 26 (31) Agree: 31 (37) Neither agree nor disagree: 17 (20) Disagree: 10 (12) Strongly disagree: 1 (1) When an EGID involves only the duodenum, the name should be "eosinophilic duodenitis" Strongly agree: 30 (35) Agree: 24 (40) Neither agree nor disagree: 9 (11) Disagree: 12 (14) Strongly disagree: 0 (0) The abbreviation for eosinophilic duodenitis should be "EoD" Strongly agree: 28 (33) Agree: 30 (36) Neither agree nor disagree: 18 (21) Disagree: 9 (11) Strongly disagree: 0 (0) When an EGID involves only the jejunum, the name should be "eosinophilic jejunitis" Strongly agree: 27 (32) Agree: 27 (33) Neither agree nor disagree: 17 (20) Disagree: 13(0) Strongly disagree: 0 (0) The abbreviation for eosinophilic jejunitis should be "EoJ" Strongly agree: 24 (28) Agree: 30 (36) Neither agree nor disagree: 20 (24) Disagree: 11 (13) Strongly disagree: 0 (0) When an EGID involves only the ileum, the name should be "eosinophilic ileitis" Strongly agree: 30 (35) Agree: 29 (35) Neither agree nor disagree: 14 (17) Disagree: 12 (14) Strongly disagree: 0 (0) The abbreviation for eosinophilic ileitis should be "Eol" Strongly agree: 23 (28) Agree: 29 (35) Neither agree nor disagree: 17 (21) Disagree: 14 (17)

When an EGID is known to involve the entire small intestine, but only the small intestine, the name should be "eosinophilic pan-enteritis"

Strongly agree: 24 (29) Agree: 26 (32) Neither agree nor disagree: 15 (19) Disagree: 16 (20) Strongly disagree: 1 (1)

The abbreviation for eosinophilic pan-enteritis should be "EN"

Strongly agree: 5 (6) Agree: 15 (18) Neither agree nor disagree: 23 (28) Disagree: 32 (39) Strongly disagree: 9 (11)

The term "eosinophilic gastroenteritis" should be removed from the EGID nomenclature system

Strongly agree: 8 (10) Agree: 21 (25) Neither agree nor disagree: 21 (25) Disagree: 25 (30) Strongly disagree: 9 (11)

For EGIDs that involve the stomach and/or small bowel and/or the colon, and ALSO the esophagus, the term EoE should NOT be used

Strongly agree: 29 (34) Agree: 32 (38) Neither agree nor disagree: 10 (12) Disagree: 11 (13) Strongly disagree: 3 (4)

For EGIDs that involve the stomach and/or small bowel and/or the colon, and ALSO the esophagus, the term to indicate this should be "with esophageal involvement"

Strongly agree: 21 (25) Agree: 42 (49) Neither agree nor disagree: 10 (12) Disagree: 10 (12) Strongly disagree: 2 (2)

When more than two GI tract areas (outside of the esophagus) are involved, the name should reflect the involved areas (ie stomach + duodenum = eosinophilic gastritis and duodenitis; duodenum + colon = eosinophilic duodenitis and colitis; etc)

Strongly agree: 22 (26) Agree: 43 (51) Neither agree nor disagree: 11 (13) Disagree: 8 (9) Strongly disagree: 1 (1) Eosinophilic gastritis can also be called "Gastric EGID" as a synonym Strongly agree: 7 (8) Agree: 37 (44) Neither agree nor disagree: 13 (15) Disagree: 23 (27) Strongly disagree: 5 (6) Eosinophilic duodenitis can also be called "Duodenal EGID" as a synonym Strongly agree: 7 (8) Agree: 32 (38) Neither agree nor disagree: 17 (20) Disagree: 24 (28) Strongly disagree: 5 (6) Eosinophilic jejunitis can also be called "Jejunal EGID" as a synonym Strongly agree: 7 (8) Agree: 31 (36) Neither agree nor disagree: 18 (21) Disagree: 24 (28) Strongly disagree: 5 (6) Eosinophilic ileitis can also be called "Ileal EGID" as a synonym Strongly agree: 7 (8) Agree: 32 (38) Neither agree nor disagree: 17 (20) Disagree: 24 (28) Strongly disagree: 5 (6) Eosinophilic pan-enteritis can also be called "Small bowel EGID" as a synonym Strongly agree: 7 (8) Agree: 36 (42) Neither agree nor disagree: 15 (18) Disagree: 22 (26) Strongly disagree: 5 (6) Eosinophilic colitis can also be called "Colonic EGID" as a synonym Strongly agree: 8 (9) Agree: 38 (45) Neither agree nor disagree: 12 (14) Disagree: 8 (9) Strongly disagree: 5 (6)

The GI wall layer of involvement (or if this is unknown) should be included in the EGID nomenclature system with sub-codes

Strongly agree: 15 (18) Agree: 42 (49) Neither agree nor disagree: 17 (20) Disagree: 11 (13) Strongly disagree: 0 (0)

Complications of EGIDs (for example, protein-losing enteropathy, ascites, or numerous others) should be included in the EGID nomenclature system with sub-codes

Strongly agree: 15 (18) Agree: 40 (47) Neither agree nor disagree: 18 (21) Disagree: 10 (12) Strongly disagree: 2 (2)

Any areas of the GI tract that are not investigated or have unknown involvement should be included in the EGID nomenclature system with sub-codes

Strongly agree: 10 (12) Agree: 20 (24) Neither agree nor disagree: 30 (35) Disagree: 21 (25) Strongly disagree: 4 (5)