



**Original uncropped images of western blots used for the experiment.**

**Figure 4A**




LPS (100ng/mL)	-	+	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+	+
Sal B ( $\mu$ M)	-	-	100	150	200

**Figure 4E**




LPS (100ng/mL)	-	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+
Sal B ( $\mu$ M)	-	-	200	200
3-MA (mM)	-	-	-	5

**Figure 5A**




Sal B ( $\mu$ M)	-	100	150	200
------------------	---	-----	-----	-----

**Figure 5C**




LPS (100ng/mL)	-	+	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+	+
Sal B ( $\mu$ M)	-	-	100	150	200

**Figure 5J**




LPS (100ng/mL)	-	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+
Sal B ( $\mu$ M)	-	-	200	200
PMA (nmol/mL)	-	-	-	5

**Figure 6A**



LPS (100ng/mL)	-	+	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+	+
Sal B ( $\mu$ M)	-	-	100	150	200

**Figure 6D**



LPS (100ng/mL)	-	+	+	+
INF- $\gamma$ (2.5ng/mL)	-	+	+	+
Sal B ( $\mu$ M)	-	-	200	200
Insulin ( $\mu$ g/mL)	-	-	-	5