Supplemental Online Content

Reyes-Hadsall S, Drake L, Han JJ, et al. Shared decision-making, therapeutic choice, and decisional regret in patients with alopecia areata. *JAMA Dermatol.* Published online August 17, 2022. doi:10.1001/jamadermatol.2022.3025

eTable 1. Survey instrument

eTable 2. SDMQ9 responses

eTable 3. Correlation between components of SDM and decisional regret for last AA treatment decision made

eTable 4. Decisional regret regarding last AA treatment decision made

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable 1: Survey instrument

Section 1: Baseline Characteristics				
Demographics	Age			
	Sex			
	Race			
	Ethnicity			
AA Participant Characteristics	Years with Alopecia Areata (AA)			
	History of Alopecia Totalis (AT)			
	Current active hair loss			
	Last treatment used			
Section 2: Decision-Making				
Patient preferences in decision-making	I prefer my doctor makes the final selection about which			
(Select one out of the five statements)	treatment I will receive			
	I prefer that my doctor and I share responsibility for			
	deciding which treatment is best for me			
	I prefer that my doctor makes the final decision about			
	which treatment will be used, but seriously considers my			
	opinion			
	I prefer to make the final selection about which treatment			
	will receive			
	I prefer to make the final selection of my treatment after			
	seriously considering my doctor's opinion			
How patients perceived last decision	By my doctor			
was made	By myself			
(Select one out of three options)	With a doctor			
Section 3: Shared Decision-Making				
Validated SDMQ9	My doctor made clear that a decision needs to be made			
(6-point Likert scale for each statement	My doctor wanted to know exactly how I wanted to be in			
ranging from "completely agree" to	making the decision			
"completely disagree")	My doctor told me that there are different options for			
,	treating my medical condition			
	My doctor precisely explained the advantages and			
	disadvantages of the treatment options			
	My doctor helped me understand all the information			
	My doctor asked me which treatment option I prefer			
	My doctor and I thoroughly weight the different treatment			
	options			
	My doctor and I selected a treatment option together			
Or other A. De sisions / De sur (A	My doctor and I reached an agreement on how to proceed			
Section 4: Decisional Regret Assessmen				
Validated Decisional Regret Scale	It was the right decision			
(DRS)	I regret the choice that was made			
(For each statement, select Agree,	I would go for the same choice if I had to do it over again			
Neutral, or Disagree [3-point Likert scale])	5			

The decision was a wise one

eTable 2. SDMQ9 responses

	Completely agree, n(%)	Strongly agree, n(%)	Somewhat agree, n(%)	Somewhat disagree, n(%)	Strongly disagree, n(%)	Completely disagree, n(%)
My doctor made clear that a decision needs to be made	123 (11.5)	104 (9.7)	218 (20.3)	166 (15.5)	147 (13.7)	316 (29.4)
My doctor wanted to know exactly how I wanted to be involved in making the decision	243 (22.6)	219 (20.4)	211 (19.6)	139 (12.9)	85 (7.9)	177 (16.5)
My doctor told me that there are different options for treatment my medical condition	252 (23.5)	214 (19.9)	245 (22.8)	128 (11.9)	87 (8.1)	148 (13.8)
My doctor precisely explained the advantages and disadvantages of the treatment options	239 (22.3)	233 (21.7)	258 (24.0)	125 (11.6)	89 (8.3)	130 (12.1)
My doctor helped me understand all the information	250 (23.3)	220 (20.5)	273 (25.4)	129 (12.0)	81 (7.6)	121 (11.3)
My doctor asked me which treatment option I prefer	254 (23.6)	240 (22.3)	223 (20.8)	121 (11.3)	86 (8.0)	150 (14.0)
My doctor and I thoroughly weighed the different treatment options	211 (19.6)	187 (17.4)	219 (20.4)	166 (15.5)	129 (12.0)	162 (15.1)
My doctor and I selected a treatment option together	205 (19.1)	210 (19.6)	273 (25.4)	125 (11.6)	103 (9.6)	158 (14.7)

eTable 3. Correlation between components of SDM and decisional regret for last AA treatment decision made

Completely agree with item of SDMQ9, n (%)	DRS: I would go for the same choice if I had to do it over again			
	Agree	Disagree	Neutral	P value
My doctor made clear that a decision needs to be made	76 (61.8)	23 (18.7)	24 (19.5)	0.3

My doctor wanted to know exactly how I wanted to be in making the decision	148 (60.9)	41 (16.9)	54 (22.2)	0.001
My doctor told me that there are different options for treating my medical condition	174 (69.0)	22 (8.7)	56 (22.2)	0.001
My doctor precisely explained the advantages and disadvantages of the treatment options	164 (68.6)	26 (10.9)	49 (20.5)	0.001
My doctor helped me understand all the information	169 (67.6)	30 (12.0)	51 (20.4)	0.001
My doctor asked me which treatment option I prefer	172 (67.7)	23 (9.1)	59 (23.2)	0.001
My doctor and I thoroughly weight the different treatment options	143 (67.8)	20 (9.5)	48 (22.7)	0.001
<i>My doctor and I selected a treatment option together</i>	139 (67.8)	27 (13.2)	39 (19.0)	0.001
My doctor and I reached an agreement on how to proceed	182 (69.5)	33 (12.6)	47 (17.9)	0.001

eTable 4. Decisional regret regarding last AA treatment decision made

	Disagree , n(%)	Neutral , n(%)	Agree , n(%)
It was the right decision	123 (11.5)	392 (36.5)	559 (52.0)
I regret the choice that was made	709 (66.0)	251 (23.4)	114 (10.6)
I would go for the same choice if I had to do it over again	229 (21.3)	299 (27.8)	546 (50.8)
The choice did me a lot of harm	796 (74.1)	216 (20.1)	62 (5.8)
The decision was a wise one	115 (10.7)	423 (39.4)	536 (50.0)