# nature portfolio

Corresponding author(s):	Alfredo ambrosone
Last updated by author(s):	June 24, 2022

# **Reporting Summary**

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

<b>~</b> .				
St	ลา	715	tι	CC

FOI	ali StatiSticai ai	laryses, commit that the following items are present in the figure legend, table legend, main text, or Methods section.		
n/a	Confirmed			
	The exact	sample size $(n)$ for each experimental group/condition, given as a discrete number and unit of measurement		
	A stateme	ent on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly		
	The statis Only comm	tical test(s) used AND whether they are one- or two-sided non tests should be described solely by name; describe more complex techniques in the Methods section.		
$\boxtimes$	A descript	tion of all covariates tested		
$\boxtimes$	A descrip	tion of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons		
	A full deso	cription of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) ation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)		
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i> ) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.			
$\boxtimes$	For Bayes	ian analysis, information on the choice of priors and Markov chain Monte Carlo settings		
$\boxtimes$	For hierar	chical and complex designs, identification of the appropriate level for tests and full reporting of outcomes		
$\boxtimes$	Estimates	of effect sizes (e.g. Cohen's $d$ , Pearson's $r$ ), indicating how they were calculated		
		Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.		
So	ftware an	d code		
Poli	cy information	about <u>availability of computer code</u>		
D	ata collection	Cell Quest Software was used to collect FACS data.  Zeiss ZEN Confocal Software (Carl Zeiss MicroImaging GmbH) was used to acquire and process confocal images.  ImageQuant software (GE Healthcare Life Sciences) was emplyed to acquire chemiluminescence in western blotting experiments		

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

The online tool in UniProt Knowledgebase was used for gene ontology analysis (UniProtKB; http://www.uniprot.org).

#### Data

Data analysis

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

Mascot software (v2.5, Matrix Science) was used to analyse proteomics data

Proteomic data generated in this study have been included as Supplementary Information Data file. There are no restrictions on data availability.

Field-spe	ecific reporting			
	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.			
☐ Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences			
	the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>			
Life scier	nces study design			
	sclose on these points even when the disclosure is negative.			
Sample size	The Sample sizes (n) were chosen according to the standards of the field in order to generate a sufficient number of data and perform a robust statistical analysis, supporting meaningful conclusion for each test. The sample size of each experiment is provided in the corresponding figure captions and/or in the materials and methods section.			
Data exclusions	No data were excluded from the analyses.			
Replication	For EV characterization, at least three independent DLS and NTA measurements were carried out. TEM Analyses were conducted in three independent EV preparations, while silver staining was done for each EV preparation (n>10). MTT, FACS and western blotting experiments were replicated successfully at least three times. Confocal microscopy analyses were replicated three times with comparable results. For proteomics, two replicate analyses performed on two independent experiments were carried out on EV preparations as well as on pellets collected at low speed centrifugations steps.			
Randomization	No randomization was necessary for this study because the tests were conducted under well controlled conditions.			
Blinding	Bliding analysis in this work is not relevant as most of the tests reported are based on quantitative measurements. Therefore, blinding would not change any bias in data collected.			
-	g for specific materials, systems and methods on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material,			
'	ted is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.			
Materials & ex	perimental systems Methods			
n/a Involved in th				
Antibodies				
Eukaryotic	cell lines			
	d other organisms			
Human res	search participants			
Clinical dat	ra			
Dual use re	esearch of concern			
Antibodies				
Antibodies used	<ul> <li>Annexin A1 antibody (rabbit polyclonal;Thermo Fisher Scientific)</li> <li>mouse anti-PARP1 (Santa Cruz Biotechnology)</li> <li>rabbit anti-procaspase-3 (Santa Cruz Biotechnology)</li> <li>mouse anti-βactin (Santa Cruz Biotechnology)</li> </ul>			
Validation	All the antibodies used have been largely validated accordingly to manufacturer's information			
Eukaryotic c	ell lines			

Policy information about <u>cell lines</u>

Cell line source(s)

MIA PaCa-2 and MCF7 cell lines have been purchased from ATCC (LGC standard; USA). HaCaT cells have been provided by CLS (Germany).

Authentication

All cell lines have been purchased directly from the company and cultured following the specific indication of the same

company. Next, no further authentication procedures have been used. Authentication All cell lines have been tested by PCR and resulted negative for mycoplasma contamination Mycoplasma contamination

Commonly misidentified lines (See ICLAC register)

Generic tests (i.e. the reproducibilty of viability/proliferation rate and sterility, as for the evaluation of absence of bacteria and fungi) are perdiodically performed in our laboratory. No further authentications procedures are used.

#### Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable,

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

### Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Clinical data

Data collection

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Clinical trial registration Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Note where the full trial protocol can be accessed OR if not available, explain why.

Study protocol

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures

## Dual use research of concern

Policy information about <u>dual use research of concern</u>

1.1				а	
н	ıa	72	n	n	5

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:					
No Yes  Public health  National security  Crops and/or livest  Ecosystems  Any other significa					
Experiments of concer	rn				
Does the work involve an	y of these experiments of concern:				
Confer resistance t Enhance the virule Increase transmiss Alter the host rang Enable evasion of o	☑       Demonstrate how to render a vaccine ineffective         ☑       Confer resistance to therapeutically useful antibiotics or antiviral agents         ☑       Enhance the virulence of a pathogen or render a nonpathogen virulent         ☑       Increase transmissibility of a pathogen         ☑       Alter the host range of a pathogen         ☑       Enable evasion of diagnostic/detection modalities         ☑       Enable the weaponization of a biological agent or toxin         ☑       Any other potentially harmful combination of experiments and agents				
	v and final processed data have been deposited in a public database such as <u>GEO</u> . e deposited or provided access to graph files (e.g. BED files) for the called peaks.				
Data access links May remain private before public	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.				
Files in database submiss	ion Provide a list of all files available in the database submission.				
Genome browser session (e.g. <u>UCSC</u> )	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.				
Methodology					
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.				
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.				
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and la number.				
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.				
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.				
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.				

## Flow Cytometry

			 _	_	_		_	
_								
	'l∩t	- C						

1 1013				
Confirm that:				
The axis labels state the ma	arker and fluorochrome used (e.g. CD4-FITC).			
The axis scales are clearly \	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).			
All plots are contour plots	with outliers or pseudocolor plots.			
A numerical value for num	ber of cells or percentage (with statistics) is provided.			
Methodology				
Sample preparation	Cells were harvested after treatments and incubated with a propidium iodide (PI) solution (0.1% sodium citrate, 0.1% Triton X-100 and 50 $$ g/ $$ mL of PI) for 30 min at room temperature.			
Instrument	FACS Calibur Becton Dickinson			
Software	Cell Quest, version 6.0			
Cell population abundance	The analysis have been performed on the whole cell population.			
Gating strategy	Cell debris have been eliminated by fixing a threshold (50) in FCS on dot plot of the total cell events. No further gates have been made in order to consider all events.  On the histograms, the fluorescence assessed between log (10 e-2) and log (10 e-3) has been considered refered to the apoptotic events. Beyond log (10 e-3) the cell cycle profile has been evaluated indicating G1/S/G2 phases of healthy cells.			
Tick this box to confirm that	at a figure exemplifying the gating strategy is provided in the Supplementary Information.			
Magnetic resonance	imaging			
Experimental design				
Design type	Indicate task or resting state; event-related or block design.			
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.			
Behavioral performance meas	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).			
Acquisition				
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.			
Field strength	Specify in Tesla			
Sequence & imaging paramete	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.			
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.			
Diffusion MRI Used	☐ Not used			
Preprocessing				
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).			
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.			
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.			
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			

Vo	lume	cens	oring

Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.

Statistica	I mode	ling	&	infer	ence
------------	--------	------	---	-------	------

Statistical modeling & inference	æ				
	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).				
	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.				
Specify type of analysis: Who	ole brain ROI-based Both				
Statistic type for inference (See Eklund et al. 2016)	pecify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.				
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).				
Models & analysis  n/a   Involved in the study					
Functional and/or effective connec	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).				
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,				

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.