

**Content of Supplement:****eTable 1: Microbiologic results**

**eTable 1: Microbiologic results**

Patients		#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14
<b>Retina</b>															
	Copies / β-Globin gene	1.458	0.060	0.003	0.003	0.003	0.001	0.001	0	0	0	0	0	0	
	Copies / ml	1.06x10 <sup>-7</sup>	1.40x10 <sup>-5</sup>	9.92x10 <sup>-6</sup>	4.02x10 <sup>-5</sup>	9.12x10 <sup>-5</sup>	1.68x10 <sup>-5</sup>	7.47x10 <sup>-5</sup>	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	
	Delta CT (N1-sgRNA)	-2.7	-	-2.9	nd	nd	nd	-	nd	nd	nd	nd	nd	nd	
	2Δ-delta ct	0.15	-	0.13	na	na	na	-	na	na	na	na	na	na	
	virus cultivation	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	
<b>Optic Nerve</b>															
	Copies / β-Globin gene	1.157	-	0.088	0.141	0.644	11.160	3717.074	0.003	0.009	1796.236	0	0.005	0	0
	Copies / ml	4.72x10 <sup>-5</sup>	-	1.00x10 <sup>-4</sup>	5.99x10 <sup>-4</sup>	3.70x10 <sup>-4</sup>	1.50x10 <sup>-4</sup>	1.07x10 <sup>-4</sup>	4.05x10 <sup>-5</sup>	5.64x10 <sup>-5</sup>	9.05x10 <sup>-5</sup>	<LOD	1.07x10 <sup>-4</sup>	<LOD	<LOD
	Delta CT (N1-sgRNA)	-4.7	-	-1.7	-5	nd	-6.50	nd	nd	-2.8	nd	nd	nd	nd	-5.7
	2Δ-delta ct	0.04	-	0.31	0.03	na	0.01	na	na	0.14	na	na	na	na	0.02
	virus cultivation	neg	-	neg											
<b>Vitreous humor</b>															
	Copies / β-Globin gene	0.336	52.306	0	2.368	0	0.342	-	0	0	0.015	0.396	0	0	0.099
	Copies / ml	1.20x10 <sup>-6</sup>	9.62x10 <sup>-5</sup>	<LOD	2.77x10 <sup>-4</sup>	<LOD	8.26x10 <sup>-5</sup>	2.96x10 <sup>-5</sup>	<LOD	<LOD	3.15x10 <sup>-5</sup>	2.72x10 <sup>-5</sup>	<LOD	<LOD	2.32x10 <sup>-5</sup>
	Delta CT (N1-sgRNA)	-3.1	-	nd	nd	nd	nd	-	nd	nd	-	nd	nd	nd	nd
	2Δ-delta ct	0.12	-	na	na	na	na	-	na	na	-	na	na	na	na
	virus cultivation	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
<b>Blood</b>															
	Copies / β-Globin gene	3.782	-	0.001	0	-	-	5042.467	0	3.782	-	0	0	0.005	0
	Copies / ml	7.53x10 <sup>-6</sup>	1.00x10 <sup>-5</sup>	4.95x10 <sup>-5</sup>	<LOD	-	-	2.68x10 <sup>-7</sup>	<LOD	1.72x10 <sup>-6</sup>	-	<LOD	<LOD	1.35x10 <sup>-6</sup>	<LOD
<b>Swab throat</b>															
	Copies / ml	1.14x10 <sup>-4</sup>	1.02x10 <sup>-10</sup>	1.29x10 <sup>-5</sup>	<LOD	<LOD	4.91x10 <sup>-7</sup>	2.18x10 <sup>-6</sup>	<LOD	9.62x10 <sup>-8</sup>	1.48x10 <sup>-7</sup>	1.76x10 <sup>-8</sup>	6.77x10 <sup>-8</sup>	1.95x10 <sup>-8</sup>	1.09x10 <sup>-8</sup>

eTable 1 provides detailed microbiologic results for each patient (#1-#14). Abbreviations:

<LOD: below level of detection; neg: negative; nd: not detected; na: not applicable. The

hyphen represents missing values.