

Table 6: Age-specific means of the dependent variables

	Incidence		Hospitalizations		ICU admissions		Deaths	
	Pre-period	Post-period	Pre-period	Post-period	Pre-period	Post-period	Pre-period	Post-period
USAfacts	13.32 (40.60)	21.54 (36.10)						
CDC (All ages)	12.39 (14.99)	21.29 (24.51)	0.74 (1.33)	0.94 (1.66)	0.08 (0.38)	0.09 (0.43)	0.23 (0.77)	0.37 (1.09)
0 - 9	4.35 (11.36)	6.48 (12.95)	0.06 (0.81)	0.06 (0.76)	0.00 (0.16)	0.00 (0.26)	0.00 (0.03)	0.00 (0.02)
10 - 19	10.28 (16.75)	22.22 (34.32)	0.08 (0.79)	0.11 (1.02)	0.01 (0.31)	0.00 (0.15)	0.00 (0.04)	0.00 (0.13)
20 - 29	19.19 (26.81)	30.22 (40.36)	0.28 (1.46)	0.25 (1.53)	0.01 (0.26)	0.01 (0.52)	0.01 (0.18)	0.01 (0.28)
30 - 49	15.44 (23.79)	23.49 (33.09)	0.55 (1.97)	0.54 (2.27)	0.05 (0.56)	0.04 (0.59)	0.04 (0.72)	0.04 (0.55)
50 - 69	11.22 (15.63)	19.49 (25.58)	1.07 (2.80)	1.29 (3.33)	0.14 (0.92)	0.14 (0.99)	0.24 (1.46)	0.29 (1.49)
70+	10.40 (20.34)	20.42 (35.03)	2.63 (6.89)	4.03 (9.70)	0.30 (2.02)	0.38 (2.65)	1.49 (5.27)	2.63 (8.57)

Source—Authors' analysis of CDC and USAFacts data.

Notes—Values are the mean and standard deviation (parentheses) for the indicated variable, measured per 100,000 people. Sample restricted to counties with a college.