
Seasonality and Day-to-Day Variability of Dietary Diversity: Longitudinal Study of Pregnant Women Enrolled in a Randomized Controlled Efficacy Trial in Rural Burkina Faso Hanley-Cook *et al.* Online Supplementary Material

## Supplemental Table 1. Food list for list-based recall method in Houndé, Burkina Faso<sup>1</sup>

Food group		Corresponding food and drinks
i.	Cereals, roots, tubers, and plantains	White sorghum, red sorghum, millet, small millet, rice, corn, pasta (macaroni, spaghetti,), wheat (bulgur, bread,), fonio, white sweet potato, potato, yam, taro, other white tubers (fabirama), manioc (atiéké, gari), plantain (alloco) (except sweet potato with orange flesh)
ii.	Legumes	Beans (cowpeas), ground peas, peas, chickpeas, lentils, zamné, other legumes
iii.	Nuts and seeds	Peanuts (in paste or other), sesame, cashew nuts, wild nuts, cottonseeds, palm seeds (not red),
iv.	Dark green leafy vegetables	Sorrel, amaranth leaves, baobab leaves, bulvaka, spinach, onion leaves, bean leaves, cassava leaves, potato leaves, wild green leaves,
v.	Vitamin A rich vegetables	Carrot, red pepper, orange squash, sweet potato with orange flesh
vi.	Other vegetables	Cabbage, okra, green pepper, fresh tomato (except concentrate), eggplant, onions, green beans, avocado, kapok, zucchini, cucumbers, turnips,
vii.	Vitamin A rich fruits	Mango, papaya, néré (fruit or flour), fresh juice of these fruits
viii.	Other fruits	Banana, orange, lemon, pineapple, monkey bread, guava, jujube, melon, sugar cane, apple-cinnamon, wild fruits (grapes, tamarind, shea butter,), fresh juice of these fruits
ix.	Eggs	Chicken, guinea fowl, and quail eggs
x.	Meat, poultry, offal, insects, and fish	Beef, mutton, goat, pork, tongue, rabbit, bush meat, chicken, guinea fowl, offal (tripe, liver, kidney, oxtail kidney, oxtail,), insects (caterpillars,), fresh; smoked; and salted fish, canned tuna, all kinds of seafood (except a pinch of fish powder)
xi.	Dairy products	Fresh milk, powdered milk, concentrated milk (sweetened or not), yogurt, cheese, fresh cream


<sup>&</sup>lt;sup>1</sup>See original version on p.7: <a href="https://misame3.ugent.be/resource-files/MISAME-III">https://misame3.ugent.be/resource-files/MISAME-III</a> CSPRo v3 may2020.pdf

Seasonality and Day-to-Day Variability of Dietary Diversity: Longitudinal Study of Pregnant Women Enrolled in a Randomized Controlled Efficacy Trial in Rural Burkina Faso Hanley-Cook *et al.* Online Supplementary Material



Supplemental Figure 1. Longitudinal study flowchart, by prenatal MISAME-III trial arm. BEP, balance energy-protein; GA, gestational age; IFA, iron-folic acid.

Seasonality and Day-to-Day Variability of Dietary Diversity: Longitudinal Study of Pregnant Women Enrolled in a Randomized Controlled Efficacy Trial in Rural Burkina Faso Hanley-Cook *et al.* Online Supplementary Material



Supplemental Figure 2. Proportion of pregnant women consuming food groups, by study month. October 2019 (n = 8 women), July 2021 (n = 14), and August 2021 (n = 1) were not plotted due to the limited number of monthly data points. DGLV, dark green leafy vegetables; F&V, fruits and vegetables.