

SCOPING REVIEW PROTOCOL

Appendix B

Medline Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into OVID-Medline
1	Population (Transition-age youth)	exp Adolescent/ or exp Young Adult/
2	Population (Transition-age youth)	(youth* or transition age youth* or teen* or adolescen* or emerging adult* or young adult* or early adult* or young person* or young people* or juvenile*).tw,kf.
3	Population (Serious mental illness)	exp Mental Disorders/ or exp Anxiety Disorders/ or exp "Bipolar and Related Disorders"/ or exp Dissociative Disorders/ or exp "Feeding and Eating Disorders"/ or exp Mood Disorders/ or exp "Attention Deficit and Disruptive Behavior Disorders"/ or exp Personality Disorders/ or exp Schizophrenia/ or exp Psychotic Disorders/ or exp Affective Disorders, Psychotic/ or exp Capgras Syndrome/ or exp Delusional Parasitosis/ or exp Morgellons Disease/ or exp Paranoid Disorders/ or exp Somatoform Disorders/ or exp "Trauma and Stressor Related Disorders"/ or exp Mentally Ill Persons/
4	Population (Serious mental illness)	(mental disorder* or mental illness* or psychiatric disabilit* or psychiatric disorder* or psychiatric diagnosis* or serious emotional disturbance* or severe emotional disturbance* or "mental health condition*" or anxiety disorder* or phobia* or phobic disorder* or panic disorder* or obsessive-compulsive disorder* or OCD or bipolar disorder* or manic disorder* or manic depression or dissociative disorder* or multiple-personality disorder or eating disorder* or anorexi* or bulimi* or binge eating* or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or disordered eating or mood disorder* or depressive disorder* or affective disorder* or depression or cyclothymic disorder* or cyclothymia or dysthymic disorder* or dysthymia or personality disorder* or schizophrenia spectrum disorder* or schizophrenia or psychotic disorder* or psychosis or psychoses or schizoaffective disorder* or psychotic affective disorder* or paranoid disorder* or somatoform disorder* or body dysmorphic disorder* or body dysmorphi* or post-traumatic stress disorder* or adjustment disorder* or PTSD).tw,kf.
5	Concept (Resilience)	exp Resilience, Psychological/
6	Concept (Resilience)	(resilienc*).tw,kf.
7		1 or 2
8		3 or 4
9		5 or 6
10		7 and 8 and 9
11		limit 10 to (english language and humans and yr="2000 - Current")

SCOPING REVIEW PROTOCOL

Embase Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into OVID-Embase
1	Population (Transition-age youth)	exp Adolescent/ or exp Young Adult/
2	Population (Transition-age youth)	(youth* or transition age youth* or teen* or adolescen* or emerging adult* or young adult* or early adult* or young person* or young people* or juvenile*).tw,kf.
3	Population (Serious mental illness)	exp Mental Disease/ or exp Anxiety Disorder/ or exp Bipolar Disorder/ or exp Dissociative Disorder/ or exp Eating Disorder/ or exp Emotional Disorder/ or exp Mood Disorder/ or exp Attention Deficit Disorder/ or exp Impulse Control Disorder/ or exp Neurosis/ or exp Personality Disorder/ or exp Schizophrenia Spectrum Disorder/ or exp Schizophrenia/ or exp Psychosis/ or exp Somatoform Disorder/ or exp Posttraumatic Stress Disorder/
4	Population (Serious mental illness)	(mental disorder* or mental illness* or psychiatric disabilit* or psychiatric disorder* or psychiatric diagnosis* or serious emotional disturbance* or severe emotional disturbance* or "mental health condition*" or anxiety disorder* or phobia* or phobic disorder* or panic disorder* or obsessive-compulsive disorder* or OCD or bipolar disorder* or manic disorder* or manic depression or dissociative disorder* or multiple-personality disorder or eating disorder* or anorexi* or bulimi* or binge eating* or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or disordered eating or mood disorder* or depressive disorder* or affective disorder* or depression or cyclothymic disorder* or cyclothymia or dysthymic disorder* or dysthymia or personality disorder* or schizophrenia spectrum disorder* or schizophrenia or psychotic disorder* or psychosis or psychoses or schizoaffective disorder* or psychotic affective disorder* or paranoid disorder* or somatoform disorder* or body dysmorphic disorder* or body dysmorphi* or post-traumatic stress disorder* or adjustment disorder* or PTSD).tw,kf.
5	Concept (Resilience)	exp Psychological Resilience/
6	Concept (Resilience)	(resilienc*).tw,kf.
7		1 or 2
8		3 or 4
9		5 or 6
10		7 and 8 and 9
11		limit 10 to (english language and humans and yr="2000 - Current")

SCOPING REVIEW PROTOCOL

PsychINFO Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into OVID-PsychINFO
1	Population (Transition-age youth)	exp Emerging Adulthood/ or exp Early Adolescence/
2	Population (Transition-age youth)	(youth* or transition age youth* or teen* or adolescen* or emerging adult* or young adult* or early adult* or young person* or young people* or juvenile*).tw.
3	Population (Serious mental illness)	exp Mental Disorders/ or exp Chronic Mental Illness or exp Serious Mental Illness/ or exp Affective Disorders or exp Anxiety Disorders/ or exp Attention Deficit Disorder/ or exp Bipolar Disorder/ or exp Dissociative Disorders/ or exp Disruptive Behavior Disorders/ or exp Eating Disorders/ or exp Personality Disorders/ or exp Psychosis/ or exp Schizophrenia/ or exp Somatoform Disorders/ or exp "Stress and Trauma Related Disorders"/
4	Population (Serious mental illness)	(mental disorder* or mental illness* or psychiatric disabilit* or psychiatric disorder* or psychiatric diagnosis* or serious emotional disturbance* or severe emotional disturbance* or "mental health condition*" or anxiety disorder* or phobia* or phobic disorder* or panic disorder* or obsessive-compulsive disorder* or OCD or bipolar disorder* or manic disorder* or manic depression or dissociative disorder* or multiple-personality disorder or eating disorder* or anorexi* or bulimi* or binge eating* or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or disordered eating or mood disorder* or depressive disorder* or affective disorder* or depression or cyclothymic disorder* or cyclothymia or dysthymic disorder* or dysthymia or personality disorder* or schizophrenia spectrum disorder* or schizophrenia or psychotic disorder* or psychosis or psychoses or schizoaffective disorder* or psychotic affective disorder* or paranoid disorder* or somatoform disorder* or body dysmorphic disorder* or body dysmorphi* or post-traumatic stress disorder* or adjustment disorder* or PTSD).tw.
5	Concept (Resilience)	exp "Resilience (Psychological)"/
6	Concept (Resilience)	(resilienc*).tw.
7		1 or 2
8		3 or 4
9		5 or 6
10		7 and 8 and 9
11		limit 10 to (english language and humans and yr="2000 - Current")

SCOPING REVIEW PROTOCOL

AMED Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into OVID-AMED
1	Population (Transition-age youth)	exp Adolescent/
2	Population (Transition-age youth)	(youth* or transition age youth* or teen* or adolescen* or emerging adult* or young adult* or early adult* or young person* or young people* or juvenile*).tw,et.
3	Population (Serious mental illness)	exp Mental Disorders/ or exp Adjustment Disorders/ or exp Affective Disorders/ or exp Affective Disorders Psychotic/ or exp Bipolar Disorder/ or exp Manic Disorder/ or exp Depressive Disorder/ or exp Mood Disorders/ or exp Anxiety Disorders/ or exp Obsessive Compulsive Disorder/ or exp Phobic Disorders/ or exp Stress Disorders Post Traumatic/ or exp Attention Deficit Disorder with Hyperactivity or exp Child Behavior Disorders/ or exp Dissociative Disorders/ or exp Multiple Personality Disorder/ or exp Eating Disorders/ or exp Anorexia Nervosa/ or exp Bulimia/ or exp Neurotic Disorders/ or exp Personality Disorders/ or exp Borderline Personality Disorder/ or exp Hysteria/ or exp Psychotic Disorders/ or exp Schizophrenia/ or exp Somatoform Disorders/ or exp Conversion Disorder/
4	Population (Serious mental illness)	(mental disorder* or mental illness* or psychiatric disabilit* or psychiatric disorder* or psychiatric diagnosis* or serious emotional disturbance* or severe emotional disturbance* or "mental health condition*" or anxiety disorder* or phobia* or phobic disorder* or panic disorder* or obsessive-compulsive disorder* or OCD or bipolar disorder* or manic disorder* or manic depression or dissociative disorder* or multiple-personality disorder or eating disorder* or anorexi* or bulimi* or binge eating* or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or disordered eating or mood disorder* or depressive disorder* or affective disorder* or depression or cyclothymic disorder* or cyclothymia or dysthymic disorder* or dysthymia or personality disorder* or schizophrenia spectrum disorder* or schizophrenia or psychotic disorder* or psychosis or psychoses or schizoaffective disorder* or psychotic affective disorder* or paranoid disorder* or somatoform disorder* or body dysmorphic disorder* or body dysmorphi* or post-traumatic stress disorder* or adjustment disorder* or PTSD).tw,et.
5	Concept (Resilience)	exp Adaptation Psychological/
6	Concept (Resilience)	(resilienc*).tw,et.
7		1 or 2
8		3 or 4
9		5 or 6
10		7 and 8 and 9
11		limit 10 to (english and yr="2000 -Current")

SCOPING REVIEW PROTOCOL

CINHAL Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into CINHAL (EBSCO)
1	Population (Transition-age youth)	(MH "Adolescence+") OR (MH "Young Adult")
2	Population (Transition-age youth)	TI (youth* or "transition age youth*" or teen* or adolescen* or "emerging adult*" or "young adult*" or "early adult*" or "young person*" or "young people*" or juvenile*) OR AB (youth* or "transition age youth*" or teen* or adolescen* or "emerging adult*" or "young adult*" or "early adult*" or "young person*" or "young people*" or juvenile*)
3	Population (Serious mental illness)	(MH "Mental Disorders+") or (MH "Mental Disorders, Chronic") or (MH "Neurotic Disorders+") or (MH "Affective Disorders+") or (MH "Seasonal Affective Disorder") or (MH "Depression+") or (MH "Anxiety Disorders+") or (MH "Social Anxiety Disorders") or (MH "Generalized Anxiety Disorder") or (MH "Panic Disorder") or (MH "Obsessive-Compulsive Disorder+") or (MH "Phobic Disorders+") or (MH "Stress Disorders, Post-Traumatic+") or (MH "Psychotic Disorders+") or (MH "Schizophrenia+") or (MH "Affective Disorders, Psychotic+") or (MH "Bipolar Disorders+") or (MH "Dissociative Disorders+") or (MH "Multiple-Personality Disorder") or (MH "Personality Disorders+") or (MH "Adjustment Disorders+") or (MH "Attention Deficit Hyperactivity Disorder") or (MH "Child Behavior Disorders+") or (MH "Eating Disorders+") or (MH "Binge Eating Disorder") or (MH "Avoidant Restrictive Food Intake Disorder") or (MH "Bulimia Nervosa") or (MH "Bulimia") or (MH "Anorexia Nervosa") or (MH "Anorexia") or (MH "Somatoform Disorders+") or (MH "Body Dysmorphic Disorder")
4	Population (Serious mental illness)	TI ("mental disorder*" or "mental illness*" or "psychiatric disabilit*" or "psychiatric disorder*" or "psychiatric diagnosis*" or "serious emotional disturbance*" or "severe emotional disturbance*" or "mental health condition*" or "anxiety disorder*" or phobia* or "phobic disorder*" or "panic disorder*" or "obsessive-compulsive disorder*" or OCD or "bipolar disorder*" or "manic disorder*" or "manic depression" or "dissociative disorder*" or "multiple-personality disorder" or "eating disorder*" or anorexi* or bulimi* or "binge eating*" or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or "disordered eating" or "mood disorder*" or "depressive disorder*" or "affective disorder*" or depression or "cyclothymic disorder*" or cyclothymia or "dysthymic disorder*" or dysthymia or "personality disorder*" or "schizophrenia spectrum disorder*" or schizophrenia or "psychotic disorder*" or psychosis or psychoses or "schizoaffective disorder*" or "psychotic affective disorder*" or "paranoid disorder*" or "somatoform disorder*" or "body dysmorphic disorder*" or "body dysmorphi*" or "post-traumatic stress disorder*" or "adjustment disorder*" or PTSD) OR AB ("mental disorder*" or "mental illness*" or "psychiatric disabilit*" or "psychiatric disorder*" or "psychiatric diagnosis*" or "serious emotional disturbance*" or "severe emotional disturbance*" or "mental health condition*" or "anxiety disorder*" or phobia* or "phobic disorder*" or

SCOPING REVIEW PROTOCOL

		“panic disorder*” or “obsessive-compulsive disorder*” or OCD or “bipolar disorder*” or “manic disorder*” or “manic depression” or “dissociative disorder*” or “multiple-personality disorder” or “eating disorder*” or anorexi* or bulimi* or “binge eating*” or “eating disorder not otherwise specified” or EDNOS or “other specified feeding or eating disorder” or OSFED or “disordered eating” or “mood disorder*” or “depressive disorder*” or “affective disorder*” or depression or “cyclothymic disorder*” or cyclothymia or “dysthymic disorder*” or dysthymia or “personality disorder*” or “schizophrenia spectrum disorder*” or schizophrenia or “psychotic disorder*” or psychosis or psychoses or “schizoaffective disorder*” or “psychotic affective disorder*” or “paranoid disorder*” or “somatoform disorder*” or “body dysmorphic disorder*” or “body dysmorphi*” or “post-traumatic stress disorder*” or “adjustment disorder*” or PTSD)
5	Concept (Resilience)	(MH “Hardiness”)
6	Concept (Resilience)	TI (resilienc*) OR AB (resilienc*)
7		1 or 2
8		3 or 4
9		5 or 6
10		7 and 8 and 9
11		limit 10 to (english language and humans and yr="2000 - Current")

SCOPING REVIEW PROTOCOL

Scopus Database Search Strategy

Search line #	PCC conceptual term of interest	Search term entered into Scopus
1	Population (Transition-age youth)	TITLE-ABS-KEY (youth* or "transition age youth*" or teen* or adolescen* or "emerging adult*" or "young adult*" or "early adult*" or "young person*" or "young people*" or juvenile*)
2	Population (Serious mental illness)	TITLE-ABS-KEY ("mental disorder*" or "mental illness*" or "psychiatric disabilit*" or "psychiatric disorder*" or "psychiatric diagnosis*" or "serious emotional disturbance*" or "severe emotional disturbance*" or "mental health condition*" or "anxiety disorder*" or phobia* or "phobic disorder*" or "panic disorder*" or "obsessive-compulsive disorder*" or OCD or "bipolar disorder*" or "manic disorder*" or "manic depression" or "dissociative disorder*" or "multiple-personality disorder" or "eating disorder*" or anorexi* or bulimi* or "binge eating*" or "eating disorder not otherwise specified" or EDNOS or "other specified feeding or eating disorder" or OSFED or "disordered eating" or "mood disorder*" or "depressive disorder*" or "affective disorder*" or depression or "cyclothymic disorder*" or cyclothymia or "dysthymic disorder*" or dysthymia or "personality disorder*" or "schizophrenia spectrum disorder*" or schizophrenia or "psychotic disorder*" or psychosis or psychoses or "schizoaffective disorder*" or "psychotic affective disorder*" or "paranoid disorder*" or "somatoform disorder*" or "body dysmorphic disorder*" or "body dysmorphi*" or "post-traumatic stress disorder*" or "adjustment disorder*" or PTSD)
3	Concept (Resilience)	TITLE-ABS-KEY (resilienc*)
4		1 and 2 and 3
5		limit 4 to (english language and yr="2000 - Current")