

# PNAS

www.pnas.org

## Supplementary Information for

Smith et al. 2022. *Late Pleistocene megafauna extinction leads to missing pieces of ecological space in a North American mammal community*

Corresponding author: Felisa A. Smith  
[fasmith@unm.edu](mailto:fasmith@unm.edu)

*This PDF file Includes:*

Supplementary text

Table S1. Summary data for species used in analysis

Table S2. Morphological measurements of fossil species

Table S3. Modern museum morphological data

Table S4. Modern allometric body size regressions

Table S5. Isotopic determinations of fossil animals

Table S6. RMA relationships and  $\delta^{13}\text{C}_{\text{carbonate}} - \delta^{13}\text{C}_{\text{collagen}}$  spacing associated with enamel-collagen offsets

Table S7. T-test results of body size and isotopic values from the Pleistocene to Holocene

Table S8. ANOVA results of isotope values by molar position

Table S9. ANOVA results of isotope values by tooth position, bone category, and tooth versus bone

## SI Materials and Methods

### I. Study region and mammal communities.

We focus on the Edward Plateau of Texas. This geomorphic region of Cretaceous limestones contains many Pleistocene and Holocene cave sites, which have provided a rich abundance of late Quaternary fossils. Today, the Edwards Plateau includes a diversity of vegetation habitats and climatic regimes, with aridity increasing from the east to west; the central portion is a juniper-oak/mesquite-acacia savanna with an understory dominated by  $C_4$  grasses (1–6). In the Pleistocene, this area was likely a more mesic open grassland ecosystem (6), which supported a high diversity of grazing and browsing mammals and their predators (7).

Faunal remains were deposited by a combination of fluvial events and raptor and carnivore accumulation within the cave (8). Thus, although Hall's Cave provides an abundant and diverse fossil record, the taphonomy likely means there is an underrepresentation of the largest-bodied mammals. This is exacerbated by their typically low density on the landscape, which leads to a lower probability of fossilization at any given locality (9). To get around these issues, we included fossils recovered from nearby cave sites to obtain a more complete representation of the local mammal community (5, 8, 10–22). Using methods described in Smith et al. (7), taxa were included in our community if the straight-line distance from the fossil site where they were recovered to Hall's Cave was within the estimated average home range, natal dispersal or typical migration distance for mammals of their size and trophic guild. Faunal lists, ages and geological coordinates were downloaded for other Texas paleontological sites from *NEOTOMA* (<http://www.neotomadb.org>), TMM's Specify (<https://specify-portal.tacc.utexas.edu>) and/or by examining specimens from these sites housed at TMM. These sources and the Paleobiology Database (<https://paleobiodb.org/#/>) were used to verify specimen identity. Bison taxonomy at Lubbock Lake was refined using Johnson (23). A summary of our complete faunal list is provided in Table S1; raw data for body mass is included in Table S2, that for isotopes in Table S5. Only for a subset of our data were body mass and isotopic determinations possible for the same specimen.

### II. Determination of body mass

Generalized body masses for most late Quaternary mammals are available from an updated version of MOM v10.2 (24). However, these data were geographically averaged and moreover, did not allow us to investigate body size as a possible response to the Pleistocene megafauna extinction. Consequently, site-specific body mass was preferentially determined using measurements of cranial and postcranial materials from fossils housed at TMM. For a few taxa (i.e., *Stockoceros sp.*, *Leopardus wiedii*, *Puma concolor*, *Taxidea taxus*, *Glyptotherium floradanum*, *Conepatus leuconotus*, *Bootherium bombifrons*, *Cuvieronius sp.*, *Dasyopus sp.*), we were unable to obtain a site-specific body mass either because of a lack of specimens or the lack of an appropriate regression equation (Tables S1,2). For those species, we relied on the MOM database.

While many studies often employ generalized allometric regressions to translate measurements of elements into body mass, we aimed for family-specific relationships, which were more precise. Hence, using published literature sources (25–40), we obtained the appropriate allometric regression to translate measurements into estimates of body mass (Table S2). However, many elements, or mammal clades, did not have corresponding body mass-element regressions. We took two approaches in such instances.

First, we developed a series of allometric equations for a number of cranial and postcranial elements for several carnivoran families (Canidae, Felidae, Mustelidae and Ursidae) as well as more general ungulate, Afrotheria and Xenarthra groups. We collected cranial (e.g., skull and molar) and post-cranial (e.g., femur, humerus, etc.) measurements, along with tag body mass records, for 291 carnivoran specimens spanning

the body size spectrum from the mammal collections at the Minneapolis Museum of Natural History (Table S3). It was not possible to measure all elements from each museum specimen. In particular, body mass was sometimes missing. However, because body length was generally reported, even if body mass was not, we regressed these measures in R Studio (function `lm()` from package ‘stats’) to develop body mass estimates for those species missing data. Linear regressions were run between each base10 log transformed element and body mass for each carnivorian family and for all carnivores combined, with and without the estimated body mass (Table S4). Because results were invariant, we preferentially employed the regressions based on the full data. We also downloaded long bone data from Campione and Evans for *Xenarthra* and *Afrotheria*, and molar data from Mendoza et al. (33) and conducted similar regressions (Table S4). The developed regressions were used to translate our measurements of fossil materials at TMM into body mass.

Second, when we were unable to obtain specific allometric regressions for particular elements, we calibrated fossil elements against elements where regressions were available. For example, we estimated the body size of several *Smilodon* and *Homotherium* specimens for which we only had upper fourth premolars (UP4s) using allometric regressions for the first lower molar (LM1). To do so, we first calculated the average difference between UP4s and LM1s using digital images of 3 modern specimens of large-bodied felids: *Panthera onca* CN 842 (41), *Panthera tigris* (42) and *Panthera atrox* UF 9076 (Florida Museum Vertebrate Paleontology Database at the University of Florida). Length measurements of corresponding UP4 and LM1 were taken using the Line Tool in ImageJ 1.50i (43), with scale bars used to individually Set Scale. Each length measurement was made 3 times and we used the average to calculate the UP4/LM1 ratio. The standard deviation of all length measurements was below 0.05. Not surprisingly, we found remarkable consistency in the relationship between the size of teeth within felids: the upper fourth premolar was on average 38% longer than the lower first molar, with a standard deviation of approximately 0.06. Consequently, we were able to standardize the UP4 measurements for *Smilodon* and *Homotherium* specimens by dividing each by ~1.38 and then applying the allometric regression for LM1 to estimate body mass. In total, we applied this method to 10 UP4s (7 *Homotherium* and 3 *Smilodon*); all estimated body masses fell well within the range of each species (e.g., Table S2). We judged this approach to be much more defensible than simply using regressions developed for other clades or other molars, as is often done.

Our data were error checked to identify potential outliers: specimens that may have been misidentified as to taxonomic affiliation and/or element by plotting the overall distribution for each taxon at each time interval. Then, the mean, median and standard deviation of site-specific body mass was computed for each time period and the change in mass, if any, computed for surviving mammals. Changes in body mass between Pleistocene and Holocene were assessed using ANOVA and two sample t-test for 13 species, including a comparison between the Pleistocene species *Bison antiquus* and Holocene *Bison bison* (Table S7). ANOVAs and two-sided Welch two sample t-tests were run on each species to determine whether changes were significant using the `avov()` and `t.test()` functions in R 3.6.0 (44) with RStudio (45). We then ran a Bonferroni correction for a significance level of 0.05, with significant differences in mass between time intervals being considered only marginal if the t-test p-values below 0.05 were not also below the corrected value (here, 0.0038). Additionally, we repeated the process for the 5 extant species with both Holocene and Modern mass data (Table S7). ANOVAs and Tukey multiple comparisons of means were to investigate the potential influence of specific locations on our results.

## II. Isotopic determinations and analysis

*Chemical preparation and isotopic analysis.* For most specimens, we analyzed bone collagen, as this tissue provides an integrated estimate of multiple years of dietary information prior to animal death (46, 47). For these, we removed ~100-mg of bone from each specimen using a high-speed Dremel tool. The bone subsamples were then cleaned of sediment and the mineral fraction was removed via 0.25 M hydrochloric acid soaks for 15-72 hours at 5°C. The resulting organic material was rinsed with deionized water three

times and then lipid extracted via three sequential 24 hour soaks in 2:1 chloroform:methanol at room temperature. Following lipid extraction, samples were rinsed thoroughly with deionized water and lyophilized. The  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values for each sample, along with weight percent [C] and [N], were measured via EA-IRMS using a Costech 4010 elemental analyzer (Valencia, CA) interfaced with a Thermo Scientific Delta V Plus isotope ratio mass spectrometer (Bremen, Germany) at the University of New Mexico Center for Stable Isotopes (UNM CSI, Albuquerque, NM). The within-run standard deviation of multiple organic reference materials run alongside unknown samples was  $\leq 0.2\%$  for both  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values. As a control for the quality of collagen, we calculated the atomic percent [C]:[N] ratio of each sample from measured weight percent [C]:[N] values. The theoretical range of atomic [C]:[N] from unaltered bone collagen is 2.8–3.6 (48); 760 of our measured specimens fell within this range. In our final dataset, we also included 21 specimens with atomic C:N ratios of 3.7 to 3.8 which had isotopic values within the range of other conspecifics, as well as a singleton *Arctodus* specimen. We removed the remaining 97 samples with atomic [C]:[N]  $\geq 3.9$  from all subsequent analyses.

For some taxa and sites with poor preservation of bone collagen, we extracted apatite from tooth enamel. Each specimen was inspected for signs of enamel degradation. If enamel appeared unaltered, at least 300 micrograms of enamel was collected from a single tooth using a Dremel drill with a diamond bit. Samples were placed in a 3% hydrogen peroxide solution for 15 minutes to remove organics, then triple rinsed with deionized water, followed by a buffered acetic acid treatment to remove secondary carbonates, and a final triple rinse in deionized water. Enamel samples were run at the University of Arkansas (n=41) Stable Isotope Laboratory using a Thermo Scientific Delta Plus XP isotope ratio mass spectrometer with a GasBench II unit (Bremen, Germany) using NBS-19 calcite standards, and at UNM CSI (n=64) using a Thermo Scientific Delta V also equipped with a GasBench II unit.

*Isotopic corrections: collagen-enamel  $\delta^{13}\text{C}$  spacing.* In order to directly compare isotopic data from extracted bone collagen and tooth enamel, we corrected enamel values to collagen-equivalents as has been done elsewhere (49). The carbon isotope composition of bone collagen and apatite are positively correlated, with bone collagen having lower  $\delta^{13}\text{C}$  values than apatite (49). However, the magnitude of this isotopic offset ( $\Delta^{13}\text{C}_{\text{apatite-collagen}}$ ) varies as a function of digestive physiology (50), and we further explored the offset between collagen and enamel using data sourced from Codron et al. (49). First, using reduced major axis, we regressed collagen and apatite  $\delta^{13}\text{C}$  values collected from the same individuals to explore variation in apatite-collagen relationships by herbivore digestion type (ruminant and non-ruminants) and carnivore guild (canids, felids) (49). All regressions were highly significant and although intercepts varied, most slopes did not deviate from the one-to one line (Table S6). Second, we computed the average offset between collagen and apatite among herbivore digestion types and carnivore guilds (Table S6). Previous work suggests that herbivores generally have larger offsets than carnivores, and among herbivores, ruminants have larger offsets than non-ruminants (46). However, while we found this to be true for herbivores and carnivores, ruminants and non-ruminants shared essentially the same offsets (Table S6). Here, we used offsets computed from the Codron et al. dataset to correct our measured enamel values to collagen equivalents (Table S5): ruminants ( $8.8 \pm 2.2\%$ ), non-ruminants ( $8.8 \pm 1.8\%$ ) canids ( $5.0 \pm 1.2\%$ ) and felids ( $4.4 \pm 1.2\%$ ). This approach has been used extensively in the literature (49).

*Influence of tissue type.* The isotope samples in our dataset were taken from a variety of bone and tooth elements, hence, we examined if results were biased by skeletal element. Using our dataset (Table S5), we ran a series of ANOVAs with Bonferroni corrections to examine whether  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values were influenced by the element analyzed. We assigned bone tissues into one of five simplified categories: skull, tooth root, body, limb, and undetermined bone. Analyses were conducted for each time interval (Pleistocene and Holocene) between the raw  $\delta^{13}\text{C}$  values from enamel across tooth elements, and the raw  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values from collagen across our five bone element categories. We also ran analyses of corrected  $\delta^{13}\text{C}$  values for all teeth lumped together into a single "tooth" category against our simplified collagen categories to check for potential biases that might arise from mixing 'collagen equivalents' (i.e., corrected  $\delta^{13}\text{C}$  values

derived from tooth enamel) with our collagen values. Finally, we downloaded the raw isotopic data presented in the Codron et al. (49) study, which included element type (bone, molar and molar positions) and analyzed taxa for whom multiple elements were sampled. Here, we were able to compare molar position, and molar *versus* bone samples, for 9 additional mammal species.

We found no difference in  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values of collagen between elements (including between tooth root and other bone collagen elements), or among corrected  $\delta^{13}\text{C}$  values of bone and tooth samples (Table S8, S9). It was interesting that  $\delta^{13}\text{C}$  values did not differ by tooth position (Table S8, S9), despite differences in time of eruption during ontogeny. Indeed, only one comparison was significant after Bonferroni correction for multiple comparisons (bone *versus* M3; Table S8). Thus, we conclude that combining enamel- and collagen-derived values, and/or different adult molar types, did not produce biases in our dataset. Consequently, while we report these data separately in Table S1 for complete transparency, our figures combine data from bone collagen representing multiple elements, as well as corrected enamel  $\delta^{13}\text{C}$  values.

*Statistical analysis with isotopic data.* As was done with mass, changes in  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values between the Pleistocene and Holocene were assessed using ANOVA and two-sided Welch two sample t-tests. A Bonferroni correction using a significance level of 0.05 was employed (corrected significance value = 0.0035; Table S7). ANOVAs and Tukey multiple comparisons of means were also run to examine if  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values of species varied by location.

*Exploring the diet of ancient carnivores.* We characterized the dietary space for Pleistocene felids and canids and Holocene jaguars to explore patterns in prey preferences among carnivore guilds. (Fig. 3). We first computed weighted averages of  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  for each herbivore functional guild (browsers, mixed feeders, and grazers; excluding *Lepus* and *Sylvilagus*) from species level averages. For the error bars around each prey group, we computed a propagated standard deviation, calculated using the variability in the  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values of each herbivore guild as well as uncertainty in trophic discrimination factors (i.e., 1.0‰ for both isotope systems). Hence, prey error bars =  $(\sigma^2_{\text{herbivore guild}} + \sigma^2_{\text{discrimination}})^{1/2}$ . We used predator-prey trophic discrimination factors (collagen-collagen TDFs) of 1.0‰ and 4.5‰ for  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ , respectively. While 3‰ is often used as a standard trophic discrimination factor, hypercarnivores tend to have larger offsets due to high protein consumption (52, 53). After accounting for TDFs, the isotopic values of *Homotherium* and *Smilodon* were situated on the very edge of the potential prey space, indicating a potential missing source (Fig. 3a). Given previous hypotheses about the diet of these animals (54, 55), we subsequently included juvenile grazers as a possible food source by using the weighted mean isotope value of Pleistocene grazers in our dataset and employing a mother-young trophic discrimination factor of 0.5‰ for  $\delta^{13}\text{C}$ , and 1.5‰ for  $\delta^{15}\text{N}$ .

## References

1. J.A. Teeri, L.G. Stowe, Climatic patterns and the distribution of C4 grasses in North America. *Oecologia* **23**, 1–12 (1976).
2. D.D. Diamond, F.E. Smeins, Composition, Classification and Species Response Patterns of Remnant Tallgrass Prairies in Texas. *The American Midland Naturalist* **113**, 294–308 (1985).
3. R.S. Jones, Studies of freshwater inflow effects on the Lavaca River Delta and Lavaca Bay, Texas. *Interim data status report, August 1985* (1985) <https://doi.org/10.15781/T2Z02ZR0Z>.
4. M.B. Collins, “The archaeological sequence at Kincaid rockshelter, Uvalde county, Texas” in *Transactions of the 25th Regional Archaeological Symposium for Southeastern New Mexico and Western Texas*, (Midland Archaeological Society, 1990), pp. 25–32.
5. R.S. Toomey, M.D. Blum, S. Valastro, Late Quaternary climates and environments of the Edwards Plateau, Texas. *Global and Planetary Change* **7**, 299–320 (1993).

6. J.P. Joines, "17,000 years of climate change: The phytolith record from Hall's Cave, Texas," Oklahoma State University. (2011).
7. F.A. Smith, *et al.*, Unraveling the consequences of the terminal Pleistocene megafauna extinction on mammal community assembly. *Ecography* **39**, 223–239 (2016).
8. R.S. Toomey III, "Late Pleistocene and Holocene faunal and environmental changes at Hall's Cave, Kerr County, Texas." (1993).
9. A. K. Behrensmeier, R. W. Hook, "Paleoenvironmental contexts and taphonomic modes in the terrestrial fossil record" in *Terrestrial Ecosystems Through Time*, A. K. Behrensmeier, *et al.*, Eds. (University of Chicago Press, 1992), pp. 15–136.
10. W.W. Dalquest, E. Roth, F. Judd, The mammal fauna of Schulze Cave, Edwards County, Texas. *Bulletin Florida State Museum* **13**, 205–276 (1969).
11. G.L. Evans, The Friedenbahn Cave. *Bulletin of the Texas Memorial Museum* **September**, 3–22 (1961).
12. R.M. Frank, The Vertebrate Paleontology of Texas Caves. *Texas Speleological Survey* **2**, 1–43 (1965).
13. R.W. Graham, Late Wisconsin mammalian faunas and environmental gradients of the eastern United States. *Paleobiology* **2**, 343–350 (1976).
14. A.H. Harris, *Late Pleistocene vertebrate paleoecology of the West* (University of Texas Press, 1985).
15. E.L. Lundelius Jr, "Late-Pleistocene and Holocene faunal history of central Texas" in *Pleistocene Extinctions: The Search for a Cause*, P.S. Martin, H.E. Wright Jr, Eds. (Yale University Press, 1967), pp. 288–319.
16. E.L. Lundelius Jr, B.H. Slaughter, *Vertebrate Remains in Texas Caves* (Natural History of Texas Caves: Gulf Natural History, 1971).
17. E.L. Lundelius Jr, "Post-Pleistocene mammals from Pratt Cave and their environmental significance" in *Biological Investigations in the Guadalupe Mountains National Park, Texas*, H.H. Genoways, R.J. Baker, Eds. (National Park Service Proceedings and Transactions, 1979), pp. 1–442.
18. E.L. Lundelius Jr, "A late Pleistocene mammalian fauna from Cueva Quebrada, Val Verde County, Texas" in *Contributions in Quaternary Vertebrate Paleontology: A Volume in Memorial to John E. Guilday*, H.H. Genoways, M.R. Dawson, Eds. (Carnegie Museum of Natural History, 1984), pp. 456–481.
19. E.L. Lundelius Jr, "Pleistocene Vertebrates from Laubach Cave" in *Edwards Aquifer-Northern Segment*, C. M. Woodruff Jr, F. Snyder, L. De La Garze, R. M. Slade Jr, Eds. (Austin Geological Society Guidebook, 1985), pp. 41–45.
20. E.L. Roth, Late Pleistocene Mammals from Klein Cave, Kerr County, Texas. (1972).
21. R.S. Toomey III, J.A. Huebner, T.W. Boutton, Stable carbon isotope ratios of *Equus sp.* and *Bison antiquus* from the Late Pleistocene deposits at Hall's Cave, Kerr County, Texas. *Current Research in the Pleistocene* **9**, 112–114 (1992).
22. R.S. Toomey, Vertebrate Paleontology of Texas Caves. 51–68 (1994).
23. E.M. Johnson, "Investigations into the zooarchaeology of the Lubbock Lake Site," Texas Tech University. (1976).
24. F.A. Smith, *et al.*, Body Mass of Late Quaternary Mammals. *Ecology* **84**, 3403–3403 (2003).
25. O. W. Johnson, I. O. Buss, Molariform Teeth of Male African Elephants in Relation to Age, Body Dimensions, and Growth. *Journal of Mammalogy* **46**, 373–384 (1965).
26. J. Hanks, Growth of the African elephant (*Loxodonta africana*). *African Journal of Ecology* **4**, 251–272 (1972).
27. R.M. Laws, I.S. C. Parker, R.C.B. Johnstone, *Elephants and their habitats* (Clarendon Press, 1975).
28. J. Damuth, B.J. MacFadden, *Body Size in Mammalian Paleobiology: Estimation and Biological Implications* (Cambridge University Press, 1990).

29. M.T. Alberdi, J.L. Prado, E. Ortiz-Jaureguizar, Patterns of body size changes in fossil and living Equini (Perissodactyla). *Biological Journal of the Linnean Society* **54**, 349–370 (1995).
30. A. Turner, H.O. Regan, The assessment of size in fossil felidae. *Estudios Geológicos* **58**, 45–54 (2002).
31. P. Christiansen, Body size in proboscideans, with notes on elephant metabolism. *Zoological Journal of the Linnean Society* **140**, 523–549 (2004).
32. P. Christiansen, J.M. Harris, Body size of Smilodon (Mammalia: Felidae). *Journal of Morphology* **266**, 369–384 (2005).
33. M. Mendoza, C.M. Janis, P. Palmqvist, Estimating the body mass of extinct ungulates: a study on the use of multiple regression. *Journal of Zoology* **270**, 90–101 (2006).
34. B. Figueirido, J. A. Pérez-Claros, R. M. Hunt, P. Palmqvist, Body Mass Estimation in Amphicyonid Carnivoran Mammals: A Multiple Regression Approach from the Skull and Skeleton. *Acta Palaeontologica Polonica* **56**, 225–246 (2011).
35. N.E. Campione, D.C. Evans, A universal scaling relationship between body mass and proximal limb bone dimensions in quadrupedal terrestrial tetrapods. *BMC Biol* **10**, 60 (2012).
36. T. Tsubamoto, Estimating Body Mass from the Astragalus in Mammals. *acpp* **59**, 259–265 (2014).
37. T. Tsubamoto, Relationship between the calcaneal size and body mass in primates and land mammals. *Anthropological Science* **advpub** (2019).
38. B. Moncunill-Solé, J. Quintana, X. Jordana, P. Engelbrektsson, M. Köhler, The weight of fossil leporids and ochotonids: body mass estimation models for the order Lagomorpha. *Journal of Zoology* **295**, 269–278 (2015).
39. M.I. Pardi, “A multidimensional investigation of the niche: geographic distributions, body size, and interspecific interactions of late Quaternary North American Canidae,” University of New Mexico. (2016).
40. A.M. Jukar, S.K. Lyons, M.D. Uhen, A cranial correlate of body mass in proboscideans. *Zoological Journal of the Linnean Society* **184**, 919–931 (2018).
41. P. Christiansen, The Making of a Monster: Postnatal Ontogenetic Changes in Craniomandibular Shape in the Great Sabercat Smilodon. *PLOS ONE* **7**, e29699 (2012).
42. T. Wilson, D.E. Wilson, J.M. Zimanske, Pneumothorax as a predatory goal for the sabertooth cat (*Smilodon fatalis*). **2013** (2013).
43. W.S. Rasband, *ImageJ* (U.S. National Institutes of Health, 1997).
44. R Core Team, *R: A language and environment for statistical computing*. (R Foundation for Statistical Computing, 2019).
45. RStudio Team, *RStudio: Integrated Development for R*. (RStudio, 2019).
46. P.L. Koch, “Isotopic study of the biology of modern and fossil vertebrates” in *Stable Isotopes in Ecology and Environmental Science*, (John Wiley & Sons, 2007), pp. 99–154.
47. M.T. Clementz, New insight from old bones: stable isotope analysis of fossil mammals. *Journal of Mammalogy* **93**, 368–380 (2012).
48. S.H. Ambrose, Preparation and characterization of bone and tooth collagen for isotopic analysis. *Journal of Archaeological Science* **17**, 431–451 (1990).
49. D. Codron, et al., Within trophic level shifts in collagen–carbonate stable carbon isotope spacing are propagated by diet and digestive physiology in large mammal herbivores. *Ecology and Evolution* **8**, 3983–3995 (2018).
50. B.H. Passey, et al., Carbon isotope fractionation between diet, breath CO<sub>2</sub>, and bioapatite in different mammals. *Journal of Archaeological Science* **32**, 1459–1470 (2005).
51. D. Codron, et al., Significance of diet type and diet quality for ecological diversity of African ungulates. *Journal of Animal Ecology* **76**, 526–537 (2007).
52. J.B. Coltrain, et al., Rancho La Brea stable isotope biogeochemistry and its implications for the palaeoecology of late Pleistocene, coastal southern California. *Palaeogeography, Palaeoclimatology, Palaeoecology* **205**, 199–219 (2004).

53. K. Fox-Dobbs, J.K. Bump, R.O. Peterson, D.L. Fox, P.L. Koch, Carnivore-specific stable isotope variables and variation in the foraging ecology of modern and ancient wolf populations: case studies from Isle Royale, Minnesota, and La Brea. *Can. J. Zool.* **85**, 458–471 (2007).
54. R.W. Graham, E. L. Lundelius, L. Meissner, “Friesenhahn Cave: Late Pleistocene paleoecology and predator- prey relationships of mammoths with an extinct scimitar cat” in *Late Cretaceous to Quaternary Strata and Fossils of Texas: Field Excursions Celebrating 125 Years of GSA and Texas Geology, GSA South-Central Section Meeting, Austin, Texas, April 2013*, (Geological Society of America, 2013), pp. 15–31.
55. L.R.G. DeSantis, R.S. Feranec, M. Antón, E.L. Lundelius, Dietary ecology of the scimitar-toothed cat *Homotherium serum*. *Current Biology* **31**, P2674-P2681 (2021).



**Table S1. Meso- and Mega Mammal Species Summary for Hall's Cave Community. See Tables S2 and S5 for raw morphology and isotope data**

Status	Order	Family	Genus	Species	Common Name	Main Trophic Category	Body Mass (kg)	MOM Log Mass (g)	Pleistocene														Holocene								Comments		
									N mass	Site Specific Mass (kg)	Site Specific Mass Stdev	Number sampled for Stable Isotope Analysis (3)	N collagen	Mean Collagen $\delta^{13}C$ (‰)	Collagen $\delta^{13}C$ Stdev (‰)	Mean $\delta^{15}N$ (‰)	Mean $\delta^{15}N$ Stdev (‰)	N enamel	Corrected enamel $\delta^{13}C$ (‰)	Mean Enamel $\delta^{13}C$ Stdev (‰)	N mass	Site Specific Mass (kg)	Site Specific Mass Stdev	Number sampled for Stable Isotope Analysis	N collagen	Mean Collagen $\delta^{13}C$ (‰)	Collagen $\delta^{13}C$ Stdev (‰)	Mean $\delta^{15}N$ (‰)	$\delta^{15}N$ Stdev (‰)	N enamel		Corrected enamel $\delta^{13}C$ (‰)	Mean Enamel $\delta^{13}C$ Stdev (‰)
Extant	Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	browser	46.1	4.66	9	58.3	24.1	2	2	-18.9	0.3	6.7	0.4	0	n/a	n/a	11	52.1	17.9	27	18	-19.1	1.5	6.5	1	8	-18.9	2.1	
Extinct	Artiodactyla	Antilocapridae	<i>Cynomeryx</i>	<i>minor</i>	Dwarf pronghorn	browser	15	4.18	7	18.5	8.7	2	0	bdl	n/a	bdl	n/a	1	-20.7	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Antilocapridae	<i>Stockoceros</i>	<i>sp.</i>	Four-horned pronghorn	browser	53	4.72	0	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>shuleri</i>	Four-horned pronghorn	browser	60	4.78	9	116.9	43.8	1	1	-18.1	n/a	5.2	n/a	0	n/a	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	Ancient bison	grazer	802	5.90	65	778.5	281.0	13	2	-10.8	2.1	8.7	2.4	9	-9.1	1.4	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extant	Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	Bison	grazer	579	5.76	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	n/a	n/a	n/a	66	476.7	212.0	50	31	-10.3	1.4	6.1	0.7	18	-9.8	1.8	
Extinct	Artiodactyla	Bovidae	<i>Bison</i>	<i>latifrons</i>	Long-horned bison	grazer	900	5.95	18	1292.8	526.8	2	0	bdl	n/a	bdl	n/a	1	-8.5	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	either <i>B. latifrons</i> or <i>B. antiquus</i>	grazer	851	5.93	253	860.6	320.1	54	18	-11.1	2.1	8.4	1.6	31	10.4	2.1	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Bovidae	<i>Bootherium</i>	<i>bombifrons</i> <sup>1</sup>	Woodland muskox	mixed feeder	423	5.63	0	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	Yesterday's camel	mixed feeder	1100	6.04	38	1158.9	427.1	36	0	bdl	n/a	bdl	n/a	31	-16.1	4.6	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Camelidae	<i>Hemiauchenia</i>	<i>macrocephala</i>	Large-headed llama	mixed feeder	110	5.04	2	372.9	93.8	2	0	bdl	n/a	bdl	n/a	0	n/a	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	Stout-legged llama	mixed feeder	223	5.35	33	253.4	67.4	17	0	bdl	n/a	bdl	n/a	15	-20.2	0.9	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Artiodactyla	Cervidae	<i>Navahoceros</i>	<i>fricki</i>	American mountain deer	browser	250	5.40	1	161.3	NA	1	0	n/a	n/a	n/a	n/a	1	-18.3	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extant	Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	Deer	browser	55	4.74	46	61.4	18.5	25	12	-19.2	0.8	7.1	2	10	-20.9	0.7	123	73.4	31.8	69	57	-19.1	1.3	6.5	1	7	-20.2	1.8	
Extinct	Artiodactyla	Tayassuidae	<i>Mylohyus</i>	<i>nasutus</i>	Long-nosed peccary	Browser	75	4.88	15	72.2	29.8	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extant	Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	Collared peccary	mixed feeder	21.3	4.33	2	31.2	0.6	2	2	-16.1	0.5	7.2	0.2	0	n/a	n/a	0	n/a	n/a	2	2	-16.5	0.1	6.4	0.5	0	n/a	n/a	
Extinct	Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	Flat-headed peccary	browser	136	5.13	18	81.6	23.8	5	0	bdl	n/a	bdl	n/a	4	-17.7	0.2	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extinct	Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	Dire wolf	carnivore	65.0	4.81	51	55.2	18.3	16	5	-11.7	0.9	12.7	0.8	3	-10.4	1.1	n/a	n/a	n/a	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extant	Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	domestic dog	carnivore	n/a	4	11.5	4.2	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	16	8.4	1.9	5	4	-17.4	2.2	8.4	0.5	0	n/a	n/a		
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	coyote	carnivore	13.4	4.13	68	10.4	3.4	10	5	-14.9	1.9	9.6	1.6	0	n/a	n/a	29	9.6	3.2	23	23	-13.5	2.7	9.4	1.8	0	n/a	n/a	Modern N=63, Mean=12.0
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans/familiaris</i>	coyote or dog	carnivore	15.0	4.18	30	9.1	2.0	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	20	9.5	2.8	12	11	-15.7	2.4	9	1.2	0	n/a	n/a	
Extant	Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	Wolf	carnivore	19.9	4.30	15	29.3	8.1	3	3	-13.3	2.8	11.8	1.4	0	n/a	n/a	10	28.0	6.3	8	8	-11.5	3.8	9.8	1.9	0	n/a	n/a	Modern N=29, Mean=21.7+3.2
Extant/ Extinct	Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	wolf, coyote or dog	carnivore	11.4	4.06	1	7.2	n/a	3	3	-15.5	3.5	8.8	3.7	0	n/a	n/a	3	6.0	0.2	22	19	-14.4	1.9	9.1	1.7	0	n/a	n/a	
Extant	Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	Grey fox	carnivore	3.8	3.58	9	3.0	1.1	1	0	bdl	n/a	bdl	n/a	0	n/a	n/a	0	n/a	n/a	1	0	bdl	n/a	bdl	n/a	0	n/a	n/a	Modern N=15, Mean=2.5+0.33
Extant	Carnivora	Canidae	<i>Urocyon/Vulpes</i>	<i>sp.</i>	Grey or red fox	carnivore	3.3	3.52	6	3.0	0.7	2	2	-15.9	0.4	10.1	0.3	0	n/a	n/a	2	4.0	0.9	0	0	n/a	n/a	n/a	n/a	0	n/a	n/a	
Extant	Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	swift, kit or red fox	carnivore	2.8	3.45	19	2.6	0.8	3	0	bdl	n/a	bdl	n/a	0	n/a	n/a	6	2.7	1.4	2	1	-14.4	n/a	11.7	n/a	0	n/a	n/a	Modern: v. macrotis, N=18, Mean



Table S2. Morphology measurements for fossils

Order	Family	Genus	species	Locality ID (TMM)	TMM ID	Site Name	County (all in TX, unless specified)			Element	Description	R or L?	Diameter (cm)	Circumference (cm)	Length (cm)	Width (cm)	Height (cm)	Body mass (kg)	Body mass equation employed	R <sup>2</sup>	%PE	Source for body mass equation
							Age	Source	Element													
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	221	Starvout Cave	Carson	Holocene	Present study	LM3	length of third lower molar	R	1.53	0.58			20.9	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	41196/41493/1	4-4	Brazos river	Brazos	Pleistocene	Present study	LM2	length of third lower molar	L	1.59	0.83			23.5	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	892	4-4	Lubbock Lake	Lubbock	Pleistocene	Present study	UM2	length of second upper molar	R	1.25	0.73			24.8	Log (Body mass, g) = 3.34*Log (UM2, mm) +0.73	0.94	39.9	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	101	Starvout Cave	Carson	Holocene	Present study	LP4	length of fourth lower premolar	L	1.03	0.65			28.2	Log (Body mass, g) = 3.11*Log (LP4, mm) + 1.3	0.90	57.0	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	1229	Starvout Cave	Carson	Holocene	Present study	LP4	length of fourth lower premolar	R	1.13	0.65			37.8	Log (Body mass, g) = 3.11*Log (LP4, mm) + 1.3	0.90	57.0	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3829	Kincaid Shelter	Uvalde	Holocene	Present study	TIB	distal end; breadth of tibia	L	2.96	2.32			43.9	Log (Body mass, kg) = 2.848*Log (TIB, cm) + 0.3	0.95	23.0	Cervids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	892	4-4	Lubbock Lake	Lubbock	Pleistocene	Present study	M1	length of first lower or upper molar	R	1.31	0.65			47.5	Log (Body mass, g) = average[3.21*Log(LM1, mm)+1.12, 3.21*Log(LM1) + 1.07]	0.90	38.7	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	110	Starvout Cave	Carson	Holocene	Present study	LP3	length of third lower premolar	L	1.18	0.64			53.6	Log (Body mass, g) = 3.19*Log (LP3, mm) + 1.31	0.84	80.0	Selendoot browser, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	39839	46	Morhiss Mound	Victoria	Pleistocene	Present study	ASA	cross-sectional area of astragalus	L	3.37	1.94			96.3	Log (Body mass, g) = 1.465*Log (ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	892	4-4	Lubbock Lake	Lubbock	Pleistocene	Present study	LM3	length of third lower molar	R	2.07	0.69			57.7	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4189	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	L	3.49	1.92			58.6	Log (Body mass, g) = 1.465*Log (ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	1232	Starvout Cave	Carson	Holocene	Present study	UM1	length of first upper molar	L	1.42	0.96			59.3	Log (Body mass, g) = 3.21*Log (UM1, mm) + 1.07	0.96	35.1	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	1233	Starvout Cave	Carson	Holocene	Present study	UM1	length of first upper molar	R	1.43	1.12			59.4	Log (Body mass, g) = 3.21*Log (UM1, mm) + 1.07	0.96	35.1	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4187	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	L	3.44	2.03			62.1	Log (Body mass, g) = 1.465*Log (ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	30839	27	Morhiss Mound	Victoria	Pleistocene	Present study	RA1	length of radius	L	19.50				66.2	Log (Body mass, kg) = 3.0795*Log (RA1, mm) + 2.1515	0.85	45.0	Cervids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4188	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	L	3.48	2.11			66.9	Log (Body mass, g) = 1.465*Log (ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	40	Scharbauer Ranch	Midland	Pleistocene	Present study	LM3	length of third lower molar	R	2.20	0.70			70.4	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	112	Starvout Cave	Carson	Pleistocene	Present study	LM3	length of third lower molar	R	2.30	0.74			81.7	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	4541	110	Starvout Cave	Carson	Holocene	Present study	LM1	length of first lower molar	R	1.52	0.83			82.5	Log (Body mass, g) = 3.21*Log (LM1, mm) + 1.12	0.94	46.4	Selendoot browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	892	292	Lubbock Lake	Lubbock	Pleistocene	Present study	Mt	distal end of metatarsal	L	2.96	2.08			96.3	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>sp.</i>	31141	22	Aransas River	San Patricio	Pleistocene	Present study	LM1	length of third lower molar	L	1.92	0.95			44.3	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>sp.</i>	31141	34	Aransas River	San Patricio	Pleistocene	Present study	UM2	length of second upper molar	R	1.77	1.11			79.7	Log (Body mass, g) = 3.35*Log (UM2, mm) +0.73	0.94	39.9	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	31034	91	O'Brian Ranch	Bee	Pleistocene	Present study	Ca1	length of calcaneum	L	3.34				62.7	Ln (Body mass, g) = 2.969*Ln (Ca1, mm) - 1.611	0.94	44.1	Tsuhamoto 2019, Table 3, land mammals	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	31034	123	O'Brian Ranch	Bee	Pleistocene	Present study	LM3	length of third lower molar	R	1.21	0.44			9.5	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	998	19	Scharbauer Ranch	Midland	Pleistocene	Present study	LM3	length of third lower molar	R	1.46	0.47			17.9	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	31034	95	O'Brian Ranch	Bee	Pleistocene	Present study	LM3	length of first lower molar	L	1.86	0.73			18.5	Log (Body mass, g) = 3.21*Log (LM1, mm) + 1.12	0.94	46.4	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	30967	1323	Ingleside	San Patricio	Pleistocene	Present study	LM3	length of third lower molar	L	0.90	0.73			18.5	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	998	137	Scharbauer Ranch	Midland	Pleistocene	Present study	Tp	distal end of metapodial	L	1.92	1.18			25.1	Log (Body mass, kg) = average[2.6115*Log (M2, cm) + 0.6185, 2.8912(MT2, cm) + 0.621]	>0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>minor</i>	998	195	Scharbauer Ranch	Midland	Pleistocene	Present study	Mt	distal end of metatarsal	L	2.03	1.41			32.4	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	>0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>no ID - antelope?</i>	<i>sp.</i>	892	6-6c	Lubbock Lake	Lubbock	Pleistocene	Present study	Mt	distal end of metatarsal	L	2.70	2.02			73.8	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>sp.</i>	31034	108	O'Brian Ranch	Bee	Pleistocene	Present study	LM3	length of third lower molar	L	2.43	1.23			98.5	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
<b>Artiodactyla</b>	<b>Antilocapridae</b>	<b><i>Tetrameryx</i></b>	<b><i>sp.</i></b>	<b>31034</b>	<b>40</b>	<b>O'Brian Ranch</b>	<b>Bee</b>	<b>Pleistocene</b>	<b>Present study</b>	<b>LM3</b>	<b>length of third lower molar</b>	<b>R</b>	<b>3.00</b>	<b>0.93</b>			<b>198.8</b>	<b>Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35</b>	<b>0.93</b>	<b>47.2</b>	<b>selendoots browsers, Table 16.9; Damuth and MacFadden</b>	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>sp.</i>	30839	39	Morhiss Mound	Victoria	Pleistocene	Present study	horn core	horn core, proximal end	R	4.57	2.18								
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	892	-999	Lubbock Lake	Lubbock	Pleistocene	Present study	Mt	distal end of metatarsal	L	2.95	2.00			95.4	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	43407	39	Honey Creek Cave	Mason	Pleistocene	Present study	LM1 or LM2	length of second lower molar	L	1.78	0.85			96.9	Log (Body mass, g) = average[3.21*Log (LM1, mm) + 1.12, 3.41*Log (LM2) + 0.72]	0.94	40.0	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	892	-999	Lubbock Lake	Lubbock	Pleistocene	Present study	Mt	distal end of metatarsal	L	3.00	2.03			100.1	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	892	-999	Lubbock Lake	Lubbock	Pleistocene	Present study	Mt	distal end of metatarsal	L	3.00	2.06			100.1	Log (Body mass, kg) = 2.8912(MT2, cm) + 0.621	0.94	24.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	43407	38	Honey Creek Cave	Mason	Pleistocene	Present study	LM3	length of third lower molar	R	2.76	1.77			150.1	Log (Body mass, g) = 3.35*Log (LM3, mm) + 0.35	0.93	47.2	selendoots browsers, Table 16.9; Damuth and MacFadden	
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>(t)</i>	30839	47	Morhiss Mound	Victoria	Pleistocene	Present study	UM3	length of third upper molar	R	2.18	1.12			158.8	Log (Body mass, g) = 3.29*Log (UM3, mm) + 0.8	0.93	44.7	Selendoot browsers, Table 16.9; Damuth and MacFadden 1990	
<b>Artiodactyla</b>	<b>Antilocapridae</b>	<b><i>Tetrameryx</i></b>	<b><i>sp.</i></b>	<b>30967</b>	<b>1035A</b>	<b>Ingleside</b>	<b>San Patricio</b>	<b>Pleistocene</b>	<b>Lundelius 1972b</b>	<b>UM1</b>	<b>length of first upper molar</b>	<b>R</b>	<b>1.58</b>				<b>53.6</b>	<b>Log (Body mass, g) = 3.21*Log (UM1, mm) + 1.07</b>	<b>0.96</b>	<b>35.1</b>	<b>Selendoot browsers, Table 16.9; Damuth and MacFadden 1990</b>	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	3E	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	TIL	length of tibia	L	34.40				206.14	Log (Body mass, kg) = 3.9842*Log (TIL, cm) -3.8078	0.85	46.0	Bovids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	3E-Y	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	TIL	length of tibia	L	35.20				225.91	Log (Body mass, kg) = 3.9842*Log (TIL, cm) -3.8078	0.85	46.0	Bovids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	3E	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	TIL	length of tibia	L	38.50				322.84	Log (Body mass, kg) = 3.9842*Log (TIL, cm) -3.8078	0.85	46.0	Bovids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	3E	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	TIL	length of tibia	L	38.70				329.58	Log (Body mass, kg) = 3.9842*Log (TIL, cm) -3.8078	0.85	46.0	Bovids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	TTU-A-1702	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	As1	length of astragalus	L	8.30				342.07	Log (Body mass, g) = 3.125*Log (As1, mm) -0.463	0.97	47.5	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	3E	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	TIL	length of tibia	L	39.70				364.84	Log (Body mass, kg) = 3.9842*Log (TIL, cm) -3.8078	0.85	46.0	Bovids, Table 16.7; Damuth and MacFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>	892	TTU-A-2578	Lubbock Lake	Lubbock	Pleistocene	Johnson 1976	As1	length of astragalus	L	8.70				396.28	Log (Body mass, g) = 3.125*Log (As1, mm) -0.463	0.97	47.5	all terrestrial mammals, Table 1; Tsuhamoto 2014	
Artiodactyla	Bovidae	<i>Rison</i>	<i>antiquus</i>																			





Artiodactyla	Bovidae	<i>Rison</i>	sp.	937	38	Blackwater Draw	sovevel Co., N	Pleistocene	Present study	M1 or M2	length of first or second molar	2.82	1.75	576.42	$\log(\text{Body mass, kg}) = \text{average}[3.52(\log \text{LM1, cm}) + 1.372, 3.375(\log \text{LM2}) + 1.119, 3.395(\log \text{UM2}) + 1.061]$	0.91	36.0	Bovids, Tables 16.8, Damuth and McFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar	4.21	1.45	584.13	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.746$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1991	
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	3	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar	4.22	1.85	588.18	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990	
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1222	11	Oto Strokein Ranch	Gillespie	Pleistocene	Present study	LM3	length of third lower molar	R	4.24	1.85	594.06	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	77	Lubbock Lake	Lubbock	Pleistocene	Present study	LM2	length of second upper molar	L	3.23	2.82	616.23	$\log(\text{Body mass, kg}) = 3.375^* (\log \text{LM2, cm}) + 1.061$	0.91	36.5	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	40279	97	Longhorn Cave	Burnet	Pleistocene	Present study	ASA	cross-sectional area of astragalus		4.39	1.90	636.27	$\log(\text{Body mass, g}) = 1.465^* \log(\text{ASA, mm}) + 0.633$	0.98	33.4	all terrestrial mammals, Table 1: Tsabamoto 2014
Artiodactyla	Bovidae	<i>Rison</i>	sp.	43192	4	Hughes Ranch Indian Camp	n/a	Pleistocene	Present study	LM3	length of third lower molar	R	4.34	1.90	641.13	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	908	831	Kincaid Shelter	Uvalde	Pleistocene	Present study	TIB	distal end; breadth of tibia		7.51	5.55	645.40	$\log(\text{Body mass, kg}) = 2.869^* (\log \text{TIB, cm}) + 0.322$	0.95	20.0	Bovids, Table 16.7, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.36	1.68	651.23	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.813$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2058
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	6	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar		4.38	1.45	660.46	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	LM2	length of second lower molar	R	3.19	2.13	661.72	$\log(\text{Body mass, kg}) = 3.375^* (\log \text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	2	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar		4.38	1.48	663.40	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	31141	49	Aransas River	San Patricio	Pleistocene	Present study	UM1	length of first upper molar	R	3.08	1.82	671.36	$\log(\text{Body mass, g}) = 3.13^* \log(\text{UM1, mm}) + 1.17$	0.90	39.8	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.42	1.84	681.19	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.812$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2057
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	unknown	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar		4.42	1.72	681.19	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	5	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar		4.42	1.39	683.69	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	LM1	length of first lower molar	L	2.62	1.68	697.97	$\log(\text{Body mass, kg}) = 3.520^* (\log \text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	31034	14	O'Brain Ranch	Bee	Pleistocene	Present study	UM1	length of first upper molar	R	2.62	1.86	697.97	$\log(\text{Body mass, kg}) = 3.520^* (\log \text{UM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	908	2454	Kincaid Shelter	Uvalde	Pleistocene	Present study	UM1	length of first upper molar		2.58	1.20	700.51	$\log(\text{Body mass, g}) = \text{average}[3.13^* \log(\text{UM1, mm}) + 1.17, 3.15^* \log(\text{UM2, mm}) + 0.94, 3.12^* \log(\text{UM3, mm}) + 0.94]$	0.91	40.0	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.48	1.59	712.09	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.811$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2056
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	258	Lubbock Lake	Lubbock	Pleistocene	Present study	LM3	length of third lower molar	L	4.51	1.59	729.73	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.54	1.60	745.54	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.810$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2055
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.55	1.60	747.66	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.808$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2053
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	2	Lubbock Lake	Lubbock	Pleistocene	Present study	LM3	length of third lower molar	L	4.55	1.93	750.33	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.57	1.35	750.51	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.807$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2052
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	71	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of third lower molar	R	2.69	1.67	756.88	$\log(\text{Body mass, kg}) = 3.520^* (\log \text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	4	Sitter Ranch	Donley	Pleistocene	Present study	LM2	length of third lower molar		4.28	1.45	756.36	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM2, cm}) + 0.745$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	474	Lubbock Lake	Lubbock	Pleistocene	Present study	LM2	length of second lower molar	L	3.34	1.40	768.72	$\log(\text{Body mass, kg}) = 3.375^* (\log \text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.59	1.54	772.41	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.806$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2051
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	unknown	Sitter Ranch	Donley	Pleistocene	Present study	M1	length of first lower or upper molar		3.09	2.03	777.36	$\log(\text{Body mass, g}) = \text{average}[3.13^* (\log \text{LM1, mm}) + 1.17, 3.2^* (\log \text{LM1, mm}) + 1.17]$	0.92	41.2	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	933	3403	Frisenhahn cave	Bezar	Pleistocene	Present study	UM3	length of third upper molar	L	3.87	2.20	785.24	$\log(\text{Body mass, g}) = 3.12^* \log(\text{UM3, mm}) + 0.94$	0.90	39.4	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.64	1.57	797.17	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.803$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2048
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.66	1.64	807.78	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.802$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2047
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	unknown	Plainview Quarry	Hale	Pleistocene	Present study	LM1	length of first or second lower molar		2.74	1.81	813.00	$\log(\text{Body mass, kg}) = 3.520^* (\log \text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	348	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar		3.13	1.45	821.99	$\log(\text{Body mass, kg}) = \text{average}[3.52^* \log(\text{LM1, cm}) + 1.372, 3.375^* \log(\text{LM2}) + 1.119, 3.395^* \log(\text{UM2}) + 1.061]$	0.91	36.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	unknown	Sitter Ranch	Donley	Pleistocene	Present study	M1	length of first lower or upper molar		3.15	1.82	822.83	$\log(\text{Body mass, g}) = \text{average}[3.13^* (\log \text{LM1, mm}) + 1.17, 3.2^* (\log \text{LM1, mm}) + 1.17]$	0.93	34.0	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.69	1.57	827.59	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.800$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2045
Artiodactyla	Bovidae	<i>Rison</i>	sp.	40279	68	Longhorn Cave	Burnet	Pleistocene	Present study	UM1	length of first upper molar		3.29	2.10	828.72	$\log(\text{Body mass, g}) = 3.13^* \log(\text{UM1, mm}) + 1.17$	0.90	39.8	Selenodonts, Table 16.9, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.70	1.59	828.73	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.799$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2044
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.71	1.53	837.33	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.797$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2042
Artiodactyla	Bovidae	<i>Rison</i>	sp.	908	855	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	R	7.50	3.61	840.69	$\log(\text{Body mass, kg}) = 2.6695^* \log(\text{MC2, cm}) + 0.610$	0.95	20.0	Bovids, Table 16.7, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.72	1.81	840.78	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.796$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2041
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	unknown	Plainview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar		3.01	1.31	842.58	$\log(\text{Body mass, kg}) = \text{average}[3.520^* \log(\text{LM1, cm}) + 1.372, 3.375^* \log(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.73	1.39	845.99	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.794$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2039
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.74	1.36	852.96	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.793$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2038
Artiodactyla	Bovidae	<i>Rison</i>	sp.	1018	unknown	Sitter Ranch	Donley	Pleistocene	Present study	LM3	length of first lower molar		4.73	1.50	853.46	$\log(\text{Body mass, kg}) = 3.520^* (\log \text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.74	1.56	853.54	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.792$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2037
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	n-numbered (256-33)	Plainview Quarry	Hale	Pleistocene	Present study	LM3	length of third lower molar		4.74	1.50	854.13	$\log(\text{Body mass, kg}) = 3.236^* \log(\text{LM3, cm}) + 0.791$	0.93	33.3	Bovids, Table 16.8, Damuth and McFadden 2036
Artiodactyla	Bovidae	<i>Rison</i>	sp.	725	unknown	Plainview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar		3.03	1.51	858.23	$\log(\text{Body mass, kg}) = \text{average}[3.520^* \log(\text{LM1, cm}) + 1.372, 3.375^* \log(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8, Damuth and McFadden 1990
Artiodactyla	Bovidae	<i>Rison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	LM2									



Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	LM2	length of second lower molar	L	3.83	1.62	1223.71	$\text{Log}(\text{Body mass, kg}) = 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	45819	1608a	Quitaque Creek	Mooley	Pleistocene	Present study	UM3	length of third upper molar	L	4.47	2.66	1224.76	$\text{Log}(\text{Body mass, kg}) = 3.12 \cdot \text{Log}(\text{UM3, mm}) + 0.94$	0.90	39.4	Selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	755	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.36	1.95	1233.10	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	31041	47	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	R	3.09	2.11	1242.16	$\text{Log}(\text{Body mass, kg}) = 3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar	L	3.53	2.33	1253.74	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Tables 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar	L	3.53	2.32	1257.42	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Tables 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.39	1.71	1273.06	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	1018	11	Sitter Ranch	Donley	Pleistocene	Present study	LM1	length of first lower molar	L	3.11	1.85	1273.62	$\text{Log}(\text{Body mass, kg}) = 3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM2	length of first or second lower molar	L	3.88	1.60	1281.79	$\text{Log}(\text{Body mass, kg}) = 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.40	1.75	1283.52	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	1018	70	Sitter Ranch	Donley	Pleistocene	Present study	LM1	length of first or second lower molar	R	3.12	1.93	1295.40	$\text{Log}(\text{Body mass, kg}) = 3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	45819	1608b	Quitaque Creek	Mooley	Pleistocene	Present study	UM3	length of third upper molar	L	4.56	2.48	1307.87	$\text{Log}(\text{Body mass, kg}) = 3.12 \cdot \text{Log}(\text{UM3, mm}) + 0.94$	0.90	39.4	Selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	LM1	length of first lower molar	L	3.13	1.51	1310.06	$\text{Log}(\text{Body mass, kg}) = 3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar	L	3.59	2.40	1321.27	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.44	1.49	1335.39	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	908	2482	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	R	8.93	4.75	1335.67	$\text{Log}(\text{Body mass, kg}) = 2.695 \cdot \text{Log}(\text{MC2, cm}) + 0.6016$	0.95	20.0	Bovids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.44	1.53	1336.74	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.45	1.45	1339.29	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.45	1.97	1351.65	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	40450	2571	Cave without a Name	Kendall	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.47	1.33	1372.17	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	31108	70	Old Glory	Stonewall	Pleistocene	Present study	LM2	length of second lower molar	L	3.99	1.78	1404.92	$\text{Log}(\text{Body mass, kg}) = 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.49	1.47	1405.46	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	725	unknown	Plainsview Quarry	Hale	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	L	3.49	1.24	1409.66	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119]$	0.94	30.8	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	937	38	Blackwater Draw	sewehvi Co., N	Pleistocene	Present study	M1 or M2	length of first or second molar	L	3.68	2.28	1446.28	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	1018	3	Sitter Ranch	Donley	Pleistocene	Present study	LM1	length of first lower molar	L	3.24	2.12	1478.11	$\text{Log}(\text{Body mass, kg}) = 3.520 \cdot \text{Log}(\text{LM1, cm}) + 1.372$	0.93	34.0	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	unknown	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar	R	3.73	2.43	1511.14	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Tables 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	933	3285	Friesenhahn cave	Rear	Pleistocene	Present study	LM2	length of second lower molar	R	4.11	1.86	1522.65	$\text{Log}(\text{Body mass, kg}) = 3.375 \cdot \text{Log}(\text{LM2, cm}) + 1.119$	0.93	33.6	Bovids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Bovidae	<i>Bison</i>	sp.	892	438	Lubbock Lake	Lubbock	Pleistocene	Present study	M1 or M2	length of first or second molar	L	3.99	1.66	1594.55	$(\text{Body mass, kg}) = \text{average}[3.520 \cdot \text{Log}(\text{M1, cm}) + 1.372, 3.375 \cdot \text{Log}(\text{LM2}) + 1.119, 3.395 \cdot \text{Log}(\text{UM2}) + 1.119]$	0.91	36.0	Bovids, Tables 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	35	2534	Trinity River	Dallas	Pleistocene	Present study	UM1	length of first upper molar	L	2.55	2.63	1711.8	$\text{Log}(\text{Body mass, g}) = 3.19 \cdot \text{Log}(\text{UM1, mm}) + 1.17$	0.90	39.8	Selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	2839	51	Moshuis Mound	Victoria	Pleistocene	Present study	CaL	length of calcaneum	R	14.40	21.1	1840.92	$\text{Log}(\text{Body mass, g}) = 2.969 \cdot \text{Log}(\text{CaL, mm}) + 1.61$	0.94	44.1	Tsubamoto 2019, Table 3, land mammals
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3967	1599	Ingleside	San Patricio	Pleistocene	Present study	SLA	length of skull	R	50.40	25.00	1955.7	$\text{Log}(\text{Body mass, kg}) = 2.973 \cdot \text{Log}(\text{SLA, cm}) - 2.344$	0.95	38.5	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	2839	16	Moshuis Mound	Victoria	Pleistocene	Present study	SK	cross-sectional area of astragalus	R	6.97	4.32	1927.7	$\text{Log}(\text{Body mass, g}) = 1.465 \cdot \text{Log}(\text{ASa, mm}) + 0.633$	0.98	33.4	all terrestrial mammals, Table 1; Tsubamoto 2014
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	35	2534	Trinity River	Dallas	Pleistocene	Present study	UM2	length of second upper molar	R	3.26	3.03	231.5	$\text{Log}(\text{Body mass, kg}) = 3.184 \cdot \text{Log}(\text{UM2, cm}) + 1.091$	0.93	34.7	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	998	28	Scharbauer Ranch	Midland	Pleistocene	Present study	UM2	cross-sectional area of astragalus	L	1.18	4.43	691.9	$\text{Log}(\text{Body mass, g}) = 1.465 \cdot \text{Log}(\text{ASa, mm}) + 0.633$	0.98	33.4	all terrestrial mammals, Table 1; Tsubamoto 2014
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3967	1122	Ingleside	San Patricio	Pleistocene	Present study	LM1	length of first lower molar	L	2.82	1.91	714.6	$\text{Log}(\text{Body mass, kg}) = 3.263 \cdot \text{Log}(\text{LM1, cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31041	79	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM1	length of third lower molar	L	4.75	1.65	721.7	$\text{Log}(\text{Body mass, kg}) = 3.19 \cdot \text{Log}(\text{LM3, mm}) + 0.51$	0.90	39.4	All selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3967	915	Ingleside	San Patricio	Pleistocene	Present study	UM2	length of second upper molar	R	3.68	3.33	783.7	$\text{Log}(\text{Body mass, kg}) = 3.184 \cdot \text{Log}(\text{UM2, cm}) + 1.091$	0.93	34.7	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3967	1240	Ingleside	San Patricio	Pleistocene	Present study	UM2	length of second upper molar	R	3.77	2.26	843.5	$\text{Log}(\text{Body mass, kg}) = 3.184 \cdot \text{Log}(\text{UM2, cm}) + 1.091$	0.93	34.7	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31034	13	O'Brian Ranch	Bee	Pleistocene	Present study	LM1	length of first lower molar	L	3.17	1.87	941.3	$\text{Log}(\text{Body mass, kg}) = 3.263 \cdot \text{Log}(\text{LM1, cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31205	3	Mayfield Ranch	Briscoe	Pleistocene	Present study	LM1	length of first lower molar	L	3.20	1.96	967.7	$\text{Log}(\text{Body mass, kg}) = 3.263 \cdot \text{Log}(\text{LM1, cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31141	2375	Aransas River	San Patricio	Pleistocene	Present study	LM1? LM3?	length of third lower molar	L	5.27	1.94	1,008.4	$\text{Log}(\text{Body mass, g}) = 3.19 \cdot \text{Log}(\text{LM3, mm}) + 0.51$	0.90	39.4	selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31205	3	Mayfield Ranch	Briscoe	Pleistocene	Present study	LM3	length of third lower molar	L	1,013.3	1.73	1,013.3	$\text{Log}(\text{Body mass, g}) = 3.19 \cdot \text{Log}(\text{LM3, mm}) + 0.51$	0.90	39.4	selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3967	1599	Ingleside	San Patricio	Pleistocene	Present study	LM1	length of first lower molar	L	3.27	1.77	1,033.3	$\text{Log}(\text{Body mass, kg}) = 3.263 \cdot \text{Log}(\text{LM1, cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	3	1999	Pittsbridge	Brazos	Pleistocene	Present study	M	length of second or third molar	L	4.33	1.33	1,093.3	$\text{Log}(\text{Body mass, g}) = \text{average}[3.21 \cdot \text{Log}(\text{LM2}) + 0.92, 3.19 \cdot \text{Log}(\text{LM3}) + 0.51, 3.15 \cdot \text{Log}(\text{UM2}) + 0.94, 3.12 \cdot \text{Log}(\text{UM3}) + 0.88]$	0.88	42.5	All selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	31041	75	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	HuM3PC	midshaft anteroposterior circumference of humerus	20.5	1,096.2		$\text{Log}(\text{Body mass, g}) = 2.66975 \cdot \text{Log}(\text{HuM3PC, g}) - 0.13193$	0.98		All mammals, Present Study	
Artiodactyla	Camelidae	<i>Camelops</i>	sp.	999	999	Cameron	Milam	Pleistocene	Present study	M3	length of third molar	M	5.42	1.99	1,099.5	$\text{Log}(\text{Body mass, kg}) = 3.19 \cdot \text{Log}(\text{LM3, mm}) + 0.51$	0.89	39.2	All selenodonts





Artiodactyla	Cervidae	Odocoileus	sp.	40544	223	Sheep Shelter	Hill	Holocene	Present study	UP	length of upper premolar	1.15	1.28	60.0	og(Body mass, g) = average[3.26*Log(UPr2, mm) + 1.31, 3.13*Log(UP3) + 1.4, 3.05*Log(UP4) + 1.4]	>0.86	-65	Selenodont browser, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	999	649	Hearne gravel pits	Robertson	Pleistocene	Present study	LM1	length of first lower molar	1.42	0.79	60.2	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	649	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	2.77	1.83	60.4	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3972	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	length of first lower molar	1.30	1.98	61.5	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	43407	unknown	Honey Creek Cave	Mason	Holocene	Present study	LM1	length of first lower molar	1.43	0.86	61.8	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	404513	143	Wunderlich site	Comal	Holocene	Present study	LM1	length of first lower molar	1.44	1.31	62.1	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	1349	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	2.80	1.82	62.3	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	1750	Kincaid Shelter	Uvalde	Holocene	Present study	UM	length of upper molar	1.57	1.41	62.8	Log(Body mass, g) = average[3.21*Log(UM1)+1.07, 3.34*Log(UM2)+0.73, 3.29*Log(UM3)+0.8]	>0.86	-50	Selenodont browser, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	1100	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	1.81	1.90	62.8	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40618	47	Smith Rockshelter	Travis	Holocene	Present study	UP4	length of fourth upper premolar	1.12	1.19	62.9	Log(Body mass, g) = 1.463*Log(UP4, mm) + 1.60	0.91	52.3	Selenodont browser, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	84	Kincaid Shelter	Uvalde	Holocene	Present study	LM1	length of first lower molar	1.58	1.40	64.1	Log(Body mass, g) = average[3.21*Log(UM1)+1.07, 3.34*Log(UM2)+0.73, 3.29*Log(UM3)+0.8]	>0.86	-50	Selenodont browser, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3949	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	2.83	1.87	64.2	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40449	105	Levi Shelter	Travis	Pleistocene	Present study	LM1	length of first lower molar	1.45	0.79	64.6	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3930	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	2.84	1.87	64.8	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40451	93B	Wunderlich site	Comal	Holocene	Present study	M	length of molar	1.67	1.53	65.3	1) = average[3.334*Log(LM1, cm) + 1.27, 3.106*Log(LM2) + 1.118, 3.143*Log(LM3) + 0.799, 3.218*Log(LM4) + 0.799]	0.88	42.5	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40449	140	Levi Shelter	Travis	Pleistocene	Present study	UM1	length of first upper molar	1.47	1.19	65.6	Log(Body mass, g) = 3.21*Log(UM1, mm) + 1.07	0.96	35.1	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40451	134	Wunderlich site	Comal	Holocene	Present study	LM3	length of third lower molar	1.11	1.10	65.6	Log(Body mass, kg) = 3.143*Log(LM3, cm) + 0.799	0.96	19.1	Cervids, Table 16.8; Damuth and MacFadden, Janis C.M. 1990.
Artiodactyla	Cervidae	Odocoileus	sp.	43192	1	Hughes Ranch Indian Camp	Pleistocene	Present study	LM2	length of second lower molar	1.68	0.92	65.9	Log(Body mass, kg) = 3.106*Log(LM2, cm) + 1.119	0.95	20.4	Cervids, Table 16.8; Damuth and MacFadden 1990	
Artiodactyla	Cervidae	Odocoileus	sp.	41174	55	Felton cave	Sutton	Holocene	Present study	LM2	length of second lower molar	1.68	0.97	67.0	ody mass, kg) = average[3.334*Log(LM1, cm) + 1.270, 3.106*Log(LM2) + 1.118, 3.143*Log(LM3) + 0.799]	0.95	21.7	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40618	11	Smith Rockshelter	Travis	Holocene	Present study	LM3	length of third lower molar	2.13	0.03	67.3	Log(Body mass, kg) = 3.143*Log(LM3, cm) + 0.799	0.96	19.1	cervids, Table 16.8; Damuth and MacFadden, Janis C.M. 1990.
Artiodactyla	Cervidae	Odocoileus	sp.	908	3114	Kincaid Shelter	Uvalde	Pleistocene	Present study	ASA	cross-sectional area of astragalus	3.62	2.04	67.6	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	2183	Kincaid Shelter	Uvalde	Pleistocene	Present study	ASA	cross-sectional area of astragalus	3.58	2.07	67.8	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	39067	1823	Ingleside	San Patricio	Pleistocene	Landelius 1972b	UM1	length of first upper molar	1.49	1.44	68.5	Log(Body mass, g) = 3.21*Log(UM1, mm) + 1.07	0.96	35.1	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3969E	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.74	2.05	68.7	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	1601	Kincaid Shelter	Uvalde	Pleistocene	Present study	ASA	cross-sectional area of astragalus	3.60	2.03	68.9	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	40449	122	Levi Shelter	Travis	Pleistocene	Present study	UM1	length of first upper molar	1.49	0.99	69.1	Log(Body mass, g) = 3.21*Log(UM1, mm) + 1.07	0.96	35.1	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3968B	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.53	2.14	69.8	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	40451	60	Wunderlich site	Comal	Holocene	Present study	LM3	length of third lower molar	2.15	1.00	69.8	Log(Body mass, kg) = 3.143*Log(LM3, cm) + 0.799	0.96	19.1	Cervids, Table 16.8; Damuth and MacFadden, Janis C.M. 1990.
Artiodactyla	Cervidae	Odocoileus	sp.	40279	105	Loughon Cave	Barnet	Pleistocene	Present study	UM1	length of first upper molar	1.50	1.26	70.0	Log(Body mass, g) = 3.21*Log(UM1, mm) + 1.07	0.96	35.1	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	130	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.65	2.08	70.1	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	43077	71	Honey Creek Cave	Mason	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	1.58	0.94	70.4	Log(Body mass, kg) = average[3.334*Log(LM1, cm) + 1.270, 3.108*Log(LM2, cm) + 1.119]	0.95	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3945	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	2.94	2.04	70.9	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40451	125	Wunderlich site	Comal	Holocene	Present study	UM3	length of third upper molar	1.70	1.41	71.0	Log(Body mass, g) = 3.29*Log(UM3, mm) + 0.8	0.93	44.7	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40618	134	Smith Rockshelter	Travis	Holocene	Present study	LM1	length of first lower molar	1.50	0.84	71.3	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3329	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.71	2.07	71.3	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	41174	4	Felton cave	Sutton	Holocene	Present study	LM1	length of first lower molar	1.50	1.02	71.5	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	97	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.70	2.07	71.5	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	3969F	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.76	2.05	71.5	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	690	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.54	2.17	71.6	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	3947	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	2.95	1.89	71.8	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3971	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.79	2.04	72.2	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	1566	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.55	2.19	72.5	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	40618	41	Smith Rockshelter	Travis	Holocene	Present study	LM1	length of first lower molar	1.51	0.66	73.6	Log(Body mass, kg) = 3.334*Log(LM1, cm) + 1.270	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	40618	9	Smith Rockshelter	Travis	Holocene	Present study	LM3	length of third lower molar	2.19	1.06	73.6	Log(Body mass, kg) = 3.143*Log(LM3, cm) + 0.799	0.96	19.1	cervids, Table 16.8; Damuth and MacFadden, Janis C.M. 1990.
Artiodactyla	Cervidae	Odocoileus	sp.	908	1757	Kincaid Shelter	Uvalde	Holocene	Present study	UM	length of upper molar	1.65	1.50	73.9	Log(Body mass, g) = average[3.21*Log(UM1)+1.07, 3.34*Log(UM2)+0.73, 3.29*Log(UM3)+0.8]	>0.86	-50	Selenodont browser, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	1963	Kincaid Shelter	Uvalde	Pleistocene	Present study	Mc	distal end of metacarpal	2.99	1.83	74.1	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3951	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	2.99	1.91	74.4	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3946	Kincaid Shelter	Uvalde	Holocene	Present study	Mc	distal end of metacarpal	3.00	1.91	75.1	Log(Body mass, kg) = 2.6568*Log(MC2, cm) + 0.607	0.95	26.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	2258	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.76	2.13	76.1	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	3954	Kincaid Shelter	Uvalde	Holocene	Present study	Mt	distal end of metatarsal	2.71	1.72	76.5	Log(Body mass, g) = 2.9334*Log(Mt2, cm) + 0.6132	0.94	24.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	Odocoileus	sp.	908	3970	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.85	2.10	77.0	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	908	153	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.77	2.15	77.2	Log(Body mass, g) = 1.463*Log(ASA, mm) + 0.633	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Cervidae	Odocoileus	sp.	40618	33	Smith Rockshelter	Travis	Holocene	Present study	LM3	length of third lower molar	2.22	0.98	77.6	Log(Body mass, kg) = 3.143*Log(LM3, cm) + 0.799	0.96	19.1	cervids, Table 16.8; Damuth and MacFadden, Janis C.M. 1990.
Artiodactyla	Cervidae	Odocoileus	sp.	908	251	Kincaid Shelter	Uvalde	Holocene	Present study	ASA	cross-sectional area of astragalus	3.65						

Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	908	3953	Kincaid Shelter	Uvalde	Holocene	Present study	Mt	distal end of metatarsal	2.97	2.06	99.9	$\text{Log}(\text{Body mass, kg}) = 2.9334 * (\text{log M}2, \text{cm}) + 0.6132$	0.94	24.0	Cervids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40451	157	Wunderlich site	Comal	Holocene	Present study	P2	length of second upper and lower premolar	1.26	0.74	101.4	$\text{Log}(\text{Body mass, g}) = \text{average}[3.26 * (\text{Log}(\text{UP}2, \text{mm}) + 1.31, 2.75 * (\text{Log}(\text{LP}2) + 2.06]$	0.81	75.0	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	16	Sheep Shelter	Hill	Holocene	Present study	UP	length of upper premolar	1.37	0.80	103.7	$\text{og}(\text{Body mass, g}) = \text{average}[3.26 * (\text{Log}(\text{UP}2, \text{mm}) + 1.31, 3.13 * (\text{Log}(\text{UP}3) + 1.4, 3.05 * (\text{Log}(\text{UP}4) + 1.4]$	-0.5		Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	-999	-999	Hearne gravel pits	Robertson	Pleistocene	Present study	LP1	length of first lower molar	1.69	0.80	106.0	$\text{Log}(\text{Body mass, kg}) = 3.334 * (\text{Log}(\text{LM}1, \text{cm}) + 1.270$	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990	
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	-999	Hearne gravel pits	Robertson	Pleistocene	Present study	P3	length of third premolar	1.48	0.74	112.3	$\text{Log}(\text{Body mass, g}) = \text{average}[3.13 * (\text{Log}(\text{LP}3, \text{mm}) + 1.4, 3.19 * (\text{Log}(\text{LP}3) + 1.31]$	0.73	73.8	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	56	Sheep Shelter	Hill	Holocene	Present study	UM1?	length of third upper molar	1.97	0.90	113.7	$\text{Log}(\text{Body mass, g}) = 3.29 * (\text{Log}(\text{UM}3, \text{mm}) + 0.80$	0.93	44.7	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	169	Sheep Shelter	Hill	Holocene	Present study	LM1	length of first lower molar	1.74	0.80	117.8	$\text{Log}(\text{Body mass, kg}) = 3.334 * (\text{Log}(\text{LM}1, \text{cm}) + 1.270$	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40451	97	Wunderlich site	Comal	Holocene	Present study	P2	length of second upper and lower premolar	1.33	0.74	118.8	$\text{Log}(\text{Body mass, g}) = \text{average}[3.26 * (\text{Log}(\text{UP}2, \text{mm}) + 1.31, 2.75 * (\text{Log}(\text{LP}2) + 2.06]$	0.81	75.0	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	199	Sheep Shelter	Hill	Holocene	Present study	M1	length of first lower molar	1.77	0.78	125.2	$\text{Log}(\text{Body mass, g}) = 3.334 * (\text{Log}(\text{LM}1, \text{cm}) + 1.270$	0.93	23.9	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	908	825	Kincaid Shelter	Uvalde	Holocene	Present study	M2	length of second molar	2.08	1.03	125.6	$\text{Log}(\text{Body mass, kg}) = \text{average}[3.106 * (\text{Log}(\text{UM}2, \text{cm}) + 1.119, 3.218 * (\text{Log}(\text{LM}2) + 1.073]$	0.88	42.5	Cervids, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40451	93	Wunderlich site	Comal	Holocene	Present study	P1	length of first premolar	1.18	1.23	126.9	$\text{Log}(\text{Body mass, g}) = 2.89 * (\text{Log}(\text{First Upper Premolar Length, mm UP}1 \text{Length}) + 2.01$	0.89	80.4	all ungulates, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	165	Sheep Shelter	Hill	Holocene	Present study	UM	length of upper molar	1.52	1.47	136.6	$\text{y mass, g}) = \text{average}[3.21 * (\text{Log}(\text{UM}1, \text{mm}) + 1.07, 3.34 * (\text{Log}(\text{UM}2, \text{mm}) + 0.73, 3.29 * (\text{Log}(\text{UM}3, \text{mm})$	0.93	-40	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	43	Sheep Shelter	Hill	Holocene	Present study	UM	length of upper molar	1.58	0.98	154.7	$\text{y mass, g}) = \text{average}[3.21 * (\text{Log}(\text{UM}1, \text{mm}) + 1.07, 3.34 * (\text{Log}(\text{UM}2, \text{mm}) + 0.73, 3.29 * (\text{Log}(\text{UM}3, \text{mm})$	0.93	-40	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40451	146	Wunderlich site	Comal	Holocene	Present study	P1	length of first premolar	1.29	1.08	165.4	$\text{Log}(\text{Body mass, g}) = 2.89 * (\text{Log}(\text{First Upper Premolar Length, mm UP}1 \text{Length}) + 2.01$	0.89	80.4	all ungulates, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	40544	246	Sheep Shelter	Hill	Holocene	Present study	UM1?	length of third upper molar	2.26	1.03	179.1	$\text{Log}(\text{Body mass, g}) = 3.29 * (\text{Log}(\text{UM}3, \text{mm}) + 0.80$	0.93	44.7	Selenodont browsers, Table 16.9; Damuth and MacFadden 1990
<b>Artiodactyla</b>	<b>Cervidae</b>	<b><i>Odocoileus</i></b>	<b>sp.</b>	<b>40544</b>	<b>288</b>	<b>Sheep Shelter</b>	<b>Hill</b>	<b>Holocene</b>	<b>Present study</b>	<b>LP</b>	<b>length of third upper molar</b>	<b>1.43</b>	<b>0.90</b>	<b>271.3</b>	<b>g(Body mass, kg) = average[3.619 * Log(LP2, cm) + 1.885, 3.399 * Log(LP3) + 1.556, 3.13 * Log(LP1</b>	<b>0.87</b>	<b>33.0</b>	<b>Cervids, Table 16.8; Damuth and MacFadden 1990</b>
Artiodactyla	Cervidae	<i>Odocoileus</i>	sp.	908	2255	Kincaid Shelter	Uvalde	Holocene	Present study	Thoracic vertebra	thoracic vertebra	3.30	5.38		no equation for thoracic vertebrae measurements found			
Artiodactyla	Cervidae	<i>indet.</i>	sp.	988	100	Scharbauer Ranch	Midland	Pleistocene	Present study	ASA	cross-sectional area of astragalus	3.60	2.03	66.4	$\text{Log}(\text{Body mass, g}) = 1.463 * (\text{Log}(\text{ASA, mm}) + 0.633$	0.98	33.4	all terrestrial mammals, Table 1; Tsabamoto 2014
Artiodactyla	Suidae	<i>Sus scrofa</i>		40540	-999	Miller's Cave	Llano	Holocene?	Present study	UM1	length of first upper molar	1.25	1.04	33.1	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3011	Friesenhahn cave	Bezar	Pleistocene	Present study	UM1	length of first upper molar	1.13	1.24	24.3	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3396	Friesenhahn cave	Bezar	Pleistocene	Present study	Mt	distal end of metatarsal	0.92	1.18	27.9	$\text{Log}(\text{Body mass, kg}) = 2.9934 * (\text{log M}2, \text{cm}) + 1.23$	0.92	19.0	Suids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3488	Friesenhahn cave	Bezar	Pleistocene	Present study	Mt	distal end of metatarsal	0.87	1.24	32.0	$\text{Log}(\text{Body mass, kg}) = 2.9934 * (\text{log M}2, \text{cm}) + 1.23$	0.92	19.0	Suids, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3402	Friesenhahn cave	Bezar	Pleistocene	Present study	UM2	length of second upper molar	1.73	1.60	56.8	$\text{Log}(\text{Body mass, g}) = 2.96 * (\text{Log}(\text{UM}2, \text{mm}) + 1.09$	0.95	42.2	Non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3462	Friesenhahn cave	Bezar	Pleistocene	Present study	UM2	length of second upper molar	1.78	1.59	61.6	$\text{Log}(\text{Body mass, g}) = 2.96 * (\text{Log}(\text{UM}2, \text{mm}) + 1.09$	0.95	42.2	Non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3360	Friesenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	1.40	1.26	65.1	$\text{Log}(\text{Body mass, kg}) = 3.263 * (\text{Log}(\text{LM}1, \text{cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3401	Friesenhahn cave	Bezar	Pleistocene	Present study	UM1	length of first upper molar	1.57	1.48	67.5	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	1905	Friesenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	1.42	1.28	68.2	$\text{Log}(\text{Body mass, kg}) = 3.263 * (\text{Log}(\text{LM}1, \text{cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	3581	Friesenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	1.88	1.44	69.3	$\text{Log}(\text{Body mass, kg}) = 2.63 * (\text{Log}(\text{LM}3, \text{mm}) + 1.49$	0.88	64.1	Non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	4342	Friesenhahn cave	Bezar	Pleistocene	Present study	UM1	length of first upper molar	1.69	1.39	84.9	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	72	Friesenhahn cave	Bezar	Pleistocene	Present study	UM1	length of first upper molar	1.74	1.35	82.0	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	1350	Friesenhahn cave	Bezar	Pleistocene	Present study	LM3	length of third lower molar	2.28	1.41	99.0	$\text{Log}(\text{Body mass, g}) = 2.81 * (\text{Log}(\text{LM}3, \text{mm}) + 1.18$	0.89	65.5	non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	2322	Friesenhahn cave	Bezar	Pleistocene	Present study	LM3	length of third lower molar	2.33	1.21	105.3	$\text{Log}(\text{Body mass, g}) = 2.81 * (\text{Log}(\text{LM}3, \text{mm}) + 1.18$	0.89	65.5	non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	2106	Friesenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	1.63	0.95	107.0	$\text{Log}(\text{Body mass, kg}) = 3.263 * (\text{Log}(\text{LM}1, \text{cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Mylodon nasutus</i>		933	2107	Friesenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	1.70	0.94	122.0	$\text{Log}(\text{Body mass, kg}) = 3.263 * (\text{Log}(\text{LM}1, \text{cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Pecari tajacu</i>		40685	1	Zesch Cave	Mason	Pleistocene	Present study	UM1	length of first upper molar	1.22	1.11	30.7	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Pecari tajacu</i>		41064	1	Leon River Shelter	Coryell	Pleistocene	Present study	LP4	length of fourth lower premolar	1.19	0.90	31.6	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{LP}4, \text{mm}) + 1.15$	0.97	32.3	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		998	31	Scharbauer Ranch	Midland	Pleistocene	Present study	UM1	length of first upper molar	1.36	1.14	42.8	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		41229	1364	Hill's Cave	Kerr	Pleistocene	Present study	LM2	length of second lower molar	1.48	1.04	47.2	$\text{Log}(\text{Body mass, kg}) = 3.201 * (\text{Log}(\text{LM}2, \text{cm}) + 1.13$	0.94	31.1	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		30607	1036	Ingleside	San Patricio	Pleistocene	Present study	UM1	length of first upper molar	1.48	1.46	56.6	$\text{Log}(\text{Body mass, g}) = 3.11 * (\text{Log}(\text{UM}1, \text{mm}) + 1.11$	0.97	34.6	non-selenodonts, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		998	228	Scharbauer Ranch	Midland	Pleistocene	Present study	LM1	length of first lower molar	1.41	1.17	65.9	$\text{Log}(\text{Body mass, kg}) = 3.263 * (\text{Log}(\text{LM}1, \text{cm}) + 1.337$	0.93	34.6	all ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		2271	2400	Cameron (Carry Gravel Pit)	Milam	Pleistocene	Present study	LM2	length of second lower molar	1.70	1.34	74.3	$\text{Log}(\text{Body mass, kg}) = 3.201 * (\text{Log}(\text{LM}2, \text{cm}) + 1.13$	0.94	31.1	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		2271	2400	Cameron (Carry Gravel Pit)	Milam	Pleistocene	Present study	LM3	length of third lower molar	2.19	1.29	88.9	$\text{Log}(\text{Body mass, g}) = 2.81 * (\text{Log}(\text{LM}3, \text{mm}) + 1.18$	0.89	65.5	non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		30607	1646	Ingleside	San Patricio	Pleistocene	Present study	UM2	length of second lower molar	1.83	1.39	90.3	$\text{Log}(\text{Body mass, kg}) = 3.201 * (\text{Log}(\text{LM}2, \text{cm}) + 1.13$	0.94	31.1	Ungulates, Table 16.8; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		937	200	Blackwater Draw	near Portal, ND	Pleistocene	Present study	LM3	length of third lower molar	2.29	1.40	103.3	$\text{Log}(\text{Body mass, g}) = 2.81 * (\text{Log}(\text{LM}3, \text{mm}) + 1.18$	0.89	65.5	non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		30607	707	Ingleside	San Patricio	Pleistocene	Present study	UM3	length of third upper molar	2.19	1.80	104.1	$\text{Log}(\text{Body mass, g}) = 2.63 * (\text{Log}(\text{UM}3, \text{mm}) + 1.49$	0.88	64.1	Non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		933	3958	Friesenhahn cave	Bezar	Pleistocene	Present study	LM3	length of third lower molar	2.62	1.38	145.9	$\text{Log}(\text{Body mass, g}) = 2.81 * (\text{Log}(\text{LM}3, \text{mm}) + 1.18$	0.89	65.5	non-selenodonts, Table 16.9; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		933	895	Friesenhahn cave	Bezar	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	3.96	3.91	68.3	$\text{Log}(\text{Body mass, kg}) = 2.6454 * (\text{Log}(\text{HuEB}, \text{cm}) + 0.2538$	0.96	19.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae	<i>Platytropus compressus</i>		933	1352	Friesenhahn cave	Bezar	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	4.01	3.82	70.6	$\text{Log}(\text{Body mass, kg}) = 2.6454 * (\text{Log}(\text{HuEB}, \text{cm}) + 0.2538$	0.96	19.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990
Artiodactyla	Tayassuidae																	















Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	43059	907	Wight Materials North (Bluntzer)		Pleistocene	Present study	LM1	length of first lower molar	R	2.78	1.34	180.0		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	30967	1697	Ingleside	San Patricio	Pleistocene	Present study	UP3	third upper premolar	R	2.89	1.30	217.1		$\text{Log}(\text{Body mass, g}) = 3.0129^* \text{Log}(\text{LP4, mm}) + 0.9356$	0.94	na	Felids, Present study (LP4-LP3, but TUP4)
Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	43059	908			Pleistocene	Present study	LM1	length of first lower molar	L	3.09	1.52	247.7		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	908	2418	Kincaid Shelter	Uvalde	Pleistocene	Present study	Canine	UCL		12.40	2.16						
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	40379	121	Lorchong Cave	Burnet	Pleistocene	Present study	FeB	distal end, breadth of epicondyles of femur	R	5.63	5.01	74.4		$\text{Log}(\text{Body mass, g}) = 2.79^* \text{Log}(\text{FeB, mm}) + -0.006$	0.94	na	Present study
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	43407	311	Honey Creek Cave	Mason	Pleistocene	Present study	LM1	length of first lower molar	R	2.23	1.04	91.9		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	40379	131	Lorchong Cave	Burnet	Pleistocene	Present study	LM1	length of first lower molar	R	2.36	1.03	109.3		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	30967	751	Ingleside	San Patricio	Pleistocene	Present study	UP4	length of fourth upper premolar	R	1.41	0.78	24.9		$\text{Log}(\text{Body mass, g}) = 3.01^* \text{Log}(\text{LP4, mm}) + 0.936$	0.94	na	Felids, Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	898	Friessenhahn cave	Bezar	Pleistocene	Present study	LP4	length of fourth lower premolar	L	2.22	1.05	98.6		$\text{Log}(\text{Body mass, g}) = 3.01^* \text{Log}(\text{LP4, mm}) + 0.936$	0.94	na	Felids, Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	897	Friessenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	R	2.50	1.18	128.9		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	1314	Friessenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	V	2.50	1.30	136.6		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	373	Friessenhahn cave	Bezar	Pleistocene	Present study	FeB	distal end, breadth of epicondyles of femur	L	7.01	6.30	137.3		$\text{Log}(\text{Body mass, g}) = 2.79^* \text{Log}(\text{FeB, mm}) + -0.006$	0.94	na	Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	68	Friessenhahn cave	Bezar	Pleistocene	Present study	LP4	length of fourth lower premolar	R	2.49	1.14	136.1		$\text{Log}(\text{Body mass, g}) = 3.01^* \text{Log}(\text{LP4, mm}) + 0.936$	0.94	na	Felids, Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	43059	304	Wight Materials North		Pleistocene	Present study	Hm/APD	midshaft anteroposterior diameter of humerus	R	3.28	2.60	117		$\text{Log}(\text{Body mass, g}) = 2.59^* \text{Log}(\text{Hm, mm}) + 1.21$	0.94	na	Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	30967	158	Ingleside	San Patricio	Pleistocene	Present study	LP	length of lower premolar	R	2.60	1.17	157.9		$\text{Log}(\text{Body mass, g}) = 3.04^* \text{Log}(\text{LP4, mm}) + 0.936$	0.94	na	Felids, Present study
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	30967	158	Ingleside	San Patricio	Pleistocene	Present study	LM1	length of first lower molar	R	2.73	1.15	198.8		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	574	Friessenhahn cave	Bezar	Pleistocene	Present study	HueB	distal end, breadth of epicondyles of humerus	L	7.63	4.87	253.5		$\text{Log}(\text{Body mass, kg}) = 2.198^* \text{Log}(\text{HueB, mm}) + 1.711$	0.95	21.0	Christman and Harris 2005
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	226	Friessenhahn cave	Bezar	Pleistocene	Present study	HueB	distal end, breadth of epicondyles of humerus	L	8.26	4.95	301.7		$\text{Log}(\text{Body mass, kg}) = 2.198^* \text{Log}(\text{HueB, mm}) + 1.711$	0.95	21.0	Christman and Harris 2005
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	2933	Friessenhahn cave	Bezar	Pleistocene	Present study	HueB	distal end, breadth of epicondyles of humerus	L	9.48	4.13	407.4		$\text{Log}(\text{Body mass, kg}) = 2.198^* \text{Log}(\text{HueB, mm}) + 1.711$	0.95	21.0	Christman and Harris 2005
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	2690	Friessenhahn cave	Bezar	Pleistocene	Present study	UP4	length of fourth upper premolar	R	3.75	1.38	167.7		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	908	2691	Kincaid Shelter	Uvalde	Pleistocene	Present study	UP4	length of fourth upper premolar	R	3.80	1.47	174.9		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	933	3956	Friessenhahn cave	Bezar	Pleistocene	Present study	UP4	length of fourth upper premolar	R	3.93	1.33	193.5		$\text{Log}(\text{Body mass, g}) = 3.05^* \text{Log}(\text{LM1, mm}) - 2.15$	0.90	28.0	Table 10.2 Felid regression; Van Valkenburgh 1990
Carnivora	Felidae	<i>Stimulodon</i>	<i>fatalis</i>	30967	1713	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	RaL	anster at midshaft; overall length, width at distal end	L	3.80	26.70	6.10					
Carnivora	indet.	<i>indet.</i>	<i>indet.</i>	41259	none	Hall's Cave	Kerr	Holocene	Present study	FeHD	proximal end; diameter of femoral head	L	1.51				$\text{Log}(\text{Body mass, g}) = 2.7^* \text{Log}(\text{FeHD, mm}) + 0.75$	0.99	11.3	Pardi 2016
Carnivora	indet.	<i>indet.</i>	<i>indet.</i>	41259	none	Hall's Cave	Kerr	Pleistocene	Present study	FeHD	proximal end; diameter of femoral head	R	1.51				$\text{Log}(\text{Body mass, g}) = 2.7^* \text{Log}(\text{FeHD, mm}) + 0.75$	0.99	11.3	Pardi 2016
Carnivora	Mephitidae	<i>Conopatus</i>	<i>mesoleucus</i>	43133	1137	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	L	0.99	0.49	2.3		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		Present study
Carnivora	Mephitidae	<i>Conopatus</i>	<i>mesoleucus</i>	43133	1138	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	R	1.09	0.43	3.3		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		Present study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	40540	71	Miller's Cave	Llano	Pleistocene	Present study	LM1	length of first lower molar	L	0.49	0.46	0.1		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	367	Unknown	Unknown	Modern	Present study	UM1	length of first upper molar	R	0.72		0.7		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	2034	5 mi west of Austin	Modern	Present study		LM1	length of first lower molar	L	0.83		1.1		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	2034	5 mi west of Austin	Modern	Present study		SKL	length of skull	?	6.40		1.2		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	493	Unknown	Modern	Present study		SKL	length of skull	?	6.46		1.3		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	367	Pease Park	Modern	Present study		SKL	length of skull	?	6.50		1.3		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	495	Pease Park	Modern	Present study		LM1	length of first lower molar	L	0.69		1.4		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	495	Pease Park	Modern	Present study		SKL	length of skull	?	6.87		1.4		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	7312	Pease Park	Modern	Present study		SKL	length of skull	?	6.85		1.6		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	7312	Stucones Researc Center,	Travis	Modern	Present study	LM1	length of first lower molar	L	0.90		1.6		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	343	Unknown	Modern	Present study		LM1	length of first lower molar	L	0.91		1.7		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	494	Pease Park	Modern	Present study		LM1	length of first lower molar	L	0.91		1.7		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	494	Pease Park	Modern	Present study		SKL	length of skull	?	7.14		1.7		$\text{Log}(\text{Body mass, kg}) = 3.39^* \text{Log}(\text{SKL, mm}) + -6.03$	0.90	40.0	Mustelids, Table 16.6; Damuth and MacFadden 1990
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	933	3917	Friessenhahn cave	Bezar	Pleistocene	Present study	LM1	length of first lower molar	R	0.93	0.31	1.8		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	3254	Kincaid Shelter	Uvalde	Holocene	Present study	HueB	distal end, breadth of epicondyles of humerus	R	1.72	0.74	1.8		$\text{Log}(\text{Body mass, g}) = 2.5160^* \text{Log}(\text{HueB, mm}) + 0.15426$	0.98	na	all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	1891	Unknown	Modern	Present study		LM1	length of first lower molar	L	0.95		1.9		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	6297	Unknown	Modern	Present study		LM1	length of first lower molar	L	0.95		1.9		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	493	Pease Park	Modern	Present study		LM1	length of first lower molar	L	0.95		1.9		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	7440	Pease Park	Modern	Present study		LM1	length of first lower molar	L	0.97		2.1		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	M	41172	Pratt Cave	Calhoun	Holocene	Present study	LM1	length of first lower molar	L	0.97	0.48	2.1		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	40540	69	Miller's Cave	Llano	Pleistocene	Present study	UM1	length of first upper molar	R	0.98	0.74	2.2		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	933	611	Friessenhahn cave	Bezar	Pleistocene	Present study	LM2	length of second lower molar	R	1.00	0.50	2.4		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	933	452	Friessenhahn cave	Bezar	Pleistocene	Present study	LM2	length of second lower molar	L	1.01	0.46	2.5		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.81		all carnivores, Present Study
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	933	766	Friessenhahn cave	Bezar	Pleistocene	Present study	LM2	length of second lower molar	R	1.01	0.47	2.5		$\text{Log}(\text{Body mass, g}) = 3.4287^* \text{Log}(\text{LM1, mm}) - 0.5316$	0.		

Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	247	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	R	1.15	0.66	2.7		$\text{Log}(\text{Body mass}, g) = 5.738^* \text{Log}(\text{LM1}, \text{mm}) + 0.534$	0.96		Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	258	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	L	1.18	0.63	3.0		$\text{Log}(\text{Body mass}, g) = 5.738^* \text{Log}(\text{LM1}, \text{mm}) + 0.534$	0.96		Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	40279	135	Longhorn Cave	Burnet	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	R	2.01	1.15	3.4		$\text{Log}(\text{Body mass}, g) = 2.68359^* \text{Log}(\text{HuEB}, \text{mm}) + 0.40405$	0.97	na	Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	264	Bering Sinkhole	Kerr	Holocene	Present study	UM1	length of first upper molar	R	0.91	0.93	4.5		$\text{Log}(\text{Body mass}, g) = 2.02747^* (\text{Log}(\text{UM1}, \text{mm}) + 1.70866)$	0.83	na	All carnivora, Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	265	Bering Sinkhole	Kerr	Holocene	Present study	UM1	length of first upper molar	L	0.93	0.91	4.7		$\text{Log}(\text{Body mass}, g) = 2.02747^* (\text{Log}(\text{UM1}, \text{mm}) + 1.70866)$	0.83	na	All carnivora, Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	254	Bering Sinkhole	Kerr	Holocene	Present study	UM1	length of first upper molar	R	0.97	0.89	5.1		$\text{Log}(\text{Body mass}, g) = 2.02747^* (\text{Log}(\text{UM1}, \text{mm}) + 1.70866)$	0.83	na	All carnivora, Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	266	Bering Sinkhole	Kerr	Holocene	Present study	LP4	length of fourth lower premolar	R	0.79	0.57	8.4		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{LP4}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	255	Bering Sinkhole	Kerr	Holocene	Present study	UM2	length of second upper molar	L	0.86	0.74	9.8		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{UM2}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	256	Bering Sinkhole	Kerr	Holocene	Present study	LM2	length of second lower molar	R	0.97	0.57	12.5		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{LM2}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	933	1873	Friesenhahn cave	Bezar	Pleistocene	Present study	LM3	length of third lower molar	R	0.99	0.45	12.8		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{LM3}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	259	Bering Sinkhole	Kerr	Holocene	Present study	LM2	length of second lower molar	R	1.10	0.67	15.8		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{LM2}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	43133	253	Bering Sinkhole	Kerr	Holocene	Present study	LM2	length of second lower molar	R	1.23	0.64	19.6		$\text{Log}(\text{Body mass}, g) = 1.92282^* (\text{Log}(\text{LM2}, \text{mm}) + 2.19684)$	0.83	na	All carnivora, Present Study
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	40449	40	Levi Shelter	Travis	Pleistocene	Present study	Mc	metacarpal -1	R	0.47	0.44						
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	40449	203	Levi Shelter	Travis	Pleistocene	Present study	Mc	metacarpal -3	R	0.44	0.40						
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	40449	507	Levi Shelter	Travis	Pleistocene	Present study	Mc	metacarpal -2	R	0.51	0.45						
Carnivora	Procyonidae	<i>Procyon</i>	<i>Jotor</i>	40449	508	Levi Shelter	Travis	Pleistocene	Present study	Mt	metatarsal -2	R	0.56	0.49						
Carnivora	Ursidae	<i>Arctodus</i>	<i>atnus</i>	43059	305	Wight Materials North		Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	L	11.10	7.79	202.3		$\text{Log}(\text{Body mass}, g) = 1.47^* \text{Log}(\text{HuEB}, \text{mm}) + 2.29$	0.78	na	Present study
Carnivora	Ursidae	<i>Arctodus</i>	<i>atnus</i>	933	2156	Friesenhahn cave	Bezar	Pleistocene	Present study	LM2	length of second lower molar	L	2.91	1.80	268.2		$\text{Log}(\text{Body mass}, g) = 1.59^* \text{Log}(\text{LM2 length}, \text{mm}) + 3.10$	0.33	na	Ursida, Present study
Carnivora	Ursidae	<i>Arctodus</i>	<i>atnus</i>	933	2305	Friesenhahn cave	Bezar	Pleistocene	Present study	LM2	length of third lower molar	R	2.03	1.40	293.4		$\text{Log}(\text{Body mass}, g) = 2.20156^* \text{Log}(\text{LM2}, \text{mm}) + 2.58945$	0.88	na	All carnivora, Present Study
Carnivora	Ursidae	<i>Thomomys</i>	<i>holistans</i>	30967	1031	Ingledale	San Patricio	Pleistocene	Present study	LM3	length of third lower molar	F	1.63	1.18	127.0		$\text{Log}(\text{Body mass}, g) = \text{average}(1.9336^* \text{Log}(\text{LM1}, \text{mm}) + 2.7, 1.5878^* \text{Log}(\text{LM2}) + 3.1043, 1.07^* \text{Log}(\text{LM3}))$	0.25	na	Present study
Carnivora	Ursidae	<i>Thomomys</i>	<i>holistans</i>	30967	1880	Ingledale	San Patricio	Pleistocene	Present study	LM3	length of third lower molar	F	2.16	1.26	356.4		$\text{Log}(\text{Body mass}, g) = 2.20156^* \text{Log}(\text{LM3}, \text{mm}) + 2.58945$	0.88	na	All carnivora, Present Study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	106	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	R	6.30	5.32	120.4		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	107	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	R	6.32	5.43	120.9		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43565	1	Sanders Ranch Cave	Williamson	Holocene	Present study	UM1	length of first upper molar	R	1.65	1.16	125.9		$\text{Log}(\text{Body mass}, g) = 1.66^* \text{Log}(\text{UM1 length}, \text{mm}) + 3.08$	0.40	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	7308	Scholin Cave	Edwards	Holocene	Present study	FeB	distal end; breadth of epicondyles of femur	L	6.71	6.23	133.3		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	94	Zach Cove	Mason	Pleistocene	Present study	TiB	distal end; breadth of tibia	L	5.96	5.02	133.4		$\text{Log}(\text{Body mass}, g) = 1.62^* \text{Log}(\text{TiB}, \text{mm}) + 2.19$	0.60	100.0	Figuetido et al. 2010 (Telemi. canids and ursids)
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	933	3543	Friesenhahn cave	Bezar	Pleistocene	Present study	UM2	length of second upper molar	R	1.80	1.39	146.7		$\text{Log}(\text{Body mass}, g) = 1.66^* \text{Log}(\text{UM2}, \text{mm}) + 3.08$	0.40	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	1	Zach Cove	Mason	Pleistocene	Present study	LM2	length of second lower molar	R	2.00	1.05	147.5		$\text{Log}(\text{Body mass}, g) = 1.59^* \text{Log}(\text{LM2 length}, \text{mm}) + 1.61$	0.33	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43133	1130	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	R	1.57	1.24	148.7		$\text{Log}(\text{Body mass}, g) = 1.93^* \text{Log}(\text{LM1}, \text{mm}) + 2.67$	0.58	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43133	1130	Bering Sinkhole	Kerr	Holocene	Present study	LM1	length of first lower molar	R	1.57	1.24	148.7		$\text{Log}(\text{Body mass}, g) = 1.93^* \text{Log}(\text{LM1}, \text{mm}) + 2.67$	0.58	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43559	1	Claudian Cave Loc. 1		Holocene	Present study	LM1	length of first lower molar	R	2.00	1.21	152.6		$\text{Log}(\text{Body mass}, g) = 1.93^* \text{Log}(\text{LM1}, \text{mm}) + 2.67$	0.58	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	104	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	R	7.50	6.60	159.3		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	102	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	R	7.54	6.99	160.6		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	99	Zach Cove	Mason	Pleistocene	Present study	LM2	length of second lower molar	R	2.11	1.05	160.8		$\text{Log}(\text{Body mass}, g) = 1.59^* \text{Log}(\text{LM2 length}, \text{mm}) + 3.10$	0.33	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	105	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	L	7.56	6.73	161.3		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	103	Zach Cove	Mason	Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	L	7.61	6.97	163.0		$\text{Log}(\text{Body mass}, g) = 1.61^* \text{Log}(\text{FeB}, \text{mm}) + 2.19$	0.60	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	2	Zach Cove	Mason	Pleistocene	Present study	LM2	length of second lower molar	L	2.15	1.45	163.7		$\text{Log}(\text{Body mass}, g) = 1.59^* \text{Log}(\text{LM2 length}, \text{mm}) + 3.10$	0.33	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40540	60	Miller's Cave	Llano	Pleistocene	Present study	LM1	length of first lower molar	R	2.34	1.40	191.0		$\text{Log}(\text{Body mass}, g) = 1.93^* \text{Log}(\text{LM1}, \text{mm}) + 2.67$	0.58	na	Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	142	Zach Cove	Mason	Pleistocene	Present study	TiEB	distal end; breadth of tibia	R	8.09	7.30	247.4		$\text{Log}(\text{Body mass}, g) = 2.02^* \text{Log}(\text{TiEB}, \text{mm}) + 1.461$	0.90	100.0	Figuetido et al. 2010 (Telemi. canids and ursids)
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40685	140	Zach Cove	Mason	Pleistocene	Present study	TiEB	distal end; breadth of tibia	L	8.13	6.71	249.4		$\text{Log}(\text{Body mass}, g) = 2.02^* \text{Log}(\text{TiEB}, \text{mm}) + 1.461$	0.90	100.0	Figuetido et al. 2010 (Telemi. canids and ursids)
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41284	215	Don Williams Cave	Hays	Holocene	Present study	UM1	length of first upper molar	R	3.00	1.76	340.3		$\text{Log}(\text{Body mass}, g) = 1.66^* \text{Log}(\text{UM1 length}, \text{mm}) + 3.08$	0.40	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40279	138	Longhorn Cave	Burnet	Pleistocene	Present study	UM1	length of first upper molar	L	3.05	1.68	350.3		$\text{Log}(\text{Body mass}, g) = 1.66^* \text{Log}(\text{UM1 length}, \text{mm}) + 3.08$	0.40	na	Ursida, Present study
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	933	2634	Friesenhahn cave	Bezar	Pleistocene	Present study	Mt	metatarsal	L	1.49	2.20						
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40540	61a	Miller's Cave	Llano	Pleistocene	Present study	Phalanx	phalanx	L	1.32	0.88						
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	40540	61b	Miller's Cave	Llano	Pleistocene	Present study	Phalanx	phalanx	L	1.14	0.92						
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41284	16	Don Williams Cave	Hays	Holocene	Present study	LM1	length of first lower molar	L	2.07	1.32	164.3		$\text{Log}(\text{Body mass}, g) = 1.93^* \text{Log}(\text{LM1}, \text{mm}) + 2.67$	0.58	na	Present study
Cingulata	Chlamyphoridae	<i>Glyptotherium</i>	<i>floridanum</i>	30967	1814	Ingledale	San Patricio	Pleistocene	Lundelius 1922b	LM	length of lower 3 or 4th molar	L	2.20	1.10						
Cingulata	Chlamyphoridae	<i>Glyptotherium</i>	<i>floridanum</i>	31034	31	O'Brian Ranch	Bee	Pleistocene	Present study	LM1	length of first lower molar	R	2.00	1.25						
Cingulata	Chlamyphoridae	<i>Glyptotherium</i>	<i>floridanum</i>	31034	30	O'Brian Ranch	Bee	Pleistocene	Present study	LM8	eighth lower molar	L	1.86	1.23						
Cingulata	Chlamyphoridae	<i>Glyptotherium</i>	<i>floridanum</i>	31034	125	O'Brian Ranch	Bee	Pleistocene	Present study	LM8	ninth lower molar	L	2.18	1.10						
Cingulata	Psephenotheriidae	<i>Holmatina</i>	<i>septentrionalis</i>	43059	316	Wight Materials North		Pleistocene	Present study	HuMAPD	midshaft anteroposterior diameter of humerus	R	3.22		61.2		$\text{Log}(\text{Body mass}, g) = 2.66975^* \text{Log}(\text{HuMAPD}), g - 0.13193$	0.98		All mammals, Present Study
Cingulata	Psephenotheriidae	<i>Holmatina</i>	<i>septentrionalis</i>	51041	129	Ingledale	San Patricio	Pleistocene	Lundelius	Mt	second metatarsal	R	4.61	2.00						
Cingulata	Psephenotheriidae	<i>Holmatina</i>	<i>septentrionalis</i>	30967	870	Ingledale	San Patricio	Pleistocene	Present study	HuL	length of humerus	R	28.60		139.9		$\text{Log}(\text{Body mass}, g) = 2.79712^* \text{Log}(\text{HuL}), g - 1.72502$	0.96		







Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	947	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	UM3	length of third upper molar	2.53	2.08	238.8	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2187	Pittsbridge	Brazos	Pleistocene	Present study	M2	length of third molar	2.55	1.15	239.7	Log(Body mass, kg) = 2.999*Log(LM3, cm) + 1.162	0.99	18.0	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Brazos river	Brazos	Pleistocene	Present study	M3	length of second molar	2.49	2.49	241.5	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	Lot 3	Sealy	Austin	Pleistocene	Present study	M1	length of molar	2.42	2.49	249.9	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31058	2	Blanco creek	Goliad	Pleistocene	Present study	UM1	length of first upper molar	2.46	2.78	257.3	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	42	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M1	length of molar	2.45	1.41	259.2	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2436	Kincaid Shelter	Uvalde	Pleistocene	Present study	UM3	length of third upper molar	2.61	2.13	262.0	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2187	Pittsbridge	Brazos	Pleistocene	Present study	M2	length of second molar	2.56	1.36	263.7	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31041	33	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	2.31	1.75	264.4	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	4	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M1	length of molar	2.48	2.71	267.1	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	36A	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	UM	length of upper molar	2.63	2.62	267.2	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	25	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	2.54	1.87	288.3	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2319	Kincaid Shelter	Uvalde	Pleistocene	Present study	UM or UP	upper cheek tooth	2.70	2.42	288.4	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	W123	Cameron (SUSTR P14, 2.5 mi. E)	Milam	Pleistocene	Present study	M3	length of third molar	2.72	2.59	292.6	Log(Body mass, kg) = 2.999*Log(LM3, cm) + 1.162	0.99	18.0	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M1	length of molar	2.56	2.53	296.4	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2556	Pittsbridge	Brazos	Pleistocene	Present study	M2	length of second molar	2.68	1.95	301.9	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2384	unknown	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	UM1	length of first upper molar	2.74	2.98	302.2	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	B	Cameron (SUSTR P14, 2.5 mi. E)	Milam	Pleistocene	Present study	M	length of molar	2.58	2.29	303.6	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.59	2.49	307.2	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	2.62	3.16	317.6	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	117 A	Lot 4	Sealy	Austin	Pleistocene	Present study	M3?	length of third molar	2.81	2.49	320.5	Log(Body mass, kg) = 2.999*Log(LM3, cm) + 1.162	0.99	18.0	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31107	26	Old Glory	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	2.46	1.62	323.5	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.64	2.82	325.9	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	15	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	2.64	1.88	326.3	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	101	3047	Cameron (SUSTR P14, 2.5 mi. E)	n/a	Pleistocene	Present study	LM2	length of second lower molar	2.70	1.74	326.9	Log(Body mass, kg) = 3.01*Log(LM2, cm) + 1.216	0.99	16.9	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	W123	Joe Rancho	Austin	Pleistocene	Present study	M2	length of second molar	2.77	1.72	331.5	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M2	length of second molar	2.79	1.89	339.3	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.68	1.74	339.4	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	2819	Quince Creek	Madley	Pleistocene	Present study	LM1	length of first lower molar	2.50	1.65	340.2	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.68	1.70	343.3	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.68	1.88	347.3	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	20839	35	Moshin Mound	Victoria	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	2.61	1.49	342.1	Log(Body mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216]	0.99	16.5	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.69	2.96	344.3	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2586	Pittsbridge	Brazos	Pleistocene	Present study	LM1	length of first lower molar	2.53	2.22	351.6	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999	-	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	2.71	3.30	353.6	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	5	B	Cameron (Brown-Crawford)	Milam	Pleistocene	Present study	M	length of molar	2.71	1.75	354.4	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	16	2372	San Felipe	Austin	Pleistocene	Present study	UM1	length of first upper molar	2.90	2.72	354.8	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2384	unknown	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	UM2	length of second upper molar	2.90	2.88	354.8	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1770	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	LM1	length of first lower molar	2.54	1.41	358.3	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	122	Cameron (SUSTR P14, 2.5 mi. E)	Milam	Pleistocene	Present study	M2	length of second molar	2.84	2.86	358.8	Log(Body mass, kg) = Average[3.01*Log(LM2, cm) + 1.216, 2.9*LOG(UM2, cm) + 1.209]	0.99	16.9	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2556	Pittsbridge	Brazos	Pleistocene	Present study	LM1	length of first lower molar	2.54	2.09	360.1	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31034	36	O'Brian Ranch	Bee	Pleistocene	Present study	LM1 or LM2	length of first or second lower molar	2.66	1.99	361.7	Log(Body mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216]	0.99	16.5	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	28	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	2.73	1.99	361.7	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31108	82	Old Glory	Stonewall	Pleistocene	Present study	UM3	length of third upper molar	2.93	2.25	365.5	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	892	223	Lubbock Lake	Lubbock	Pleistocene	Present study	UM2	length of second upper molar	2.93	2.08	365.9	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2187	Pittsbridge	Brazos	Pleistocene	Present study	LM1	length of first lower molar	2.56	1.75	366.9	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	121	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	2.75	2.59	370.4	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	-	A	Cameron (SUSTR P14, 2.5 mi. E)	Milam	Pleistocene	Present study	M	length of molar	2.75	2.70	370.8	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2384	unknown	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	UP3	length of third upper premolar	2.51	2.70	371.6	Log(Body mass, kg) = 2.965*Log(LP3, cm) + 1.383	0.96	37.60	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	2.76	2.93	372.0	y mass, kg) = average[3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm) + 1.209]	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	29	Cameron (Curry Gravel Pit)	M											





Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.19	1.73	583.8	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.19	3.01	586.1	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	3112	Ingleside	San Patricio	Pleistocene	Landelius 1972b	UM3	length of third upper molar	R	3.45	2.41	587.1	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.20	3.09	595.5	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2187	3112	Pittsbridge	Brazos	Pleistocene	Present study	P1	length of first premolar	P1	2.98	1.54	594.7	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.21	3.46	596.5	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	30839	84	Morhous Mound	Victoria	Pleistocene	Present study	LM1	length of first lower molar	L	2.98	2.00	598.0	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31034	66	O'Brian Ranch	Bee	Pleistocene	Present study	LM1	length of first lower molar	L	2.98	2.06	598.0	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	892	299	Lubbock Lake	Lubbock	Pleistocene	Present study	M3	length of third molar	M3	3.46	1.39	598.1	Log(Body mass, kg) = 2.999*Log(LM3, cm) + 1.162	0.99	18.0	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.22	1.99	600.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.22	3.29	600.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	31041	2	Bravo river	Brazos	Pleistocene	Present study	M1	length of first molar	M1	3.00	1.74	606.4	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31108	2	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	L	3.00	2.07	609.0	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	31108	82	Old Glory	Stonewall	Pleistocene	Present study	UM1	length of first upper molar	L	3.50	3.43	611.1	Log(Body mass, kg) = 2.9*Log(UM2, cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	P1	length of first premolar	P1	3.01	1.51	612.9	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2271	-999	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	P1	length of first premolar	P1	3.02	1.35	616.6	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.25	1.58	618.3	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	31112	47	Old Glory	Stonewall	Pleistocene	Present study	LM2	length of second lower molar	L	3.34	1.47	619.0	Log(Body mass, kg) = 3.01*Log(LM2, cm) + 1.216	0.99	16.9	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	-999	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.25	1.56	620.7	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	22	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	3.26	2.00	622.4	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.26	2.83	624.8	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2356	Pittsbridge	Brazos	Pleistocene	Present study	M3	length of third molar	M3	3.51	1.73	626.1	Log(Body mass, kg) = 2.999*Log(LM3, cm) + 1.162	0.99	18.0	Perissodactyla, Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2359	Kincaid Shelter	Uvalde	Pleistocene	Present study	P1	length of molar	3.26	2.31	626.6	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2455	Kincaid Shelter	Uvalde	Pleistocene	Present study	dRUP3	length of deciduous upper third premolar	L	3.04	1.68	627.8	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.27	2.08	629.5	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2271	-999	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	P	length of premolar	3.04	3.01	631.0	Log(Body mass, kg) = Average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.27	2.52	631.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.28	2.51	633.7	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	31108	115	Old Glory	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	L	3.04	2.08	637.0	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.28	1.72	638.5	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.30	2.09	646.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	12	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	3.30	1.86	648.1	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Sealy	Austin	Pleistocene	Present study	P1	length of first premolar	P1	3.07	1.55	648.7	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	20	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	3.31	2.12	651.1	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.31	2.79	651.1	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	101	3047	n/a	n/a	Pleistocene	Present study	LP3	length of third lower premolar	3.05	2.26	656.5	Log(Body mass, kg) = 2.965*Log(LP3, cm) + 1.383	0.96	37.60	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Quincy Creek	Madley	Pleistocene	Present study	AA4	cross-sectional area of astragalus	5.83	6.02	660.8	Log(Body mass, kg) = 4.463*Log(AA4, mm) + 0.633	0.97	47.5	all terrestrial mammals, Table 1 - Terrestrial Mammals 2014	
Perissodactyla	Equidae	<i>Equus</i>	sp.	31108	30	Old Glory	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	R	3.09	1.84	667.0	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	1284	Friessenhahn Cave	Bear	Pleistocene	Present study	P1	length of first premolar	P1	3.10	3.46	668.0	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.34	1.89	670.2	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.34	2.80	673.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	-999	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.36	2.82	684.5	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2196L	unknown	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	3.37	2.96	691.4	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	-999		Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.38	2.94	697.8	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	2351	3	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	M	length of molar	3.15	1.39	706.5	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Pittsbridge	Brazos	Pleistocene	Present study	M	length of molar	3.40	2.19	711.9	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	1	Scharbauer Ranch	Midland	Pleistocene	Present study	LM1	length of first lower molar	R	3.17	2.41	712.7	Log(Body mass, kg) = Average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	-999	Brazos river	Brazos	Pleistocene	Present study	M1	length of first premolar	P1	3.19	2.05	728.4	Log(Body mass, kg) = average(2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4) + 1.29)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	2352	Bravo river	Brazos	Pleistocene	Present study	M1	length of first molar	M1	3.19	1.84	736.9	Log(Body mass, kg) = 3.187*Log(LM1, cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990
Perissodactyla	Equidae	<i>Equus</i>	sp.	3	-999	Hearne gravel pits	Robertson	Pleistocene	Present study	M	length of molar	3.44	2.01	738.0	y mass, kg)=average(3.187*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)	0.99	16.5	Table 16.8, Damuth and MacFadden 1990	
Perissodactyla	Equidae	<i>Equus</i>	sp.																

Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	804	83	Montell shelter	Uvalde	Pleistocene	Present study	UM	length of upper molar	2.37	2.03	197.8		Log(Body mass, kg) = 2.9*Log(UM2,cm) + 1.209	0.96	30.5	Perisodactyla, Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	3	2219	Pinsbridge	Brazos	Pleistocene	Present study	UM1	length of first upper molar	2.38	2.52	200.0		Log(Body mass, kg) = 2.9*Log(UM2,cm) + 1.209	0.96	30.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	43407	43	Honey Creek Cave	Mason	Pleistocene	Present study	LM or P1	length of lower cheek tooth	2.32	1.59	217.7	y mass, kg=average[3.167*Log(LM1, cm) + 1.264, 3.01*Log(LM2, cm) + 1.216, 2.99*Log(LM3, cm)]	0.99	16.5	Perisodactyla, Table 16.8, Damuth and MacFadden 1990			
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	40449	400	Levi Shelter	Travis	Pleistocene	Present study	UP2	length of second upper premolar	2.22	2.08	241.5		Log(Body mass, kg)= vaerage[2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm)+ 1.29]	0.96	30.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	3	2219	Pinsbridge	Brazos	Pleistocene	Present study	UM2	length of second upper molar	2.58	2.83	233.6		Log(Body mass, kg) = 2.9*Log(UM2,cm) + 1.209	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	40449	404	Levi Shelter	Travis	Pleistocene	Present study	UP2	length of second upper premolar	2.30	1.96	222.0		Log(Body mass, kg)= vaerage[2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm)+ 1.29]	0.96	30.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	31024	1	Caldwell	Calhoun	Pleistocene	Present study	LM1	length of first lower molar	2.36	1.80	382.3		Log(Body mass, kg) = 3.187*Log(LM1,cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	30667	1237	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	LM1	length of first lower molar	2.42	307.1	307.1		Log(Body mass, kg) = 3.187*Log(LM1,cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	3	2554	Pinsbridge	Brazos	Pleistocene	Present study	M1	length of first lower molar	2.43	303.3	310.3		Log(Body mass, kg) = 3.187*Log(LM1,cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	43407	unknown	Honey Creek Cave	Mason	Pleistocene	Present study	M1	length of molar	2.89	2.13	542.4		Log(Body mass, kg) = 3.187*Log(LM1,cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	933	973	Friesenhahn cave	Bezar	Pleistocene	Present study	UP2	length of second upper premolar	2.31	2.20	273.4		Log(Body mass, kg)= vaerage[2.965*Log(LP3, cm) + 1.383, 3.09*Log(LP4, cm)+ 1.29]	0.96	30.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	933	973	Friesenhahn cave	Bezar	Pleistocene	Present study	UM2	length of second upper molar	2.80	2.40	316.1		Log(Body mass, kg) = 2.9*Log(UM2,cm) + 1.209	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Perisodactyla	Tapiridae	<i>Tapirus</i>	<i>veroenis</i>	933	370	Pinsbridge	Bezar	Pleistocene	Present study	LM1	length of first lower molar	2.47	1.74	326.0		Log(Body mass, kg) = 3.187*Log(LM1,cm) + 1.264	0.99	16.5	Table 16.8, Damuth and MacFadden 1990		
Pilosa	<i>indet.</i>	<i>sp.</i>	31041	76	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	20.3		1,270.2		Log(body mass, g) = 2.87355*Log(FeMAPC, mm) + 0.52682	0.98	na	All mammals, Present Study			
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	30667	1407	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	HuL	length of humerus	47.20	568.0	568.0		Log(Body mass, g) = 2.79712*Log(HuL, g) - 1.72502	0.96	na	All mammals, Present Study		
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	30667	1290	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	HuL	length of humerus	47.60	581.5	581.5		Log(Body mass, g) = 2.79712*Log(HuL, g) - 1.72502	0.96	na	All mammals, Present Study		
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	43059	308	Wight Materials North		Pleistocene	Present study	HuMAPD	midshaft anteroposterior diameter of humerus	6.76		1,204.2		Log(Body mass, g) = 2.66975*Log(HuMAPD*Pl, g) - 0.13193	0.98	na	All mammals, Present Study		
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	43059	303	Wight Materials North		Pleistocene	Present study	FeHD	proximal end; diameter of femoral head		14.10	7.46							
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	43059	307	Wight Materials North		Pleistocene	Present study	HuHD	proximal end; diameter of humerus head		13.38	9.62							
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	43059	311	Wight Materials North		Pleistocene	Present study	HuHD	proximal end; diameter of humerus head		10.37	7.57							
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	43059	510	Wight Materials North (Blunzer)		Pleistocene	Present study	TiHD	proximal end; diameter of tibia		13.15	9.69							
Pilosa	Megalonychiidae	<i>Megalonyx</i>	<i>jeffersoni</i>	30667	1231	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	TiL	length of tibia		31.00								
Pilosa	Megatheriidae	<i>Eremotherium</i>	<i>sp.</i>	41075	10	Stanley E. Smith	Calhoun	Pleistocene	lonald and Lundelius:	HuL	length of humerus		79.00		2,398.8		Log(Body mass, g) = 2.79712*Log(HuL, g) - 1.72502	0.96	na	All mammals, Present Study	
Pilosa	Megatheriidae	<i>Eremotherium</i>	<i>sp.</i>	3	4000	Pinsbridge	Brazos	Pleistocene	Present study	LM1	length of first lower molar		4.25	3.60							
Pilosa	Megatheriidae	<i>Eremotherium</i>	<i>sp.</i>	31141	6	Stanley E. Smith	Calhoun	Pleistocene	lonald and Lundelius:	M	molar			3.60							
Pilosa	Megatheriidae	<i>Eremotherium</i>	<i>sp.</i>	31141	71	Stanley E. Smith	Calhoun	Pleistocene	lonald and Lundelius:	M	molar			3.52							
Pilosa	Mylodontidae	<i>Myodon</i>	<i>sp.</i>	31052	3	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humeru	R	30.5		3,166.1		Log(Body mass, g) = 2.66975*Log(HuMAPC, g) - 0.13193	0.98	na	All mammals, Present Study	
Pilosa	Mylodontidae	<i>Myodon</i>	<i>sp.</i>	31108	72	Old Glory	Stonewall	Pleistocene	Present study	LM1	length of first lower molar	L	3.13	2.20							
Pilosa	Mylodontidae	<i>Myodon</i>	<i>sp.</i>	31041	63	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	M	molar	R	3.87	2.55							
Pilosa	Mylodontidae	<i>Myodon</i>	<i>sp.</i>	31108	47	Old Glory	Stonewall	Pleistocene	Present study	UM1	first upper molar	R	2.94	1.64							
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	43059	325	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	HuMAPD	midshaft anteroposterior diameter of humerus	R	9.10		2,662.8		Log(Body mass, g) = 2.66975*Log(HuMAPD*Pl, g) - 0.13193	0.98	na	All mammals, Present Study	
<b>Pilosa</b>	<b>Mylodontidae</b>	<b><i>Paramylobodon</i></b>	<b><i>harlani</i></b>	<b>41052</b>	<b>11</b>	<b>Salt Fork Brazos River</b>	<b>Stonewall</b>	<b>Pleistocene</b>	<b>Present study</b>	<b>FeMAPC</b>	<b>midshaft anteroposterior circumference of femur L</b>	<b>46.3</b>		<b>13,494.7</b>		<b>Log(body mass, g) = 2.87355*Log(FeMAPC, mm) + 0.52682</b>	<b>0.98</b>	<b>na</b>	<b>All mammals, Present Study</b>		
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	1428	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	FeL	length of femur	L	47.60	408.9		Log(Body mass, g) = 2.90780*Log(FeL, mm) - 2.17447	0.94	na	All mammals, Present Study		
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	666	Ingleside	San Patricio	Pleistocene	Present study	HuL	length of humerus	R	44.20	472.7		Log(Body mass, g) = 2.79712*Log(HuL, g) - 1.72502	0.96	na	All mammals, Present Study		
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	1414	Ingleside	San Patricio	Pleistocene	Present study	HuL	length of humerus	R	45.20	503.2		Log(Body mass, g) = 2.79712*Log(HuL, g) - 1.72502	0.96	na	All mammals, Present Study		
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	1845	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	FeL	length of femur	L	52.00	528.8		Log(Body mass, g) = 2.90780*Log(FeL, mm) - 2.17447	0.94	na	All mammals, Present Study		
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	63	Ingleside	San Patricio	Pleistocene	Present study	FeMAPD, FeL	1 anteroposterior diameter of femur; width across c	R	15.90	17.60	842.9		Log(Body mass, g) = 2.87355*Log(FeMAPC, mm) + 0.52683	0.98	na	All mammals, Present Study	
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	420	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	FeMAPD, FeL	1 anteroposterior diameter of femur; width across c	L	16.20	18.00	899.1		Log(Body mass, g) = 2.87355*Log(FeMAPC, mm) + 0.52682	0.98	na	All mammals, Present Study	
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	504	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	SKL	length of skull	--	50.20								
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	521	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	SKL	length of skull	--	50.00								
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	30667	1813	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	SKL	length of skull	--	49.40								
Pilosa	Mylodontidae	<i>Paramylobodon</i>	<i>harlani</i>	43067	24	Avenue site	Travis	Pleistocene	Lundelius 1992	UM2 or LM1	molar		2.67	1.79							
Pilosa	Nothrotheriidae	<i>Nothrotherops</i>	<i>sp.</i>	43059	302	Wight Materials North		Pleistocene	Present study	FeB	distal end; breadth of epicondyles of femur	R	20.50	9.22	471.2		Log(Body mass, kg) = 2.782*Log(FeB, cm) - 0.107	0.94	22.0	ungulates, Table 16.7; Damuth and MacFadden 1990	
Pilosa	Nothrotheriidae	<i>Nothrotherops</i>	<i>sp.</i>	43059	314	Wight Materials North		Pleistocene	Present study	HuHD	proximal end; diameter of humerus head	R	10.36	8.17							
Pilosa	Nothrotheriidae	<i>Nothrotherops</i>	<i>sp.</i>	43059	511	Wight Materials North (Blunzer)		Pleistocene	Present study	TiB	distal end; breadth of tibia	R	11.09	5.33							
Pilosa	Nothrotheriidae	<i>Nothrotherops</i>	<i>sp.</i>	43059	513	Wight Materials North (Blunzer)		Pleistocene	Present study	TiB	distal end; breadth of tibia	L	11.35	4.86							
Pilosa	Nothrotheriidae	<i>Nothrotherops</i>	<i>sp.</i>	31137	5	Old Glory	Stonewall	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	R	16.40	16.40	2,934.6		Log(Body mass, kg) = 2.6454*Log(HuEB, cm) + 0.2538	0.96	19.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Proboscidea	Elephantidae	<i>indet.</i>	<i>sp.</i>	30667	545	Ingleside	San Patricio	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	14.2	20.6	18.90	4,271.2		Log(Body mass, kg) = 2.6454*Log(HuEB, cm) + 0.2538	0.96	19.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990	
Proboscidea	Elephantidae	<i>indet.</i>	<i>sp.</i>	31030	22	Valley Farms	Navaro	Pleistocene	Present study	HuEB	distal end; breadth of epicondyles of humerus	R	12	20.5	20.1	5,295.6		Log(Body mass, kg) = 2.6454*Log(HuEB, cm) + 0.2538	0.96	19.0	Artiodactyla, Table 16.7; Damuth and MacFadden 1990
Proboscidea	Elephantidae	<i>indet.</i>	<i>sp.</i>	801	18	Reagan Gravel Pit	Howard	Pleistocene	Present study	M	molar		20.4	10.7							
Proboscidea	Elephantidae	<i>Mammut americanum</i>	40481	1	Borrego Creek	Atascosa	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		45.5		7,907.6		Log(Body mass, kg) = 2.606*Log(HuMAPC, mm) + 1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammut americanum</i>	30667	668	Ingleside	San Patricio	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur		45.5		7,999.8		Log(Body mass, kg) = 2.607*Log(FeMAPC, mm) + 1.61	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammut americanum</i>	16	2138	San Felipe	Austin	Pleistocene	Present study	BM	third molar? biggest molar		16.21	8.45								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	137	2149	Trinity River	Dallas	Pleistocene	Present study	BM	third molar? biggest molar		17.1	9								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	3	2150	Pinsbridge	Brazos	Pleistocene	Present study	BM	third molar? biggest molar		15.2	9.71								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	137	2154	Trinity River	Dallas	Pleistocene	Present study	BM	third molar? biggest molar		20.6	10.5								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	14	2178	Valley Junction Gravel Pit	Robertson	Pleistocene	Present study	BM	third molar? biggest molar		16.48	9.46								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	830?	2166-x	Brazos river	Brazos	Pleistocene	Present study	BM	big proboscidean molar		16.55	8.78								
Proboscidea	Elephantidae	<i>Mammut americanum</i>	14	2178-x																	

Proboscidea	Elephantidae	<i>Mammuth americanum</i>	200	2193	Brazos river	Waller	Pleistocene	Present study	SM	small proboscidean molar	11.82	8.57								
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	137	2231	Trinity River	Dallas	Pleistocene	Present study	SM	small proboscidean molar	11.64	8.67								
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	2271	2239B	Cameron (Curry Gravel Pit)	Milam	Pleistocene	Present study	SM	small proboscidean molar	13.1	9.9								
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	43067	103	Avenue site	Travis	Pleistocene	Present study	UM2 or UM3	molar	L	19.6	9.5							
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	39068	119	Ingleside	San Patricio	Pleistocene	Present study	UM5	third upper molar	17.4	9.1								
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	39068	773	Ingleside	San Patricio	Pleistocene	Present study	UM3	third upper molar	16.3	9.1								
Proboscidea	Elephantidae	<i>Mammuth americanum</i>	39068	985	Ingleside	San Patricio	Pleistocene	Present study	UM3	third upper molar	16.7	9.7								
<b>Proboscidea</b>	<b>Elephantidae</b>	<b><i>Mammuthus</i></b>	<b>sp.</b>	<b>51037</b>	<b>1</b>	<b>Roztom</b>	<b>Lamar</b>	<b>Pleistocene</b>	<b>Present study</b>	<b>HuMAPC</b>	<b>midshaft anteroposterior circumference of humer</b>	<b>R</b>	<b>34.3</b>	<b>4.1947</b>	<b>Log(Body mass, kg) = 2.06*Log(HuMAPC, mm)+ -1.60</b>	<b>0.99</b>	<b>na</b>	<b>Table 1, Jukar et al. 2018</b>		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	n/a	n/a	n/a	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		37	4.6343	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm)+ -1.60	0.99	na	Table 1, Jukar et al. 2018			
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39061	5	Wallace Farm	Live Oak	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		36.5	5.0409	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm)+ -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	33	Ingleside	San Patricio	Pleistocene	Present study	HuEB	distal end, breadth of epicondyles of humerus	13	38.5	5.0930	Log(Body mass, kg) = 2.645*Log(HuEB, cm) + 0.2538	0.96	19.0	Artiodactyla; Table 16.7; Damuth and McFadden 1990		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	n/a	4003	n/a	n/a	Pleistocene	Present study	HuEB	distal end, breadth of epicondyles of humerus	18.73	20.3	5.1660	Log(Body mass, kg) = 2.645*Log(HuEB, cm) + 0.2538	0.96	19.0	Artiodactyla; Table 16.7; Damuth and McFadden 1990		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31034	78	O'Brian Ranch	Bee	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus	0	41	6.0581	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm)+ -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31055	4	Carille Well 2	Stonewall	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	R	15	6.4470	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1468	Ingleside	San Patricio	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus	R	19.5	43.7	20.6	16.3	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39065	2	Reagan Gravel Pit	Live Oak	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	L	43.7	17.1746	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	41863	1	Kocarek Gravel Pit	Williamson	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus	L	44.6	7.2049	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1486	Ingleside	San Patricio	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur		44.6	7.4838	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39061	24	Wallace Farm	Live Oak	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus	R	45.6	7.5417	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1799	Ingleside	San Patricio	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		47	8.0264	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	937	5	Blackwater Draw	sear Portal, TN	Pleistocene	Lundelius 1972b	HuL	overall length of humerus		114	8.1273	Log(Body mass) = 2.625*Log(HuL) - 4.145	0.9801	6.74	Christensen 2004		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31034	79	O'Brian Ranch	Bee	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	R	14.34	39	8.2034	Log(Body mass, g) = 2.8735*Log(FeMAPC, mm) + 0.52682	0.98	na	All mammals, Present Study	
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1204	Ingleside	San Patricio	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur		48	28.5	27	8.7130	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	937	2	Blackwater Draw	sear Portal, TN	Pleistocene	Lundelius 1972b	FeL	length of femur	L	137	9.0174	Log(Body mass) = 3.036*Log(FeL) - 5.568	0.97025	6.15	Christensen 2004		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31218	unknown	Farrish Ranch	Bee3	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		51	9.4972	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31041	186	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		51.5	9.6960	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31107	36	Old Glory	Stonewall	Pleistocene	Present study	HuMAPC	midshaft anteroposterior circumference of humerus		51.8	9.8066	Log(Body mass, kg) = 2.06*Log(HuMAPC, mm) + -1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31022	8	Coahoma	Howard	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	R	51	20.3	9.8780	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018	
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31022	7	Coahoma	Howard	Pleistocene	Present study	FeMAPC	midshaft anteroposterior circumference of femur	L	52	10.2852	Log(Body mass, kg) = 2.07*Log(FeMAPC, mm) + -1.61	0.95	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39027	45	Barton's Creek	Gillette	Pleistocene	Present study	HuMAPD	midshaft anteroposterior diameter of humerus	L	17.2	10.6942	Log(Body mass, kg) = 2.06*Log(HuMAPD) - 1.60	0.99	na	Table 1, Jukar et al. 2018		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	937	3	Blackwater Draw	sear Portal, TN	Pleistocene	Lundelius 1972b	LM	lower molar	L	25.4	10.2						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	n/a	n/a	n/a	n/a	Pleistocene	Present study	LM	lower molar	R	25.9	10.2						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	n/a	n/a	n/a	n/a	Pleistocene	Present study	LM	lower molar	L	24.5	10						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	n/a	n/a	n/a	n/a	Pleistocene	Present study	LM	lower molar	R	22	9.7						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	43067	37	Avenue site	Travis	Pleistocene	Lundelius 1992	LM2 or LM3	first or second lower molar	R	22	9.3				is this a different number for the same element I measured below?		
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	40529	13	E & A Gravel Pit	Bayor	Pleistocene	Present study	LM3	third molar	L	23.2	9						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	43067	106	Avenue site	Travis	Pleistocene	Present study	LM3	third molar	L	22	9						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	870	2315	Brazos river	Brazos	Pleistocene	Present study	M	molar	L	10.17	4						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31107	12	Old Glory	Stonewall	Pleistocene	Present study	M3	third molar	L	19.2	9.7						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	40545	17	Nueces river	Nuences	Pleistocene	Present study	UM	upper molar		23	10.7						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	40545	20	Nueces river	Nuences	Pleistocene	Present study	UM3	third upper molar	R	22.5	10.8						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39024	37	Buckner Ranch 3	Bee	Pleistocene	Present study	UM3	third upper molar		16.8	8.9						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	47256	1	Miller Ranch	Duval	Pleistocene	Present study	LM	lower molar	L	22.3	8.8						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31108	94	Old Glory	Stonewall	Pleistocene	Present study	LM1	first molar	L	26.5	9.4						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	500	Ingleside	San Patricio	Pleistocene	Present study	LM1 or LM2	lower first or second molar	L	13.2	7.2						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1287	Ingleside	San Patricio	Pleistocene	Present study	LM2	second lower molar	L	22.2	9.3						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31108	83	Old Glory	Stonewall	Pleistocene	Present study	LM2 or LM3	molar	R	24.2	9.5						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31041	94	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM2 or LM3	lower molar	R	23.3	9.98						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31041	170	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	LM2 or LM3	lower molar	R	23.2	9.96						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	43108	1	n/a	n/a	Pleistocene	Present study	LM3	third molar	L	23.6	9.07						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	227	Ingleside	San Patricio	Pleistocene	Present study	LM3	third lower molar	R	23.5	9.5						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1172	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	LM3	third lower molar	R	27.2	9.1						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1201	Ingleside	San Patricio	Pleistocene	Present study	LM3	third lower molar	L	22.4	9.2						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1652	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	LM3	third lower molar	L	27.5	9.4						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	1729	Ingleside	San Patricio	Pleistocene	Lundelius 1972b	LM3	third lower molar	L	23.3	9.5						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	181	Ingleside	San Patricio	Pleistocene	Present study	LP4 or LM1	lower molar	R	19.7	7.7						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	1140	1	Hondo	Medina	Pleistocene	Present study	M	molar		23.7	11						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	1140	3	Hondo	Medina	Pleistocene	Present study	M	molar		21.5	11.5						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31135	41	Old Glory	Stonewall	Pleistocene	Present study	M	molar		19.05	9.14						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31135	47	Old Glory	Stonewall	Pleistocene	Present study	M	molar		16.76	8.46						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31041	69	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	M	molar		17.8	10.6						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31041	119	Salt Fork Brazos River	Stonewall	Pleistocene	Present study	M	molar		22.3	8.87						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	723	Ingleside	San Patricio	Pleistocene	Present study	M	molar		13.5	7.1						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39067	11XX	Ingleside	San Patricio	Pleistocene	Present study	M	molar		22.8	8.9						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	31107	29	Old Glory	Stonewall	Pleistocene	Present study	M1	first molar	R	19	9.4						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	39097	1214	Ingleside	San Patricio	Pleistocene	Present study	M3	third molar		21	10.1						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	801	1	Reagan Gravel Pit	Howard	Pleistocene	Present study	UM	upper molar		23.2	10.7						
Proboscidea	Elephantidae	<i>Mammuthus</i>	sp.	43068	1	Columbus South	Colorado	Pleistocene	Present study	UM	upper molar		17.4	9.2						

**Table S3. Measurements of modern mammals**

Order	Family	Genus	Species	MMNH Accession	Sex	HBL (head-body length, mm)	Estimated or actual BM (body mass, g)	BM (body mass, g)	SKL (skull length, mm)	lm1 length (mm)	lm2 length (mm)	lm3 length (mm)	lp4 length (mm)	UM1 length (mm)	UM2 length (mm)	AsL (Astragalus length, mm)	AsTL (Trochlea length, mm)	CaL (calcaneum length, mm)	HuEB (breadth of epicondyles, mm)	HuAPD (midshaft anteroposterior diameter, mm)	TiL (Tibia length, mm)	FeAPD (midshaft anteroposterior diameter, mm)	FeB (breadth of epicondyles, mm)	FeHD (head diameter, mm)	FeL (femur length, mm)	UIOL (ulna olecranon process length, mm)
Carnivora	Canidae	<i>Vulpes</i>	<i>zerda</i>	16339	u	590	709	709	79.3	8.7	5.3	3.0	6.1	4.5	3.3	10.2	5.2	17.8	10.9	5.2	87.4	4.6	11.5	6.4	73.5	8.0
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	7990	f	780	1,843	1843	99.4	11.6	6.5	3.8	7.8	7.5	6.6	14.2	7.9	21.7	16.2	6.7	98.3	6.3	17.4	8.9	94.1	10.3
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	1392	m	1080	3,062	3062	135.2	16.0	7.2	2.0	10.9	7.4	4.9	19.8	10.2	31.9	21.7	8.2	151.3	7.7	23.1	12.2	139.0	14.3
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	1368	f	940	3,856	3856		13.5	7.4	3.8	7.9	7.4	5.7	18.1	9.7	29.9	19.7	8.5	132.0	8.0	21.2	11.3	125.4	13.1
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	11694	f	908	4,082	4082	113.5	12.1	7.2	2.9	7.4	6.6	4.9											
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	4236	m	1008	4,337	4337	131.4	14.9	7.2	2.9	10.2	6.3	4.5	18.6	10.3	29.7	20.4	8.3	146.5	7.9	20.6	12.2	137.3	13.9
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	1393	f	1073	4,423	4422.5	126.7	13.6	7.4	2.5	9.4	6.0	4.6	17.5	9.2	31.1	20.2	8.3	142.5	7.2	18.6	11.6	135.7	14.7
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	3974	m	1013	4,508	4508	118.3	13.1	7.8	3.7	7.6	7.2	5.7	18.1	9.1	29.1	20.8	8.4	128.6	8.6	21.9	11.5	125.1	14.1
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	4922	m	949	4,621	4621	116.5	12.0	6.8	3.2	6.8	6.3	4.8											
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	5645	f	1065	5,103	5103	130.0	14.8	6.9	3.1	9.5	7.1	4.7	18.2	9.9	31.3	18.7	8.3	151.1	8.0	21.0	12.4	137.6	15.9
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	1359	m	1245	5,528	5528	134.0	17.1	8.0	3.7	10.4	7.0	5.0	26.5	10.5	31.0	21.8	8.7	158.1	8.6	25.8	14.2	141.9	15.5
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	3975	m	1086	5,528	5528	139.4	14.4	7.5	4.2	10.8	6.9	5.6	19.3	10.5	33.3	21.5	8.6	154.0	8.2	20.8	12.1	140.6	14.3
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	5675	m	1080	5,727	5727	137.8	17.5	7.1	4.0	10.7	7.5	4.9	17.5	10.4	30.5	20.0	8.6	153.2	7.9	21.1	11.9	137.9	15.8
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides</i>	7994	m	800	5,897	5897	119.2	12.2	5.9	2.8	6.8	6.0	4.2	20.1	10.9	28.4	23.6	11.6	109.0	9.4	25.2	13.9	113.0	13.5
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	1390	m	1105	5,982	5982	141.3	16.4	7.5	3.4	10.8	7.5	5.0	19.1	10.5	32.7	22.7	8.8	160.0	8.3	22.2	13.4	144.8	16.0
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes</i>	5690	m	1165	6,123	6123	143.0	15.3	8.1	2.9	9.4	7.9	5.3	19.5	10.3	33.5	22.7	9.4	160.6	8.3	22.7	12.4	149.6	16.2
Carnivora	Canidae	<i>Canis</i>	<i>mesomelas</i>	16463	m	1000	6,600	6600	141.7	18.9	7.9	4.3	9.8	9.1	5.7				25.2	10.9	153.7	10.0	23.6	13.2	142.4	15.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	2473	f	1181	10,971	10971	170.1	22.1	10.6	4.5	12.1	12.5	6.8											
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	7832	f	1177	11,141	11141	175.1	20.7	9.8	4.8	12.3	12.9	7.1											
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	13248	m	1156	11,340	11340	168.2	22.6	9.6	3.9	11.1	12.5	7.2											
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	13244	m	1188	11,793	11793	178.7	23.5	10.0	5.7	12.9	11.4	7.6											
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	2466	m		12,247	12247	172.9	21.8	9.1	4.4	12.9	12.7	7.4											
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	4990	m		13,154	13154	169.8	22.6	10.4	6.0	11.9	12.8	7.1	23.9	13.7	38.9	28.9	12.1	181.7	10.8	28.9	15.1	172.0	19.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	5646	m	1215	13,154	13154	179.5	21.4	10.0	4.4	11.5	12.8	7.1	25.3	14.0	40.1	31.0	12.9	187.9	11.8	28.8	16.9	179.5	20.5
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	5647	m	1330	13,154	13154	181.3	21.3	11.1	5.0	12.5	12.7	7.9	25.5	13.4	44.2	29.9	13.2	203.8	11.6	28.3	18.3	190.5	19.3
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	1852	m	1237	17,237	17237	184.8	22.4	9.9	3.9	13.2	12.5	6.9	25.4	13.2	42.8	32.4	14.8	194.2	13.3	31.5	17.9	183.0	18.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	15702	f	1230	17,917	17917	176.5	21.4	10.7	5.8	11.7	13.0	8.4											
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1350	m	1511	22,680	22680	239.8	28.1	12.4	5.7	14.6	15.4	7.6	37.7	20.2	61.4	42.2	17.9	248.4	16.7	42.2	23.1	234.4	31.5
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	10639	m		23,133	23133	226.2	27.1	11.4	6.1	12.9	15.1	7.9											
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	13252	f	1676	24,040	24040	214.3	25.8	12.0	5.6	13.5	15.3	7.9				42.1	20.0	251.0	17.0	42.2	25.1	238.5	30.2
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	2835	f	1581	26,393	26393	206.7	24.1	10.2	6.5	13.1	13.6	7.1											
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	13266	f	1560	32,000	32000	197.3	25.3	10.9	4.8	12.6	12.9	8.3	32.4	18.7	58.1	40.1	17.6	221.9	15.8	39.6	24.0	210.9	27.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	13263	f	1626	32,205	32205	222.0	25.4	12.3	6.0	15.1	13.3	9.0											
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	13262	m	1575	33,112	33112	215.4	30.7	12.5	7.9	14.5	14.3	7.6											
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1362	m	1537	33,566	33566	215.8	26.0	12.5	5.3	14.9	15.3	8.8	37.4	21.2	59.9	45.7	18.3	258.0	16.5	42.3	25.5	249.7	32.3
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1221	m	1676	34,473	34473	227.1	29.8	11.9	6.3	15.9	16.0	8.9	34.0	20.6	61.3	44.3	17.3	247.8	17.0	42.4	26.2	256.9	31.7
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1361	m	1575	34,927	34927	218.1	27.4	10.8	6.9	15.5	15.3	6.5	37.5	21.3	61.3	44.2	19.1	275.5	16.3	43.2	24.4	232.8	28.0
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	13265	m	1746	36,287	36287	235.6	30.4	12.2	5.8	16.1	16.7	8.6				46.9	18.7	262.2	20.4	46.0	28.4	257.1	30.3
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1349	m	1549	38,555	38555	225.0	28.6	12.0	6.9	15.6	16.4	8.7	34.0	19.2	61.9	42.4	18.7	274.5	***	41.1	28.9	239.6	31.0
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	1872	m		44,452	44452	237.1	28.7	11.7	6.0	14.4	14.3	8.5	39.6	22.2	66.8	47.9	20.7	279.5	20.6	47.6	27.5	261.2	31.1
Carnivora	Canidae	<i>Vulpes</i>	<i>zerda</i>	16468	u		849		77.7	8.7	5.2	3.1	5.3	4.2	3.4	9.6	5.1	16.4	11.2	4.5	84.6	4.3	11.2	5.8	70.6	7.4
Carnivora	Canidae	<i>Vulpes</i>	<i>velox</i>	16505	u		1,717		95.5	9.5	5.7	4.2	6.7	5.4	4.0											
Carnivora	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>	14181	m	820	2,242		103.3	12.1	5.9	3.7	7.1	6.1	4.2											
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides</i>	16467	f	940	2,814		110.4	12.0	5.4		6.2	6.9	3.9				26.5	8.7	103.3	8.1	21.9	13.0	104.1	11.8



Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	17544	f		140,504	260.0	24.4		23.9	4.0											
Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	18573	m		207,750	294.4				5.2											
Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	17537	m		223,086	301.2	28.0		26.2	4.5											
Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	7494	m		311,667	335.0	28.9		27.5	4.9	52.9	36.0	109.9	83.2	36.8	321.0	29.8	74.3	38.9	372.0	63.7
Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	17532	f						24.3	3.8											
Carnivora	Felidae	<i>Panthera</i>	<i>leo</i>	17536	f						24.6												
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>aquaticus</i>	5926	m	321	442	442		1.9													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	11936	m	356	705	705		2.7													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	6863	m	353	781	781		2.2													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	4243	m	410	959	959		2.9													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	19177	m	390	1,045	1045		2.4													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	1020	u		1,077	1077		2.7													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	4380	m	409	1,087	1087		2.5													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	8955	m	430	1,162	1162		2.3													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	3815	m	432	1,270	1270		2.6													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	3670	m	445	1,276	1276		2.6													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	12760	f	420	1,288	1288		2.9													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	12765	m	435	1,294	1294		2.5													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	4759	m	442	1,389	1389		2.6													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>	4877	f	478	1,417	1417		2.4													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	12762	f	445	1,443	1443		2.7													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	4964	f	443	1,497	1497		2.9													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	3887	f	420	1,843	1843		2.8													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	11939	f	391	1,899	1899		2.7													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	5731	m	428	1,928	1928		2.9													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	5089	f	435	2,070	2070		2.9													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>americanus</i>	1022	m		2,098	2098		2.7													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>arcticus</i>	4791	f	468	2,268	2268		3.3													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	5101	m	604	2,410	2410		3.4													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>californicus</i>	4519	f	598	2,595	2595		3.2													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	5100	m	612	2,665	2665		3.3													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	11940	m	590	3,099	3099		3.5													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	1346	u	597	3,402	3402		3.1													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	3734	m	630	3,430	3430		3.6													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>townsendii</i>	1164	u	635	3,515	3515		3.4													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4676	m	300				1.9													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4486	m	321				2.0													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4485	m	361				2.2													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4511	f	373				2.5													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4509	m	376				2.4													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>californicus</i>	4552	u	472				2.5													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>californicus</i>	4488	m	531				3.8													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>californicus</i>	4489	m	556				3.3													
Lagomorpha	Leporidae	<i>Lepus</i>	<i>californicus</i>	4503	m	556				3.2													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	12975	m					1.8													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	10762	m					2.2													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	9801	m					2.1													
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>audubonii</i>	4366	m					2.2													
Carnivora	Mustelidae	<i>Mustela</i>	<i>ivalis</i>	3709	f	173	21	21	26.3	3.5	0.3	1.5	0.9										
Carnivora	Mustelidae	<i>Mustela</i>	<i>ivalis</i>	3162	u	170	27	27	29.1	3.7	0.8	1.8	1.4										
Carnivora	Mustelidae	<i>Mustela</i>	<i>ivalis</i>	8051	f	169	31	30.6	26.3	3.3	0.4	1.1	1.3										
Carnivora	Mustelidae	<i>Mustela</i>	<i>ivalis</i>	2655	u	181	40	39.8	28.8	3.3	0.6	1.6	1.1										
Carnivora	Mustelidae	<i>Mustela</i>	<i>erminea</i>	18690	f	215	50	49.83	32.7	4.0	0.6	2.3	1.2			4.1	1.5	24.7	1.5	4.0	2.1	22.7	2.3
Carnivora	Mustelidae	<i>Mustela</i>	<i>erminea</i>	12394	m	223	53	52.5	34.1	4.6	0.6	2.6	1.7			4.7	1.9	21.5	1.8	4.4	2.3	21.7	2.6









**Table S4. Allometric regressions developed on modern mammals**

\*\* All = Canidae, Felidae, Mustelidae, and Ursidae; excludes Procyonidae  
 Signif. codes: 0= '\*\*\*'; 0.001 = '\*\*'; 0.01 = '\*'; 0.05 = '.'; 0.1 or higher = '0.XXX'

Group	Y ~ X	Element (abbreviations follow Table S2)	Intercept	Std. Error	Slope	Slope std error	Multiple R-square	DF	P-value
Using Campione and Evans (35) data:									
Afrotheria	BM.log ~ FE_L.log	Femur (length)	-2.558	0.3528	3.0604	0.1497	0.9929	3	***
Xenarthra	BM.log ~ FE_L.log	Femur (length)	-0.1253	2.3411	1.8958	1.1206	0.4882	3	ns
Camponi and Evans	BM.log ~ FE_L.log	Femur (length)	-2.17447	0.10392	2.90786	0.05198	0.9439	186	***
Afrotheria	BM.log ~ FE_MAPC.log	Femur (midshaft AP circ)	-0.5636	0.1618	2.8472	0.0867	0.9972	3	***
Xenarthra	BM.log ~ FE_MAPC.log	Femur (midshaft AP circ)	0.5458	0.5967	2.0468	0.3703	0.9106	3	marginal
Camponi and Evans	BM.log ~ FE_MAPC.log	Femur (midshaft AP circ)	-0.52682	0.03983	2.87355	0.02651	0.9834	198	***
Afrotheria	BM.log ~ HU_L.log	Humerus (length)	-2.01734	0.05283	2.93193	0.02178	0.9999	2	***
Xenarthra	BM.log ~ HU_L.log	Humerus (length)	2.1221	2.1263	0.8392	1.0423	0.1777	3	ns
Camponi and Evans	BM.log ~ HU_L.log	Humerus (length)	-1.72502	0.08607	2.79712	0.04474	0.9548	185	***
Afrotheria	BM.log ~ HU_MAPC.log	Humerus (midshaft AP circ)	0.01625	0.11054	2.60904	0.06036	0.9984	3	***
Xenarthra	BM.log ~ HU_MAPC.log	Humerus (midshaft AP circ)	0.5995	0.5133	2.059	0.3257	0.9302	3	***
Camponi and Evans	BM.log ~ HU_MAPC.log	Humerus (midshaft AP circ)	-0.13193	0.03764	2.66975	0.0255	0.9823	198	***
Using Mendoza et al. (33) data:									
Ungulates	BM.log ~ FLPL.log	FLPL	1.57824	0.04058	2.24617	0.15943	0.5934	136	***
Ungulates	BM.log ~ PLML.log	PLML	1.34127	0.03729	2.86687	0.14053	0.7537	136	***
Ungulates	BM.log ~ SLML.log	SLML	1.14141	0.04229	2.83511	0.13171	0.7731	136	***
Ungulates	BM.log ~ TLML.log	TLML	0.85307	0.05461	2.7975	0.13327	0.7641	136	***
Ungulates	BM.log ~ SUML.log	SUML	1.12773	0.04652	2.73615	0.13942	0.739	136	***
Ungulates	BM.log ~ PAW.log	PAW	0.03775	0.09144	2.8887	0.13931	0.7597	136	***
Present Study with museum specimens (Table S3)									
All	BM_Est.log ~ lm1_L.log	Lower M1	-0.5516	0.1579	3.9287	0.1351	0.8103	198	***
All	BM_Act.log ~ lm1_L.log	Lower M1	0.05597	0.1327	3.19731	0.12117	0.8646	109	***
Canidae	BM_Est.log ~ lm1_L.log	Lower M1	0.3534	0.1438	2.8541	0.1116	0.9263	52	***
Canidae	BM_Act.log ~ lm1_L.log	Lower M1	0.4082	0.1971	2.8058	0.1519	0.8998	38	***
Felidae	BM_Est.log ~ lm1_L.log	Lower M1	0.4863	0.1504	3.2889	0.1287	0.9382	43	***
Felidae	BM_Act.log ~ lm1_L.log	Lower M1	0.5865	0.3113	3.1779	0.2972	0.8512	20	***
Mustelidae	BM_Est.log ~ lm1_L.log	Lower M1	-0.4611	0.1034	3.6275	0.11	0.9477	60	***
Mustelidae	BM_Act.log ~ lm1_L.log	Lower M1	-0.534	0.108	3.7376	0.1172	0.9558	47	***
Ursidae	BM_Est.log ~ lm1_L.log	Lower M1	2.6699	0.3555	1.9336	0.2704	0.5802	37	***
All	BM_Est.log ~ lm2_L.log	Lower M2	2.05507	0.04756	2.23218	0.0511	0.9258	153	***
Canidae	BM_Est.log ~ lm2_L.log	Lower M2	0.4301	0.1716	3.7472	0.1786	0.8944	52	***
Felidae	BM_Est.log ~ lm2_L.log	Lower M2	--	--	--	--	--	--	--
Mustelidae	BM_Est.log ~ lm2_L.log	Lower M2	2.19684	0.05656	1.92282	0.11237	0.8299	60	***
Ursidae	BM_Est.log ~ lm2_L.log	Lower M2	3.1043	0.5029	1.5878	0.3789	0.3218	37	***
All	BM_Est.log ~ lm3_L.log	Lower M3	2.58945	0.07729	2.20156	0.08364	0.8839	91	***
Canidae	BM_Est.log ~ lm3_L.log	Lower M3	2.3139	0.1863	2.6188	0.2806	0.6306	51	***
Felidae	BM_Est.log ~ lm3_L.log	Lower M3	--	--	--	--	--	--	--
Mustelidae	BM_Est.log ~ lm3_L.log	Lower M3	--	--	--	--	--	--	--
Ursidae	BM_Est.log ~ lm3_L.log	Lower M3	3.9347	0.3663	1.0682	0.3063	0.2474	37	**
All	BM_Est.log ~ lp4_L.log	Lower premolar 4	0.7534	0.1207	3.3988	0.1235	0.7928	198	***
Canidae	BM_Est.log ~ lp4_L.log	Lower premolar 4	0.5544	0.2031	3.3177	0.1939	0.8491	52	***
Felidae	BM_Est.log ~ lp4_L.log	Lower premolar 4	0.9356	0.1307	3.0129	0.1158	0.9402	43	***
Mustelidae	BM_Est.log ~ lp4_L.log	Lower premolar 4	0.89363	0.06821	3.01753	0.0976	0.9409	60	***
Ursidae	BM_Est.log ~ lp4_L.log	Lower premolar 4	3.5564	0.2015	1.5587	0.1895	0.6465	37	***
All	BM_Est.log ~ um1_L.log	Upper molar 1	2.4075	0.1132	1.9327	0.1271	0.5375	199	***
Canidae	BM_Est.log ~ um1_L.log	Upper molar 1	1.4669	0.1312	2.5447	0.1297	0.8809	52	***
Felidae	BM_Est.log ~ um1_L.log	Upper molar 1	2.6454	0.143	3.5845	0.2944	0.7751	43	***
Mustelidae	BM_Est.log ~ um1_L.log	Upper molar 1	1.70866	0.08016	2.02747	0.12024	0.8257	60	***
Ursidae	BM_Est.log ~ um1_L.log	Upper molar 1	3.0836	0.4277	1.6579	0.3324	0.3957	38	***
All	BM_Est.log ~ um2_L.log	Upper molar 2	2.38459	0.07316	1.99229	0.06595	0.9039	97	***
Canidae	BM_Est.log ~ um2_L.log	Upper molar 2	1.2869	0.1807	3.413	0.2243	0.8165	52	***
Felidae	BM_Est.log ~ um2_L.log	Upper molar 2	--	--	--	--	--	--	--
Mustelidae	BM_Est.log ~ um2_L.log	Upper molar 2	1.623	1.3	3.078	1.988	0.5452	2	0.2616
Ursidae	BM_Est.log ~ um2_L.log	Upper molar 2	3.7099	0.4383	1.0449	0.3042	0.2322	39	**

All	BM_Est.log ~ cal_L.log	Calcaneum	0.0242	0.1757	2.5173	0.1125	0.8668	77	***
Canidae	BM_Est.log ~ cal_L.log	Calcaneum	-0.5228	0.1657	2.8264	0.1046	0.9618	29	***
Felidae	BM_Est.log ~ cal_L.log	Calcaneum	-0.819	0.4099	2.9648	0.2453	0.8796	20	***
Mustelidae	BM_Est.log ~ cal_L.log	Calcaneum	0.8131	0.3552	1.9766	0.2692	0.7394	19	***
Ursidae	BM_Est.log ~ cal_L.log	Calcaneum	2.4665	1.3765	1.4389	0.7467	0.5531	3	0.1496
All	BM_Est.log ~ hue_B.log	Humerus (B)	0.0405	0.06632	2.68299	0.04707	0.9713	96	***
Canidae	BM_Est.log ~ hue_B.log	Humerus (B)	0.1083	0.168	2.6819	0.1169	0.9427	32	***
Felidae	BM_Est.log ~ hue_B.log	Humerus (B)	0.2138	0.1931	2.5861	0.128	0.9445	24	***
Mustelidae	BM_Est.log ~ hue_B.log	Humerus (B)	0.15426	0.07272	2.51467	0.06112	0.982	31	***
Ursidae	BM_Est.log ~ hue_B.log	Humerus (B)	2.2917	0.8769	1.4737	0.457	0.7761	3	.
All	BM_Est.log ~ huap_D.log	Humerus (APD)	1.23459	0.04663	2.55841	0.04547	0.9706	96	***
Canidae	BM_Est.log ~ huap_D.log	Humerus (APD)	1.2167	0.1172	2.5886	0.11	0.9454	32	***
Felidae	BM_Est.log ~ huap_D.log	Humerus (APD)	1.2134	0.1489	2.5908	0.1324	0.941	24	***
Mustelidae	BM_Est.log ~ huap_D.log	Humerus (APD)	1.29252	0.07088	2.44101	0.09094	0.9588	31	***
Ursidae	BM_Est.log ~ huap_D.log	Humerus (APD)	3.3308	0.5888	1.1796	0.3879	0.755	3	.
All	BM_Est.log ~ ti_L.log	Tibia	-1.939	0.2246	2.7168	0.1063	0.8743	94	***
Canidae	BM_Est.log ~ ti_L.log	Tibia	-2.984	0.3322	3.1041	0.1487	0.9316	32	***
Felidae	BM_Est.log ~ ti_L.log	Tibia	-3.4902	0.729	3.4105	0.3279	0.8185	24	***
Mustelidae	BM_Est.log ~ ti_L.log	Tibia	-2.455	0.3885	3.0755	0.215	0.8759	29	***
Ursidae	BM_Est.log ~ ti_L.log	Tibia	-0.947	0.7907	2.5158	0.328	0.9515	3	**
All	BM_Est.log ~ fe_L.log	Femur	-1.83383	0.14476	2.6683	0.06866	0.9402	96	***
Canidae	BM_Est.log ~ fe_L.log	Femur	-2.8091	0.2474	3.0663	0.1122	0.9589	32	***
Felidae	BM_Est.log ~ fe_L.log	Femur	-2.9282	0.5666	3.14	0.2533	0.8649	24	***
Mustelidae	BM_Est.log ~ fe_L.log	Femur	-2.1542	0.2216	2.9052	0.1224	0.9479	31	***
Ursidae	BM_Est.log ~ fe_L.log	Femur	-0.1844	0.6697	2.0973	0.2649	0.9543	3	**
All	BM_Est.log ~ fe_B.log	Femur (B)	0.03756	0.0555	2.75463	0.04045	0.9799	95	***
Canidae	BM_Est.log ~ fe_B.log	Femur (B)	-0.1083	0.1692	2.8353	0.1178	0.9476	32	***
Felidae	BM_Est.log ~ fe_B.log	Femur (B)	-0.005865	0.213572	2.786696	0.144617	0.9417	23	***
Mustelidae	BM_Est.log ~ fe_B.log	Femur (B)	0.04694	0.06182	2.76422	0.05518	0.9878	31	***
Ursidae	BM_Est.log ~ fe_B.log	Femur (B)	2.1902	1.3889	1.6064	0.7619	0.5971	3	0.1255
All	BM_Est.log ~ feh_D.log	Femur (HD)	0.81656	0.04723	2.68196	0.04186	0.9771	96	***
Canidae	BM_Est.log ~ feh_D.log	Femur (HD)	0.85363	0.11903	2.60167	0.09934	0.9554	32	***
Felidae	BM_Est.log ~ feh_D.log	Femur (HD)	0.6957	0.1687	2.8278	0.1393	0.945	24	***
Mustelidae	BM_Est.log ~ feh_D.log	Femur (HD)	0.80942	0.06015	2.7073	0.06899	0.9803	31	***
Ursidae	BM_Est.log ~ feh_D.log	Femur (HD)	2.3317	1.0348	1.7473	0.6486	0.7075	3	.
All	BM_Est.log ~ feap_D.log	Femur (APD)	1.2236	0.05086	2.73321	0.05295	0.9656	95	***
Canidae	BM_Est.log ~ feap_D.log	Femur (APD)	1.2805	0.1033	2.6122	0.1008	0.9559	31	***
Felidae	BM_Est.log ~ feap_D.log	Femur (APD)	0.9347	0.1552	2.9627	0.1442	0.9462	24	***
Mustelidae	BM_Est.log ~ feap_D.log	Femur (APD)	1.18563	0.06399	2.88686	0.0922	0.9693	31	***
Ursidae	BM_Est.log ~ feap_D.log	Femur (APD)	2.6556	1.0721	1.8514	0.8056	0.6377	3	0.1052

Table S5. Raw isotope data for fossil specimens

Order	Family	Genus	Species	Site ID	Unique ID	Diet	Digestion	Site Name	Age Category	Source	Tissue	Element	$\delta^{13}\text{C}$ raw	$\delta^{13}\text{C}$ corrected	$\delta^{15}\text{N}$	$\delta^{18}\text{O}$ vsmow	$\delta^{18}\text{O}$ vpd	C:N ratio
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	121	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-19.5	-19.5	6.1			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	180	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	cervical vert	-19.8	-19.8	5.8			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	335	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	cervical vert	-19.9	-19.9	6.0			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	547	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-5.5	-14.3	NA		-2.3	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	833	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	innominate	-19.7	-19.7	6.2			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	835	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	radius	-19.9	-19.9	5.5			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	1413	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal	-19.9	-19.9	5.8			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	1569	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	molar or pre	-10.8	-19.6	NA	33.4	2.5	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	1751	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-11.4	-20.2	NA	30.9	0.0	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	1755	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	molar 3	-10.6	-19.4	NA		1.4	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	2017	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	axis vertebr	-18.9	-18.9	6.5			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	2182	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	phalanx 1	-19.1	-19.1	6.9			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	2209	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	molar 3	-12.5	-21.3	NA		0.5	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	2249	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	thoracic vert	-19.8	-19.8	6.1			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	2464	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-10.1	-18.9	NA	31.4	0.6	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3432	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	radius	-19.3	-19.3	6.5			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3439	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-19.4	-19.4	6.0			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3689	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx	-13.4	-13.4	6.1			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3745	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-19.9	-19.9	7.0			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	3829	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-19.0	-19.0	7.4			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4199	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-18.5	-18.5	8.7			2.9
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4201	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-18.7	-18.7	6.4			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	4202	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	molar 1	-10.5	-19.3	NA	31.6	0.8	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	40541	110	Herbivore	Ruminant	Starveut Cave	Holocene	Present Study	collagen	n/a	-18.9	-18.9	5.8			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	40541	1232	Herbivore	Ruminant	Starveut Cave	Holocene	Present Study	collagen	n/a	-19.1	-19.1	5.0			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	40541	1233	Herbivore	Ruminant	Starveut Cave	Holocene	Present Study	collagen	n/a	-19.5	-19.5	7.9			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	41172	267	Herbivore	Ruminant	Four Mile Ranch	Holocene	Present Study	enamel	tooth	-9.1	-17.9	NA	24.7	-5.9	nd
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	41229	10865	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	n/a	-18.6	-18.6	8.6			2.8
Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	908	938	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	bdl	bd	nd			5.1
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>sp.</i>	31141	63	Herbivore	Ruminant	Aranas River	Pleistocene	Present Study	enamel	molar	-11.8	-20.7	NA	29.6	-1.3	nd
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>sp.</i>	998	137	Herbivore	Ruminant	Scharbauer Ranch	Pleistocene	Present Study	collagen	metatarsal	-27.4	nd	bdl			nd
Artiodactyla	Antilocapridae	<i>Capromeryx</i>	<i>sp.</i>	998	115	Herbivore	Ruminant	Scharbauer Ranch	Pleistocene	Present Study	collagen	tibia	bdl	nd	bdl			nd
Artiodactyla	Antilocapridae	<i>Tetrameryx</i>	<i>sp.</i>	40541	112	Herbivore	Ruminant	Starveut Cave	Pleistocene	Present Study	collagen	n/a	-18.1	-18.1	5.2			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	892	2E	Herbivore	Ruminant	Lubbock Lake	Pleistocene	Present Study	enamel	molar	-1.2	-10.0	NA		-5.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	39	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar 4	0.5	-8.3	NA	31.4	0.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	110	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar 4	1.8	-7.0	NA	31.8	0.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	473	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-0.7	-9.5	NA	29.4	-1.4	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	481	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	1.1	-7.7	NA	30.0	-0.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	638	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-2.0	-10.8	NA	30.1	-0.7	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	662	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-0.8	-9.6	NA	31.8	0.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	939	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar 4	0.9	-7.9	NA	32.9	2.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	1128	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 2	-2.2	-11.0	NA	27.4	-3.4	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	41229	1362	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metacarpal	-9.3	-9.3	10.4			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	41229	10803	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	sesamoid	-12.3	-12.3	7.0			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	937	492	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Present Study	collagen	skull	-28.2	nd	bdl			nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus</i>	30967	1230	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	skull	bdl	nd	bdl			nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	892	218	Herbivore	Ruminant	Lubbock Lake	Holocene	Present Study	collagen	skull	-8.1	-8.1	7.7			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	892	6CK-1	Herbivore	Ruminant	Lubbock Lake	Holocene	Present Study	collagen	skull	-8.9	-8.9	7.6			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	892	6CK-2	Herbivore	Ruminant	Lubbock Lake	Holocene	Present Study	collagen	skull	-8.3	-8.3	7.9			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	892	6K or 6A	Herbivore	Ruminant	Lubbock Lake	Holocene	Present Study	collagen	skull	-9.0	-9.0	6.3			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	248	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-11.3	-11.3	6.1			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	250	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	astragalus	-11.8	-11.8	6.9			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	259	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	lumbar verte	-10.0	-10.0	5.5			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	343	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	rib	-10.8	-10.8	5.4			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	565	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-9.6	-9.6	6.6			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	571	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	sesamoid	-13.0	-13.0	6.3			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	816	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	una	-9.3	-9.3	5.1			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	829	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	femur	-10.9	-10.9	5.7			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	831	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-10.8	-10.8	5.3			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	832	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	lumbar verte	-9.7	-9.7	5.7			3.1
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	834	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	ilium	-9.6	-9.6	5.3			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	1089	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	radius	-9.2	-9.2	5.6			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	1937	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	petrosal	-10.0	-10.0	5.3			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2003	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-11.3	-11.3	6.4			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2139	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	radius	-11.9	-11.9	6.5			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2140	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-11.5	-11.5	6.4			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2142	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx	-12.3	-12.3	6.0			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2230	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-1.6	-10.4	NA	30.2	-0.6	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2301	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-4.4	-13.2	NA	30.4	-0.4	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2386	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-3.2	-12.0	NA	28.5	-2.2	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	2396	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	incisor	0.3	-8.6	NA	29.3	-1.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	3364	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-10.0	-10.0	5.5			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	3438	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-9.9	-9.9	6.7			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	3474	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	thoracic vert	-11.2	-11.2	7.2			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	3841	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tibia	-8.5	-8.5	5.8			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	3850	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-11.9	-11.9	6.2			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	908	4352	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	tooth	-4.8	-13.6	NA		2.0	nd
Artiodactyla	Bovidae																	

Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	45817	1	Herbivore	Ruminant	77 Ranch	Holocene	Present Study	collagen	skull	-12.8	-12.8	6.0			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	9816	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	tooth	-1.3	-10.1	NA	26.4	-4.3	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	814A	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	tooth	0.8	-8.0	NA	24.8	-5.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	molar	-1.9	-10.7	NA	20.8	-9.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	molar	-0.8	-9.6	NA	28.1	-2.7	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	molar	0.3	-8.5	NA	26.8	-3.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	tooth	0.9	-7.9	NA	25.6	-5.1	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Holocene	Koch 2004	enamel	tooth	1.8	-7.0	NA	27.3	-3.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	MSU	7324	Herbivore	Ruminant	Schulze Cave	Holocene	Koch 2004	enamel	premolar	-1.9	-10.7	NA	25.9	-4.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	SMP	61893	Herbivore	Ruminant	Keller Springs	Holocene	Koch 2004	enamel	molar 3	0.2	-8.7	NA	26.7	-4.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>bison</i>	892	misc	Herbivore	Ruminant	Lubbock Lake	Holocene	Present Study	collagen	dentary	bdI	nd	bdI			nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>latifrons (cf)</i>	933	3390	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 3	0.3	-8.5	NA	29.0	-1.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>latifrons (cf)</i>	1273	1	Herbivore	Ruminant	na	Pleistocene	Present Study	collagen	skull	-27.0	nd	1.0			9.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	933	2198	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar	-2.1	-10.9	NA	31.0	0.1	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	933	3002	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 3	-1.1	-9.9	NA	29.4	-1.4	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	933	3285	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 2	-2.8	-11.6	NA	28.5	-2.3	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	933	3525	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 1 or 2	-2.0	-10.8	NA	29.1	-1.7	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	937	907	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	molar 2	1.4	-7.4	NA	28.1	-2.6	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	13	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	n/a	-9.2	-9.2	6.1			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	70	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	dentary	-8.2	-8.2	6.3			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	71	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	dentary	-10.1	-10.1	6.3			3.1
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	72	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	dentary	-9.7	-9.7	6.9			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	75	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	dentary	-8.3	-8.3	7.5			2.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30907	13	Herbivore	Ruminant	Leo.Boatright.Pit	Pleistocene	Koch 2004	enamel	molar 1 or 2	-1.9	-10.7	NA	28.7	-2.1	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30907	33	Herbivore	Ruminant	Leo.Boatright.Pit	Pleistocene	Koch 2004	enamel	molar 1 or 2	-0.5	-9.3	NA	29.5	-1.3	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	694	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-0.7	-9.5	NA	29.9	-0.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	930	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	0.4	-8.4	NA	31.9	1.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	1638	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-2.0	-10.8	NA	30.1	-0.7	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	1662	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar	-0.8	-9.7	NA	31.8	0.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	2473	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-0.7	-9.5	NA	29.4	-1.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	2481	Herbivore	Ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	1.2	-7.7	NA	30.0	-0.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	31030	2A	Herbivore	Ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	molar	0.0	-8.8	NA	30.3	-0.6	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	31030	2B	Herbivore	Ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	molar	-1.3	-10.2	NA	28.0	-2.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	31141	49	Herbivore	Ruminant	Aransas River	Pleistocene	Present Study	enamel	molar 1	-4.1	-12.9	NA	29.3	-1.6	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	31141	92	Herbivore	Ruminant	Aransas River	Pleistocene	Present Study	enamel	molar 3	-3.9	-12.7	NA	27.4		nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	280	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	tooth	-4.1	-13.0	NA	28.9	-1.9	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	437	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	petrosal	-10.8	-10.8	9.3			3.1
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	585	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Koch 2004	enamel	molar	-3.8	-12.6	NA	28.0	-2.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	1619	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	n/a	-14.9	-14.9	10.2			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	1619	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	premolar	-6.2	-15.0	NA	26.5		nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	1975	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	molar	-2.0	-10.8	NA	29.8	-1.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	1976	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	tooth	-5.7	-14.5	NA			0.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	2552	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	thoracic vert	-11.4	-11.4	9.6			3.3
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	2554	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	calcaneus	-9.9	-9.9	9.1			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	2560	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	lumbar verte	-14.1	-14.1	8.9			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	40450	2571	Herbivore	Ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	molar	-2.6	-11.4	NA			-5.9
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	7198	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-14.8	-14.8	11.6			3.0
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	10809	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	phalanx	-8.3	-8.3	9.7			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	11925	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	premolar 4 r	-11.2	-11.2	8.2			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	19786	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	phalanx	-12.0	-12.0	7.4			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	19787	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	phalanx	-12.3	-12.3	7.2			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	uncat	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	bone	-11.3	-11.3	7.2			2.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	BDM	9789	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	1.1	-7.7	NA	25.2	-5.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	-1.3	-10.1	NA	28.0	-2.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	0.4	-8.4	NA	26.2	-4.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	BDM	na	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	0.9	-7.9	NA	29.7	-1.1	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	MSU	2825	Herbivore	Ruminant	Howard Ranch	Pleistocene	Koch 2004	enamel	premolar	2.8	-6.0	NA	30.8	0.0	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	SMP	60178	Herbivore	Ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.1	-10.9	NA	27.9	-2.8	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	SMP	60608	Herbivore	Ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	molar	-3.4	-12.2	NA	26.2	-4.5	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	SMP	60849	Herbivore	Ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	premolar	-1.3	-10.1	NA	28.4	-2.4	nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	892	270	Herbivore	Ruminant	Lubbock Lake	Pleistocene	Present Study	collagen	skull	-28.0	nd	bdI			nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	937	589	Herbivore	Ruminant	Blackwater Draw	Pleistocene	Present Study	collagen	n/a	-27.8	nd	bdI			nd
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	892	484	Herbivore	Ruminant	Lubbock Lake	Pleistocene	Present Study	collagen	skull	-27.3	nd	bdI			24.1
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30967	94	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	scapula	-26.4	nd	4.4			7.8
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	1018	69	Herbivore	Ruminant	Sitter Ranch	Pleistocene	Present Study	collagen	dentary	-12.3	-12.3	6.5			3.4
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	30839	111	Herbivore	Ruminant	Morhiss Mound	Pleistocene	Present Study	collagen	skull	-11.8	-11.8	9.6			3.1
Artiodactyla	Bovidae	<i>Bison</i>	<i>sp.</i>	41229	12138	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-10.7	-10.7	10.6			2.8
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	933	1922	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Present Study	enamel	molar 3	-7.2	-16.0	NA			0.0
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	290	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar	-10.9	-19.7	NA	29.5	-1.3	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	915	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 2	-12.0	-20.8	NA	29.2	-1.6	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	TMM	2184b	Herbivore	Ruminant	Cameron	Pleistocene	Present Study	enamel	molar	-9.5	-18.3	NA	30.0	-0.8	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	908	2391	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	cuboid	-27.9	nd	bdI			nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	1599	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	skull	-27.3	nd	bdI			53.4
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	1595	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	n/a	-24.9	nd	bdI			5.4
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	908	2393	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	mesocuneifc	bdI	nd	bdI			nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	177	2184b	Herbivore	Ruminant	Cameron	Pleistocene	Present Study	enamel	molar	-1.8	-10.6	NA			-3.3
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	908	2373	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-9.3	-18.1	NA	31.3	0.4	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	908	2382	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-7.9	-16.7	NA	29.7	-1.1	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	908	2407	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-8.7	-17.5	NA			-1.7
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus&lt;/</i>															

Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	2237	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-9.8	-18.6	NA	-2.0	nd	
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	2238	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 1	-11.1	-19.9	NA	-3.1	nd	
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	30967	2239	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-9.5	-18.3	NA	28.8	nd	
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	31141	50	Herbivore	Ruminant	Aransas River	Pleistocene	Present Study	enamel	molar	-11.4	-20.2	NA	28.4	-2.4	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	31141	95	Herbivore	Ruminant	Aransas River	Pleistocene	Present Study	enamel	molar 1	-6.4	-15.2	NA		-3.7	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	40685	814	Herbivore	Ruminant	Zesch Cave	Pleistocene	Present Study	enamel	molar	-0.2	-9.0	NA	28.7	-2.1	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	40685	814a	Herbivore	Ruminant	Zesch Cave	Pleistocene	Present Study	enamel	tooth	0.2	-8.7	NA		-1.0	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	40685	814b	Herbivore	Ruminant	Zesch Cave	Pleistocene	Present Study	enamel	tooth	0.3	-9.1	NA		-2.5	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	42263	1	Herbivore	Ruminant	na	Pleistocene	Present Study	enamel	molar	0.3	-8.6	NA		0.7	nd
Artiodactyla	Camelidae	<i>Camelops</i>	<i>hesternus</i>	ET	5416	Herbivore	Ruminant	Lake Tawakoni	Pleistocene	Present Study	collagen	metapodial	bdl	nd	bdl			
Artiodactyla	Camelidae	<i>Hemiauchenia</i>	<i>sp.</i>	40685	676	Herbivore	Ruminant	Zesch Cave	Pleistocene	Present Study	collagen	dentary	-27.8	nd	bdl			43.4
Artiodactyla	Camelidae	<i>Hemiauchenia</i>	<i>sp.</i>	40685	832	Herbivore	Ruminant	Zesch Cave	Pleistocene	Present Study	collagen	maxilla	bdl	nd	bdl			nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	90	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-11.4	-20.2	NA	31.3	0.4	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	289	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-12.4	-21.2	NA	31.9	1.0	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	314	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.4	-19.2	NA	31.5	0.6	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	500	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 1 or 2	-10.6	-19.4	NA	29.2	-1.6	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	567	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-11.7	-20.5	NA	30.1	-0.7	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	584	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-12.2	-21.0	NA	32.6	1.7	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	585	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.6	-19.4	NA	31.7	0.8	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	676	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-12.1	-20.9	NA	31.6	0.7	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	916	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 1	-11.2	-20.0	NA		1.1	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	920	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-11.3	-20.1	NA	29.9	-0.9	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	944	Herbivore	Ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-12.3	-21.1	NA	31.1	0.2	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	1028	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 1	-9.9	-18.7	NA	31.0	0.2	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	1181	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar	-12.1	-20.9	NA	27.1	-3.7	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	1682	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 1	-11.9	-20.8	NA		-0.9	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	2585	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 3	-11.1	-18.9	NA	30.3	-0.6	nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	874	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	skull	-27.2	nd	bdl			nd
Artiodactyla	Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	30967	1778	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	collagen	n/a	bdl	nd	bdl			nd
Artiodactyla	Cervidae	<i>Navahocercus</i>	<i>fricki</i>	804	85	Herbivore	Ruminant	Montell Shelter	Pleistocene	Present Study	enamel	molar 1	-9.5	-18.3	NA		-5.4	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	804	110	Herbivore	Ruminant	Montell Shelter	Pleistocene	Present Study	collagen	n/a	-19.1	-19.1	5.4			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	804	141	Herbivore	Ruminant	Montell Shelter	Pleistocene	Present Study	collagen	n/a	-19.4	-19.4	5.3			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	84	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	molar or pre	-13.4	-22.3	NA	30.6	-0.2	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	131	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-20.7	-20.7	5.3			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	263	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-18.8	-18.8	6.9			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	330	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-17.9	-17.9	7.3			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	360	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-19.9	-19.9	5.6			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	403	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tooth root	-18.1	-18.1	8.1			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	709	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-17.6	-17.6	6.6			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	818	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-19.9	-19.9	6.1			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	825	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-19.8	-19.8	6.0			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	826	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-18.1	-18.1	5.4			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1438	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	rib	-19.7	-19.7	5.3			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1629	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-19.3	-19.3	6.1			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1672	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-17.5	-17.5	7.5		-0.8	2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1756	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	enamel	premolar 4	-9.9	-18.7	NA	29.8	-1.0	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1879	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-18.5	-18.5	7.7			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	2184	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-20.8	-20.8	5.2			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	2229	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-20.1	-20.1	5.8			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	2255	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	thoracic vert	-20.7	-20.7	5.3			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	2280	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-17.9	-17.9	5.9			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3255	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-19.8	-19.8	5.4			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3306	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal	-19.4	-19.4	7.1			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3348	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-20.4	-20.4	5.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3469	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-19.5	-19.5	4.7			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3614	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-20.4	-20.4	5.8			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3832	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	molar 2 root	-17.7	-17.7	6.9			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3833	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-19.0	-19.0	7.9			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3837	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-18.3	-18.3	7.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3839	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-17.1	-17.1	6.1			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3922	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	phalanx 1	-15.9	-15.9	7.5			3.3
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3924	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-19.4	-19.4	9.5			3.1
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3925	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	tooth root	-18.1	-18.1	8.0			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3943	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-19.9	-19.9	6.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3945	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-19.5	-19.5	5.9			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3950	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-18.5	-18.5	7.9			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3953	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal	-19.9	-19.9	6.2			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3959	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	radius	-16.8	-16.8	8.7			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3987	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-19.4	-19.4	6.4			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3990	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-19.6	-19.6	6.1			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3991	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-18.4	-18.4	6.3			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3992	Herbivore	Ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-19.8	-19.8	6.0			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3994	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	tooth root	-19.3	-19.3	6.9			2.7
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	4113	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-19.9	-19.9	6.5			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	933	3675	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Present Study	enamel	molar 3	-11.7	-20.6	NA	28.1	-2.7	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	933	3962	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	-20.9	-20.9	6.1			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	30967	107	Herbivore	Ruminant	Ingleside	Pleistocene	Present Study	enamel	premolar 3	-12.1	-20.9	NA	29.3	-1.5	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	30967	107	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-11.9	-20.7				

Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	40451	125	Herbivore	Ruminant	Wunderlich Site	Holocene	Present Study	enamel	molar 2	-10.3	-19.1	NA	29.9	-0.9	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	40451	139	Herbivore	Ruminant	Wunderlich Site	Holocene	Present Study	enamel	molar	-9.4	-18.3	NA	28.9	-1.9	nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	462	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	astragalus	-19.5	-19.5	5.7			2.7
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	643	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-19.5	-19.5	7.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	645	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-18.9	-18.9	7.1			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	646	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	tibia	-19.2	-19.2	11.1			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	672	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	naviculocubx	-19.9	-19.9	5.7			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	673	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	astragalus	-19.9	-19.9	6.7			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	675	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	orbit	-18.3	-18.3	5.7			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	676	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	jugal	-18.3	-18.3	5.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	868	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-19.5	-19.5	5.9			2.7
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	975	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	fibula	-18.8	-18.8	5.0			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	1001	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	n/a	-17.2	-17.2	7.3			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	1055	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	phalanx	-20.0	-20.0	4.5			2.7
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	8097	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	cuneiform	-19.6	-19.6	6.7			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	9333	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	phalanx 2	-19.6	-19.6	5.8			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	9869	Herbivore	Ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-20.4	-20.4	5.9			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	41229	10810	Herbivore	Ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-18.4	-18.4	10.3			2.8
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	43133	1112	Herbivore	Ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-19.8	-19.8	6.9			3.1
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	43133	1113	Herbivore	Ruminant	Bering Sinkhole	Holocene	Present Study	collagen	molar root	-19.5	-19.5	8.3			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	43133	1115	Herbivore	Ruminant	Bering Sinkhole	Holocene	Present Study	collagen	molar root	-18.7	-18.7	7.0			3.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	43133	1123	Herbivore	Ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-18.2	-18.2	6.1			3.1
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	43136	1	Herbivore	Ruminant	Fawcett's Cave	Pleistocene	Present Study	collagen	humerus	-18.5	-18.5	7.7			2.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	40449	129	Herbivore	Ruminant	Levi Rock Shelter	Holocene	Present Study	collagen	humerus	-24.3	nd	-1.1			4.3
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	40449	127a	Herbivore	Ruminant	Levi Rock Shelter	Holocene	Present Study	collagen	dentary	-24.0	nd	1.1			4.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	933	3013	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	-20.8	-20.8	8.0			3.9
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	933	458	Herbivore	Ruminant	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	-20.1	-20.1	7.8			3.5
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1080	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-18.7	nd	5.9			7.3
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	3997	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	cervical verti	-18.7	nd	bdl			9.0
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	908	1080	Herbivore	Ruminant	Kincaid Shelter	Holocene	Present Study	collagen	dentary	bdl	nd	bdl			nd
Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	30967	106	Herbivore	Ruminant	Ingliside	Pleistocene	Present Study	collagen	n/a	bdl	nd	bdl			nd
Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	40685	1	Herbivore	Non-ruminant	Zesch Cave	Pleistocene	Present Study	collagen	n/a	-16.5	-16.5	7.3			3.0
Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	40685	UNM001	Herbivore	Non-ruminant	Zesch Cave	Pleistocene	Present Study	collagen	n/a	-15.8	-15.8	7.0			3.3
Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	41229	8240	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	phalanx	-16.4	-16.4	6.1			2.9
Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	41229	10809	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	n/a	-16.6	-16.6	6.8			3.0
Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	30967	108	Herbivore	Non-ruminant	Ingliside	Pleistocene	Yann et al. 2016	enamel	tooth	-9.1	-17.9	NA	32.3	1.4	nd
Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	30967	918	Herbivore	Non-ruminant	Ingliside	Pleistocene	Yann et al. 2016	enamel	molar 3	-8.8	-17.6	NA	32.6	1.7	nd
Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	30967	108a	Herbivore	Non-ruminant	Ingliside	Pleistocene	Present Study	enamel	tooth	-9.1	-17.9	NA	32.3	1.4	nd
Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	30967	918a	Herbivore	Non-ruminant	Ingliside	Pleistocene	Present Study	enamel	tooth	-8.8	-17.6	NA	32.6	1.7	nd
Artiodactyla	Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	41229	1364	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-13.2	nd	7.8			5.1
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	908	118	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	canine root	-10.8	-10.8	11.4			2.9
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	908	2354	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	enamel	canine	-4.2	-9.2	NA	29.1	-1.7	nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	933	326	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	premolar roc	-11.2	-11.2	12.7			3.1
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	933	2201	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	enamel	canine	-6.4	-11.4	NA	27.8	-3.0	nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	933	2201a	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	enamel	canine root	-11.3	-11.3	12.9			3.2
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	31141	62	Carnivore	Carnivore	Aransas River	Pleistocene	Present Study	enamel	molar 1	-5.5	-10.5	NA	29.9	-1.0	nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	41229	3543	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-12.7	-12.7	12.9			2.7
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	41229	10802	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-12.6	-12.6	13.7			2.7
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	908	2430	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	premolar roc	-28.1	nd	bdl			nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	908	2428	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	canine root	-27.8	nd	bdl			nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	30967	172a	Carnivore	Carnivore	Ingliside	Pleistocene	Present Study	collagen	humerus	-24.9	nd	bdl			5.8
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	40449	175	Carnivore	Carnivore	Levi Rock Shelter	Pleistocene	Present Study	collagen	n/a	-19.7	-19.7	7.1			3.3
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	933	1907b	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	-19.5	nd	bdl			4.3
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	30967	172	Carnivore	Carnivore	Ingliside	Pleistocene	Present Study	collagen	cervical verti	bdl	nd	bdl			nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	908	2429	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	femur	bdl	nd	bdl			nd
Carnivora	Canidae	<i>Canis</i>	<i>dirus</i>	40449	563	Carnivore	Carnivore	Levi Rock Shelter	Pleistocene	Present Study	collagen	dentary	bdl	nd	bdl			bdl
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	908	383	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-14.5	-14.5	7.8			3.1
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	43133	220	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	ulna	-16.8	-16.8	9.0			3.0
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	43202	77	Carnivore	Carnivore	Ranny Creek Cave	Holocene	Present Study	collagen	maxilla	-19.1	-19.1	8.4			3.3
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	43202	79	Carnivore	Carnivore	Ranny Creek Cave	Holocene	Present Study	collagen	ulna	-19.1	-19.1	8.3			3.1
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	43133	219	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	enamel	premolar 4	bdl	nd	na			nd
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	220	27	Carnivore	Carnivore	Jess Cox Ranch	Holocene	Present Study	collagen	femur	-17.8	-17.8	10.5			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	3938	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	maxilla	-12.0	-12.0	10.1			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	3939	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	n/a	-13.8	-13.8	9.8			3.0
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4262	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	skull	-16.1	-16.1	7.1			2.9
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4294	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-11.7	-11.7	9.2			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4297	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	radius	-16.9	-16.9	7.7			3.0
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4324	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.1	-15.1	9.7			3.0
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4469	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	ulna	-16.5	-16.5	9.9			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	41229	6561	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-16.6	-16.6	7.9			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	43202	5	Carnivore	Carnivore	Ranny Creek Cave	Holocene	Present Study	collagen	femur	-17.1	-17.1	7.5			2.8
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	43202	73	Carnivore	Carnivore	Ranny Creek Cave	Holocene	Present Study	collagen	maxilla	-19.2	-19.2	9.7			3.3
Carnivora	Canidae	<i>Canis</i>	<i>familiaris/latrans (cf)</i>	908	4267	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	skull	bdl	nd	bdl			13.1
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	220	36	Carnivore	Carnivore	Jess Cox Ranch	Holocene	Present Study	collagen	dentary	-16.4	-16.4	8.4			3.0
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	341	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	premolar roc	-10.1	-10.1	11.4			2.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	347	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal 2	-10.4	-10.4	10.1			3.0
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	382	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal 2	-10.2	-10.2	9.6			2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	437	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-13.8	-13.8	7.8			2.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	820	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	lumbar verte	-13.0	-13.0	8.8			2.9</

Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	2539	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	phalanx 2	-12.5	-12.5	8.1	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	2554	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	atlas vertebra	-16.2	-16.2	9.4	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	2588	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-14.2	-14.2	7.0	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	2598	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metatarsal 4	-17.0	-17.0	7.2	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	4004	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-11.6	-11.6	9.6	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	41229	11094	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-11.9	-11.9	12.3	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	43133	1413	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	humerus	-17.7	-17.7	7.2	2.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	43133	1426	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	n/a	-11.6	-11.6	9.2	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	43202	43	Carnivore	Carnivore	Ranny Creek Cave	Holocene	Present Study	collagen	una	-14.6	-14.6	8.1	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	43481	4	Carnivore	Carnivore	West Culp Site	Holocene	Present Study	collagen	una	-12.3	-12.3	8.6	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	908	2316	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	una	-27.7	nd	bdl	nd
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	933	1625	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	-16.5	-16.5	10.7	3.5
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	933	670	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	dentary	-16.2	-16.2	10.1	3.4
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	1295	1	Carnivore	Carnivore	Clamp Cave	Pleistocene	Present Study	collagen	dentary	bdl	nd	bdl	5.0
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	40685	773	Carnivore	Carnivore	Zesch Cave	Pleistocene	Present Study	collagen	skull	bdl	nd	bdl	nd
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567407	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-20.6	-20.6	11.3	3.5
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567403	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-18.2	-18.2	12.7	3.1
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567408	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-17.9	-17.9	9.7	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567398	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-17.6	-17.6	11.0	3.0
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567409	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-17.5	-17.5	11.4	2.8
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567385	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-17.5	-17.5	12.7	3.1
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567396	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-16.7	-16.7	11.2	3.0
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567394	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-16.2	-16.2	10.4	2.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567410	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-16.1	-16.1	10.3	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567393	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-16.0	-16.0	11.9	2.9
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567411	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-15.7	-15.7	10.2	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567383	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-15.5	-15.5	10.1	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567382	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-15.3	-15.3	11.4	2.7
Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	NA	567395	Carnivore	Carnivore	Texas	Modern	Present Study	collagen	bone	-14.0	-14.0	10.0	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	892	256	Carnivore	Carnivore	Lubbock Lake	Pleistocene	Present Study	collagen	maxilla	-11.9	-11.9	10.1	3.0
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	700	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-9.4	-9.4	10.4	2.8
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	3575	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-7.7	-7.7	11.7	2.8
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	3743	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-16.5	-16.5	12.6	2.8
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	10812	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal 3	-11.6	-11.5	12.6	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	12042	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-10.6	-10.6	10.9	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	15781	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.7	-17.7	6.3	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41229	19882	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-17.3	-17.3	7.7	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	41352	1	Carnivore	Carnivore	Sam near San Antor	Holocene	Present Study	collagen	dentary	-9.7	-9.7	11.4	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	43133	232	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	skull	-10.4	-10.4	10.1	2.9
Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	43133	236	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-9.5	-9.5	9.9	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	3627	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	atlas vertebra	-16.0	-16.0	7.1	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4282	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	incisor root	-11.1	-11.1	11.5	2.9
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4283	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	premolur root	-12.7	-12.7	10.0	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4291	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-13.6	-13.6	8.4	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4308	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	fibula	-13.7	-13.7	8.9	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4309	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-14.1	-14.1	10.3	3.0
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4521	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-13.0	-13.0	9.6	3.1
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4522	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal	-10.6	-10.6	10.3	2.9
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	720	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-15.6	-15.6	6.9	2.9
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	721	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	radius	-16.3	-16.3	7.2	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	2777	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-15.2	-15.2	9.0	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	6153	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metatarsal 4	-16.2	-16.2	7.8	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	6562	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-15.9	-15.9	7.5	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	8326	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-12.6	-12.6	8.5	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	9849	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	scapular	-16.4	-16.4	7.7	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	9881	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-16.2	-16.2	8.1	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	9951	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-13.1	-13.1	9.7	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	10278	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-16.0	-16.0	9.1	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	10357	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-15.0	-15.0	13.4	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	10778	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-17.0	-17.0	10.5	2.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	10876	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	phalanx 1	-11.8	-11.8	12.3	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	41229	11182	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-18.7	-18.7	5.0	2.8
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4311	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	ischium	-16.5	-16.5	9.8	3.7
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	3591	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	skull	-15.8	-15.8	10.4	3.5
Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	908	4300	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	radius	bdl	nd	bdl	12.9
Carnivora	Canidae	<i>indet.</i>	<i>sp.</i>	41229	9826	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	metacarpal	-18.8	-18.8	6.8	2.7
Carnivora	Canidae	<i>indet. (juvenile)</i>	<i>sp.</i>	41229	719	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-19.2	-19.2	8.8	2.8
Carnivora	Canidae	<i>Urocyon</i>	<i>sp.</i>	40449	258	Carnivore	Carnivore	Levi Rock Shelter	Holocene	Present Study	collagen	metacarpal	bdl	nd	bdl	2.7
Carnivora	Canidae	<i>Urocyon or Vulpes</i>	<i>sp.</i>	41229	10469	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-15.6	-15.6	9.9	2.8
Carnivora	Canidae	<i>Urocyon or Vulpes</i>	<i>sp.</i>	41229	12071	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-16.1	-16.1	10.3	2.8
Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	41229	10867	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-14.4	-14.4	11.7	2.8
Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	1295	9	Carnivore	Carnivore	Clamp Cave	Pleistocene	Present Study	collagen	dentary	-23.9	nd	3.2	4.4
Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	1295	2	Carnivore	Carnivore	Clamp Cave	Pleistocene	Present Study	collagen	dentary	bdl	nd	bdl	6.0
Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	1295	8	Carnivore	Carnivore	Clamp Cave	Pleistocene	Present Study	collagen	dentary	bdl	nd	bdl	6.2
Carnivora	Canidae	<i>Vulpes</i>	<i>sp.</i>	908	3622	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	una	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Felis</i>	<i>weidii/yagouaroundi</i>	41229	3539	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-18.8	-18.8	12.7	2.9
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	3387	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	scapula	-8.5	-8.5	14.3	3.2
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2110	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	scapula	-28.3	nd	bdl	nd
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2297	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	humerus	-22.0	nd	9.8	6.2
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2084	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	fibula	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	3934	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	radius	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2149	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	rib	bdl	nd	bdl	10.0
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2899	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	scapula	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	61	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	incisor root	-8.8	-8.8	14.3	3.2
Carnivora	Felidae	<i>Homotherium</i>	<i>serum</i>	933	2283	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	rib	-8.9	-8.9	13.8	3.0
Carnivora	Felidae</															



Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	3931	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-12.8	-12.8	10.1	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	4179	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-17.6	-17.6	7.9	2.8
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	4180	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-16.8	-16.8	8.0	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	4181	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.3	-15.3	10.6	3.2
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	4182	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.1	-15.1	10.1	3.2
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	4184	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-16.4	-16.4	8.3	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	933	3916	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	thoracic vert	-15.0	-15.0	8.5	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	40450	584	Carnivore	Carnivore	ave Without A Nam	Pleistocene	Present Study	collagen	dentary	-19.5	-19.5	7.4	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	40450	617	Carnivore	Carnivore	ave Without A Nam	Pleistocene	Present Study	collagen	dentary	-17.8	-17.8	5.7	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	40450	1604	Carnivore	Carnivore	ave Without A Nam	Pleistocene	Present Study	collagen	ulna	-18.1	-18.1	6.2	2.9
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	40450	1607	Carnivore	Carnivore	ave Without A Nam	Pleistocene	Present Study	collagen	maxilla	-18.2	-18.2	6.3	3.0
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	41229	2788	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	ectocuneiform	-15.4	-15.4	8.5	2.8
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	41229	6356	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.7	-15.7	9.2	2.8
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	908	3476	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-17.4	nd	10.0	4.8
Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	40449	101	Carnivore	Carnivore	Levi Rock Shelter	Holocene	Present Study	collagen	dentary	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	908	2418	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	enamel	canine	-4.5	-8.9	NA	0.4
Carnivora	Felidae	<i>Panthera</i>	<i>leo atrox</i>	30967	1613	Carnivore	Carnivore	Ingleside	Pleistocene	Present Study	enamel	canine	-8.3	-12.7	NA	29.3
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	900	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	n/a	-10.3	-10.3	13.6	2.8
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	3537	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal 4	-14.0	-14.0	12.7	2.9
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	10797	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	thoracic vert	-10.3	-10.3	12.8	2.9
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	10799	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	rib	-10.1	-10.1	13.0	2.9
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	10866	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	phalanx 2	-17.7	-17.7	12.5	2.8
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	10875	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	metacarpal	-14.2	-14.2	11.1	2.8
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	41229	10905	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	metacarpal 1	-10.7	-10.7	13.1	2.9
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	43407	31	Carnivore	Carnivore	Honey Creek Cave	Pleistocene	Present Study	enamel	molar 1	-12.0	-16.5	NA	27.3
Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	40673	52	Carnivore	Carnivore	Laubach 1	Pleistocene	Present Study	collagen	occipital	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	908	2181	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metacarpal 1	-18.2	-18.2	8.2	2.8
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	908	2254	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	metatarsal 5	-20.6	-20.6	7.2	3.2
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	41229	10800	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	thoracic vert	-11.1	-11.1	10.8	2.9
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	41229	11704	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.0	-13.0	10.7	2.8
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	41229	15780	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.7	-16.7	8.6	2.9
Carnivora	Felidae	<i>Puma</i>	<i>concolor</i>	40449	149	Carnivore	Carnivore	Levi Rock Shelter	Holocene	Present Study	collagen	bone	bdl	nd	bdl	27.0
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2688	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	enamel	canine	-4.0	-8.4	NA	-3.2
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2690	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	enamel	premolar 4	-2.4	-6.8	NA	30.2
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	3956	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	enamel	premolar 4	-10.0	-14.4	NA	27.1
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	5704	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	humerus	-8.8	-8.8	13.5	3.1
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	30967	1034	Carnivore	Carnivore	Ingleside	Pleistocene	Present Study	enamel	canine	-5.8	-10.2	NA	-3.3
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2691	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	premolar 4 r	-27.6	nd	bdl	nd
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	3955	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	astragalus	-18.6	-18.6	11.5	3.7
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2206	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	humerus	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2506	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	humerus	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	3339	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	humerus	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	2690	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	premolar 4 r	bdl	nd	bdl	nd
Carnivora	Felidae	<i>Smilodon</i>	<i>fatalis</i>	933	898	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	premolar root	bdl	nd	bdl	nd
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	858	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-17.2	-17.2	11.0	3.0
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	989	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-12.6	-12.6	9.3	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	1204	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.7	-15.7	10.0	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	3264	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-15.2	-15.2	9.3	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	4253	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	humerus	-16.5	-16.5	7.5	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	908	4257	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	skull	-13.9	-13.9	7.1	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	933	4494	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	dentary	-15.6	-15.6	7.5	3.2
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	41229	3736	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	bone	-16.4	-16.4	7.6	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	41229	10602	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-14.3	-14.3	13.2	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	41229	11219	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-15.1	-15.1	9.9	2.9
Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	41229	19885	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-12.9	-12.9	12.1	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	1021	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-18.0	-18.0	11.4	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	1442	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-18.3	-18.3	7.3	3.0
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	1782	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	humerus	-16.3	-16.3	10.3	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	1783	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	bone	-18.0	-18.0	10.8	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	3455	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-19.4	-19.4	7.5	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	3744	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-16.0	-16.0	12.5	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	11197	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	maxilla	-17.2	-17.2	8.8	3.0
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	11220	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	bone	-17.5	-17.5	10.2	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	19884	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	canine root	-17.2	-17.2	7.9	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	19886	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.1	-16.1	12.2	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	19887	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-17.0	-17.0	10.7	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	19888	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.7	-15.7	12.6	2.8
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	19890	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-18.7	-18.7	11.3	2.9
Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	41229	1365	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-15.9	-15.9	9.8	2.9
Carnivora	Mustelidae	<i>indet.</i>	<i>sp.</i>	41229	15778	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.0	-17.0	11.9	3.1
Carnivora	Mustelidae	<i>indet.</i>	<i>sp.</i>	41229	15779	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.6	-17.6	10.3	2.7
Carnivora	Mustelidae	<i>Mustela</i>	<i>sp.</i>	41229	10262	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-16.1	-16.1	12.6	2.8
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	593	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-13.0	-13.0	9.8	2.8
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3278	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	ulna	-17.0	-17.0	9.0	2.9
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3337	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	scapula	-15.8	-15.8	9.1	2.9
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3898	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	ulna	-10.9	-10.9	11.7	3.0
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3899	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.2	-15.2	11.9	2.9
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3901	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	maxilla	-15.4	-15.4	9.4	2.8
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3917	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.9	-15.9	12.8	3.1
Carnivora	Mustelidae	<i>Taxidea</i>	<i>taxus</i>	908	3918	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.6	-15.6	10.5	2.8
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	908	2442	Carnivore	Carnivore	Kincaid Shelter	Pleistocene	Present Study	collagen	maxilla	-18.4	-18.4	9.2	3.1
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	908	3940	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	dentary	-15.5	-15.5	12.7	3.2
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	908	4344	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	radius	-17.1	-17.1	9.8	3.1
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	41229	1345	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	femur	-16.4	-16.4	10.6	

Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	43133	245	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-13.7	-13.7	9.8	3.2	
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	908	4348	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	maxilla	-21.3	-21.3	6.7	3.9	
Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	908	1164	Carnivore	Carnivore	Kincaid Shelter	Holocene	Present Study	collagen	ulna	-18.2	-18.2	8.1	3.8	
Carnivora	Ursidae	<i>Arctodus</i>	<i>simus</i>	933	2963	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	molar 3 root	-16.5	-16.5	9.7	3.3	
Carnivora	Ursidae	<i>Arctodus</i>	<i>simus</i>	933	2156	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	molar root	-17.3	-17.3	7.6	3.5	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41229	2729	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	atlas vertebr	-18.9	-18.9	5.4	3.0	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41229	2731	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	ectocuneifor	-17.8	-17.8	5.1	2.7	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41229	11029	Carnivore	Carnivore	Hall's Cave	Holocene	Present Study	collagen	phalanx 2	-19.5	-19.5	3.7	3.1	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41229	11754	Carnivore	Carnivore	Hall's Cave	Pleistocene	Present Study	collagen	phalanx 1	-18.7	-18.7	3.7	2.7	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43365	1	Carnivore	Carnivore	Sanders Ranch Cave	Pleistocene	Present Study	collagen	skull	-20.1	-20.1	4.3	2.9	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	933	3499	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	scapula	-6.1	nd	bdl	nd	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	933	2544	Carnivore	Carnivore	Friesenhahn Cave	Pleistocene	Present Study	collagen	n/a	bdl	nd	bdl	nd	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41284	16	Carnivore	Carnivore	Don Williams Cave	Holocene	Present Study	collagen	dentary	-18.5	-18.5	6.3	3.0	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	41284	186	Carnivore	Carnivore	Don Williams Cave	Holocene	Present Study	collagen	rib	-18.5	-18.5	6.0	2.9	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43133	1132	Carnivore	Carnivore	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-17.0	-17.0	6.5	2.9	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	43539	1	Carnivore	Carnivore	Cicurina Cave	Holocene	Present Study	collagen	skull	-17.0	-17.0	6.5	2.8	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Schulze Cave	7380	Carnivore	Carnivore	Schulze Cave	Pleistocene	Present Study	collagen	skull	-17.7	-17.7	8.7	3.0	
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	1295	23	Carnivore	Carnivore	Clamp Cave	Pleistocene	Present Study	enamel	canine	-11.1	-15.6	na	30.1	-0.7
Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Schulze Cave	7188	Carnivore	Carnivore	Schulze Cave	Pleistocene	Present Study	collagen	n/a	-19.6	-19.6	7.1	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40449	26	Herbivore	Non-ruminant	Levi Rock Shelter	Holocene	Present Study	collagen	humerus	-23.3	-23.3	2.4	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	115	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-19.5	-19.5	4.0	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	200	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-19.8	-19.8	2.7	3.1	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	264	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-19.9	-19.9	3.3	3.3	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	268	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-19.4	-19.4	3.3	3.1	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	684	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-18.4	-18.4	3.6	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	685	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-20.0	-20.0	3.3	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	687	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-18.8	-18.8	4.1	3.2	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	690	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-19.7	-19.7	2.2	3.1	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	1025	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-21.4	-21.4	3.2	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	1034	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-20.9	-20.9	2.7	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	1622	Herbivore	Non-ruminant	ave Without A Narr	Pleistocene	Present Study	collagen	dentary	-18.2	-18.2	2.9	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	57	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.7	-17.7	5.2	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	72	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-14.9	-14.9	3.9	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	224	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.7	-16.7	5.2	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	225	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.4	-15.4	7.3	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	305	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.1	-19.1	6.9	3.2	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	306	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.4	-19.4	4.1	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	352	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-11.8	-11.8	10.6	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	411	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-16.9	-16.9	7.6	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	694	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.6	-13.6	5.4	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	710	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.8	-13.8	4.9	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	722	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-14.7	-14.7	6.2	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	743	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-14.7	-14.7	8.0	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	744	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	skull	-17.8	-17.8	6.7	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	883	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.3	-16.3	7.9	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	885	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-18.7	-18.7	5.0	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	894	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-22.1	-22.1	5.2	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	931	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-14.2	-14.2	7.1	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	970	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-14.7	-14.7	4.2	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	986	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	skull	-14.9	-14.9	7.5	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	999	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-17.0	-17.0	4.7	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1145	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.4	-19.4	5.4	3.3	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1148	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-11.5	-11.5	7.0	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1286	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-15.6	-15.6	6.1	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1290	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-12.9	-12.9	4.6	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1305	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.9	-19.9	3.8	3.1	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1600	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-14.9	-14.9	4.2	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1727	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-11.0	-11.0	4.7	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1728	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-20.7	-20.7	5.0	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1822	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-22.0	-22.0	4.3	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1823	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-17.0	-16.9	4.2	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1824	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-20.5	-20.5	4.2	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	1831	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-18.8	-18.8	6.3	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2529	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	maxilla	-18.5	-18.5	6.4	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2557	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	pelvis	-17.0	-17.0	5.9	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2558	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-18.8	-18.8	4.9	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2559	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-12.1	-12.1	5.2	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2560	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-11.2	-11.2	6.6	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2563	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.7	-15.7	6.7	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2615	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-17.5	-17.5	4.4	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2793	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.9	-17.9	5.0	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2815	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-13.4	-13.4	5.9	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2833	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-14.4	-14.4	5.6	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2846	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	maxilla	-18.5	-18.5	6.6	3.0	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2874	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	premaxilla	-14.0	-14.0	4.3	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2875	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-11.5	-11.5	5.6	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2876	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	scapula	-16.2	-16.2	4.5	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2893	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.9	-19.9	4.5	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2894	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	palate	-18.8	-18.8	3.3	2.7	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2897	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.4	-16.4	4.7	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	3436	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	skull	-17.6	-17.6	5.5	2.9	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	4097	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.6	-19.6	4.3	2.8	
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	4219	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-19.3	-19.3	4.3	2.8	

Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	9514	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-14.3	-14.3	4.6	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	9805	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal 4	-18.5	-18.5	3.8	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	11018	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-21.9	-21.9	6.8	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15088	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-15.5	-15.5	4.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15090	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-16.7	-16.6	3.1	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15091	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	femur	-15.7	-15.7	4.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15092	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-12.7	-12.7	6.1	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15098	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-15.2	-15.2	6.3	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15105	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.1	-17.1	6.7	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15112	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-14.6	-14.6	7.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15113	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-14.3	-14.3	5.7	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15129	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-10.4	-10.4	5.5	2.7
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15142	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-12.3	-12.3	4.6	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	15144	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-18.3	-18.3	5.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17909	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-17.3	-17.3	6.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17910	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-17.0	-17.0	6.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17912	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-14.9	-14.9	4.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17914	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.1	-13.1	6.4	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17915	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-15.2	-15.2	4.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17916	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-15.6	-15.6	4.9	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17957	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-15.1	-15.1	4.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17958	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	tibia	-16.9	-16.9	4.2	2.7
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17959	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metacarpal	-11.3	-11.3	4.7	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17960	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	astragalus	-20.8	-20.8	4.4	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17961	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.8	-17.8	4.1	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17962	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	astragalus	-15.6	-15.6	3.1	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17964	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	ulna	-10.8	-10.8	5.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17965	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	tibia	-9.0	-9.0	5.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17968	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-20.1	-20.1	5.5	3.0
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17969	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-22.4	-22.4	7.6	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17970	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-10.6	-10.6	10.1	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	17971	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-17.6	-17.6	6.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18007	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal	-20.0	-20.0	5.8	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18011	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	tibia	-9.6	-9.6	9.6	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18012	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-11.9	-11.9	9.6	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18013	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	acetabulum	-16.7	-16.7	5.4	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18014	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-18.4	-18.4	5.2	2.7
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18015	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-10.8	-10.8	8.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18016	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-16.2	-16.2	5.4	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18017	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-16.1	-16.1	7.6	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18018	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-18.5	-18.5	5.6	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18019	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-21.8	-21.8	8.3	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18021	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal	-8.7	-8.7	11.9	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18024	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-22.1	-22.1	6.1	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18025	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-19.0	-19.0	7.6	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18026	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-20.8	-20.8	6.2	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18028	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-19.3	-19.3	6.5	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18029	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcaneus	-22.3	-22.3	6.0	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18030	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	bone	-21.9	-21.9	5.7	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18031	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	n/a	-21.6	-21.6	6.0	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18032	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.1	-15.1	5.4	3.0
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18033	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.8	-19.8	5.3	3.1
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18034	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-19.0	-19.0	7.4	3.0
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18035	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-22.0	-22.0	9.3	3.1
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	18036	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-20.8	-20.8	7.3	3.1
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	19675	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-20.2	-20.2	3.3	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	19677	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-16.4	-16.4	4.3	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	43133	272	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	skull	-16.0	-16.0	5.8	3.0
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	43133	274	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-17.6	-17.5	6.7	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	43133	291	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-17.7	-17.7	4.1	2.9
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	43133	333	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-14.0	-14.0	6.0	3.0
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	43133	1409	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-18.1	-18.1	2.8	2.8
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40449	28	Herbivore	Non-ruminant	Levi Rock Shelter	Holocene	Present Study	collagen	tibia	-26.5	nd	1.7	12.1
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	274	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	dentary	-21.4	-21.4	3.9	3.5
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	40450	257	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	dentary	-21.0	-21.0	3.0	3.4
Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	41229	2792	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.3	-19.3	4.6	3.7
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	125	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	enamel	tooth	-10.3	-19.1	NA	29.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	392	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	femur	-19.4	-19.4	3.1	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	408	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	tibia	-19.0	-19.0	3.2	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	622	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	tibia	-18.9	-18.8	2.9	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	629	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	humerus	-18.1	-18.1	3.1	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	639	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	femur	-19.2	-19.2	2.9	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	809	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	femur	-20.1	-20.1	4.4	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	40450	852	Herbivore	Non-ruminant	ave Without A Nar	Pleistocene	Present Study	collagen	femur	-18.9	-18.9	2.8	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-18.6	-18.6	3.7	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	351	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-16.0	-16.0	8.1	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	680	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	sacral	-18.1	-18.1	6.6	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	689	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-15.2	-15.2	5.9	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	701	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-16.7	-16.7	4.8	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	742	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	maxilla	-21.9	-21.9	9.5	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	863	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.5	-17.5	4.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	866	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-18.4	-18.4	4.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	982											

Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	1596	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	pelvis	-18.3	-18.3	5.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	1597	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-16.5	-16.5	5.6	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	1598	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.8	-13.8	5.9	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	1604	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-17.6	-17.6	5.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	1785	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	humerus	-17.3	-17.3	3.4	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2594	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-18.6	-18.6	6.4	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2602	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	lumbar verte	-19.9	-19.9	6.3	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2673	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-15.4	-15.4	5.8	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2896	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-18.3	-18.3	5.9	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2926	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-22.1	-22.1	4.4	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2939	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	scapula	-19.4	-19.4	4.3	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2952	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	lumbar verte	-17.2	-17.2	6.1	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2953	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	frontal	-18.9	-18.9	3.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	2954	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-21.1	-21.1	5.1	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	3434	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	astragalus	-20.5	-20.5	4.9	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	3527	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-20.1	-20.1	6.2	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4017	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-13.1	-13.1	5.3	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4018	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-13.3	-13.3	5.7	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4042	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	ulna	-15.8	-15.8	5.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4098	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-14.1	-14.1	6.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4753	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-15.7	-15.7	6.2	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4841	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-13.9	-13.8	5.0	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	4998	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-18.1	-18.1	7.2	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5000	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	maxilla	-16.9	-16.9	5.7	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5001	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-18.2	-18.2	4.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5002	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.4	-15.4	5.3	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5003	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-16.2	-16.2	6.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5111	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-15.8	-15.8	5.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5301	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-18.0	-18.0	5.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5921	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-18.6	-18.6	6.6	3.1
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	5922	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-18.1	-18.1	6.6	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	6076	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	n/a	-18.9	-18.9	5.3	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	6077	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	scapula	-17.9	-17.9	3.8	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7405	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	metatarsal	-12.8	-12.8	4.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7429	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.0	-13.0	6.6	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7436	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	premaxilla	-13.1	-13.1	5.0	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7437	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	premaxilla	-15.5	-15.5	5.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7438	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	premaxilla	-19.2	-19.2	5.4	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7439	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-13.6	-13.6	4.9	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7442	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.6	-17.6	5.2	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	7936	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	skull	-17.4	-17.4	4.8	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	8009	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	femur	-16.9	-16.9	5.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	8209	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	scapula	-19.3	-19.3	6.4	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	8271	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	maxilla	-20.0	-20.0	5.3	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9006	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	vertebra	-15.4	-15.4	3.5	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9027	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal	-18.4	-18.3	4.5	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9509	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-21.6	-21.6	4.1	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9510	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-19.2	-19.2	5.8	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9806	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-17.0	-17.0	4.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9825	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metatarsal	-14.5	-14.5	8.7	2.7
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9988	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-16.7	-16.7	4.1	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	9989	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	humerus	-18.9	-18.9	4.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10166	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	scapula	-18.8	-18.8	3.1	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10167	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	tibia	-14.0	-14.0	6.9	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10265	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	imbar vertebi	-18.2	-18.2	8.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10268	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	radius	-17.7	-17.7	5.3	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10284	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metapodial	-20.2	-20.2	4.5	2.7
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10351	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-15.8	-15.8	6.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10903	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	thoracic vert	-20.0	-20.0	4.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10914	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	lumbar verte	-15.1	-15.1	6.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10924	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	scapula	-17.5	-17.5	3.9	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10925	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	scapula	-21.3	-21.3	3.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10926	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	ulna	-16.4	-16.4	5.1	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10927	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	rib	-17.2	-17.2	3.7	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10998	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-19.3	-19.3	4.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	10999	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	femur	-18.8	-18.8	3.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11002	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	metacarpal	-20.1	-20.1	3.0	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11019	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	ulna	-20.5	-20.5	4.6	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11022	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	lumbar verte	-22.0	-22.0	6.0	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11236	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	humerus	-17.7	-17.7	3.8	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11245	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-18.5	-18.5	4.2	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11246	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	ulna	-18.7	-18.6	3.5	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11247	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-21.8	-21.8	3.6	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11446	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	femur	-20.3	-20.3	1.8	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11683	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	ulna	-15.7	-15.7	3.7	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	11684	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	dentary	-16.7	-16.7	4.2	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	14000	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	radius	-16.8	-16.8	5.0	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	14048	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	bone	-17.4	-17.4	5.4	3.0
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	16952	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	femur	-18.5	-18.5	5.0	2.9
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	16955	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	tibia	-17.8	-17.8	5.4	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	16956	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	astragalus	-20.2	-20.2	6.1	2.8
Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	41229	16958	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	calcaneus	-19.6	-19.6	4.4	3.0





Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	41229	17807	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	vertebra	-17.7	-17.7	4.7	2.8		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	41229	17848	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	femur	-18.5	-18.5	3.3	2.8		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	43133	828	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-16.8	-16.8	3.9	2.8		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	43133	829	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-17.0	-17.0	3.9	2.9		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	43133	830	Herbivore	Non-ruminant	Bering Sinkhole	Holocene	Present Study	collagen	dentary	-18.5	-18.5	3.5	2.9		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	41229	10285	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	calcanus	-21.1	-21.1	bdll	3.1		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	41229	7646	Herbivore	Non-ruminant	Hall's Cave	Holocene	Present Study	collagen	dentary	-17.3	nd	5.1	4.1		
Lagomorpha	Leporidae	<i>Sylvilagus</i>	sp.	41229	984	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	enamel	tooth	bdll	nd	na	nd		
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2295	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	premolar 3	-4.0	-12.8	NA	26.2	-4.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2310	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	maxilla	-20.2	-20.2	8.1			2.9
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2331	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	premolar 1	-4.7	-13.5	NA		-0.6	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2358	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-3.7	-12.5	NA		-4.7	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2380	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-6.8	-15.6	NA	28.0	-2.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2422	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Koch 2004	enamel	molar 3	-5.4	-14.2	NA	25.0	-5.7	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2422	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	molar 3	-5.4	-14.2	NA	25.0	-5.7	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2436	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Koch 2004	enamel	molar 3	-2.3	-11.1	NA	31.0	0.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2462	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	incisor	-0.5	-9.3	NA		-0.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2466	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-1.3	-10.1	NA		-1.9	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	908	2471	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-2.0	-10.8	NA		-0.1	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	933	1284	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	premolar	-3.9	-12.7	NA	28.5	-2.3	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	933	1284	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Present Study	enamel	premolar 4	-3.9	-12.7	NA	28.5	-2.3	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	933	209A	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar	-3.9	-12.7	NA	28.4	-2.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	933	209B	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar	-4.1	-12.9	NA	28.3	-2.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	937	254	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	molar	-5.1	-13.9	NA	27.9	-2.9	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	937	738	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	cheek tooth	-6.3	-15.1	NA	26.2	-4.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	1295	33	Herbivore	Non-ruminant	Clamp Cave	Pleistocene	Present Study	enamel	molar or pre	-5.6	-14.3	NA		-3.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	1295	36	Herbivore	Non-ruminant	Clamp Cave	Pleistocene	Present Study	enamel	molar	-3.7	-12.5	NA	25.5	-5.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	36	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.0	-9.8	NA	29.0	-1.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	51	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-3.1	-11.9	NA	26.9	-3.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	76	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-1.0	-9.8	NA	29.0	-1.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	223	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar	-0.6	-9.4	NA	26.9	-3.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	224	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-0.8	-9.6	NA			nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	225	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-1.4	-10.2	NA	30.4	-0.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	226	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-0.8	-9.6	NA	27.6	-3.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	229	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-1.3	-10.1	NA	30.4	-0.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	230	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar or	-1.2	-10.0	NA	31.3	0.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	241	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 1 or 2	-3.7	-12.5	NA	34.3	3.3	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	242	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.3	-10.1	NA	30.8	0.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	312	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	premolar	-2.2	-10.9	NA	29.0	-1.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	379	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	cheek tooth	-1.0	-9.8	NA	28.4	-2.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	454	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-3.5	-12.3	NA	31.6	0.7	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	455	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-0.7	-9.5	NA	29.7	-1.1	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	457	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-4.0	-12.8	NA	31.7	0.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	487	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar 4	-0.7	-9.5	NA	29.0	-1.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	518	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-0.9	-9.7	NA	30.3	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	540	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	premolar 4	-3.4	-12.2	NA	31.9	1.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	642	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-2.8	-11.6	NA	28.7	-2.1	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	708	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.8	-10.6	NA	28.4	-2.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	870	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-3.4	-12.2	NA	30.9	0.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	937	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-2.9	-11.7	NA	30.4	-0.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	948	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	cheek tooth	-2.7	-11.5	NA	28.3	-2.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	974	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar	-4.0	-12.8	NA	28.3	-2.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1487	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	premolar 4	-0.7	-9.5	NA	29.0	-1.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1518	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-0.9	-9.7	NA	30.3	-0.6	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1540	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	premolar 4	-3.4	-12.2	NA	31.9	1.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1642	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 2	-2.8	-11.6	NA	28.7	-2.1	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1870	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar	-3.5	-12.2	NA	30.9	0.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2140	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-1.9	-10.7	NA		-3.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2223	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	premolar	-0.6	-9.4	NA	26.9	-3.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2224	Herbivore	Non-ruminant	Ingleside	Pleistocene	Cerling et al. 1999	enamel	tooth	-0.8	-9.6	NA	nd	nd	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2225	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.4	-10.2	NA	30.4	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2226	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-0.8	-9.6	NA	27.6	-3.1	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2229	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.3	-10.0	NA	30.4	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2230	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	cheek tooth	-1.2	-10.0	NA	31.3	0.4	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2232	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-1.4	-10.2	NA	30.3	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2235	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-3.3	-12.1	NA		0.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2239	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-10.1	-18.9	NA	27.2	-3.6	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	2455	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-0.7	-9.5	NA	29.7	-1.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1051A	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-3.3	-12.1	NA	26.8	-4.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1051B	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-2.8	-11.6	NA	27.0	-3.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	1540a	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-3.4	-12.2	NA	27.5	-3.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	376A	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-1.4	-10.2	NA	29.1	-1.7	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	376B	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-0.7	-9.5	NA	28.0	-2.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	30967	376C	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	tooth	-0.8	-9.6	NA	29.8	-1.0	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	31030	27	Herbivore	Non-ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	premolar 3 c	-5.9	-14.7	NA	28.3	-2.5	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	31030	28	Herbivore	Non-ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	premolar 3 c	-6.9	-15.7	NA	31.1	0.2	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	40685	2260	Herbivore	Non-ruminant	Zesch Cave	Pleistocene	Present Study	enamel	tooth	-5.9	-14.6	NA		-2.8	nd
Perissodactyla	Equidae	<i>Equus</i>	sp.	41229	520	Herbivore	Non-ruminant	Hall's Cave	Pleistocene	Present Study	collagen	pelvis	-1					

Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	MSU	2819	Herbivore	Non-ruminant	Quitaque Creek	Pleistocene	Koch 2004	enamel	molar 3	-2.5	-11.3	NA	27.7	-3.1	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	MSU	3016	Herbivore	Non-ruminant	Howard Ranch	Pleistocene	Koch 2004	enamel	cheek tooth	-3.1	-11.9	NA	28.0	-2.8	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	no	number	Herbivore	Non-ruminant	Waco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-4.7	-13.5	NA	30.3	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60124	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	molar 2	-6.5	-15.3	NA	28.7	-2.1	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60130	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	molar 1	-3.9	-12.7	NA	32.0	1.1	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60188	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-7.4	-16.2	NA	30.8	0.0	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60240	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	molar 2	-5.0	-13.8	NA	30.2	-0.7	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60292	Herbivore	Non-ruminant	Coppell	Pleistocene	Koch 2004	enamel	remolar 3 or 4	-4.3	-13.1	NA	29.9	-0.9	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60442	Herbivore	Non-ruminant	Coppell	Pleistocene	Koch 2004	enamel	remolar 3 or 4	-4.6	-13.4	NA	30.6	-0.3	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60531	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	premolar	-5.3	-14.1	NA	30.4	-0.5	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60731	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	molar	-6.3	-15.1	NA	28.8	-2.0	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60827	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	molar	-7.1	-15.9	NA	27.8	-3.0	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60840	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	molar 3	-4.7	-13.5	NA	32.3	1.4	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60855	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	molar 2	-4.9	-13.7	NA	30.2	-0.7	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	61236	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	molar	-3.5	-12.3	NA	27.1	-3.6	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	61245	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	cheek tooth	-6.1	-14.8	NA	28.6	-2.2	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	61246	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	cheek tooth	-2.9	-11.7	NA	31.6	0.7	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	SMP	60382ms	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	molar	-5.9	-14.7	NA	29.6	-1.3	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	908	2362	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-27.7	nd	bdl	nd	nd	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	908	2364	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	bdl	nd	bdl	nd	nd	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	908	2398	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	phalanx	bdl	nd	bdl	nd	nd	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	908	2334	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	skull	bdl	nd	bdl	nd	nd	nd
Perissodactyla	Equidae	<i>Equus</i>	<i>sp.</i>	30967	2223b	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-1.7	-10.5	NA	28.3	-2.5	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	804	84	Herbivore	Non-ruminant	Montell Shelter	Pleistocene	Present Study	enamel	tooth	-11.4	-20.2	NA	nd	-6.8	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	933	973	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Present Study	enamel	premolar 3	-10.5	-19.3	NA	nd	-6.0	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	30967	74	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2	-12.3	-21.1	NA	31.3	0.4	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	30967	89	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-11.7	-20.5	NA	30.0	-0.8	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	30967	176	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-11.6	-20.4	NA	29.4	-1.4	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	30967	222	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-11.3	-20.1	NA	30.6	-0.3	nd
Perissodactyla	Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	30967	281	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2	-10.6	-19.4	NA	30.1	-0.7	nd
Pilosa	Mylodontidae	<i>Paramyiodon</i>	<i>harlani</i>	908	2304	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	phalanx	bdl	nd	bdl	nd	nd	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	933	674	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Present Study	collagen	bone	-24.7	-24.7	2.7	2.7	2.7	2.7
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	933	3532	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	n/a	-17.0	-17.0	6.9	6.9	6.9	6.9
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	50	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.4	-19.2	NA	30.1	-0.7	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	156	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-10.3	-19.1	NA	nd	-1.9	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	205	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-9.4	-18.2	NA	nd	-3.8	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	247	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-11.2	-20.0	NA	31.7	0.8	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	257	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-11.0	-19.8	NA	30.2	-0.6	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	321	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-10.2	-19.0	NA	28.4	-2.4	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	321	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-10.0	-18.8	NA	nd	-1.6	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	339	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.7	-19.5	NA	29.8	-1.0	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	341	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-9.5	-18.3	NA	nd	-1.7	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	351	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-9.5	-18.3	NA	29.6	-1.2	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	352	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.1	-18.9	NA	30.7	-0.2	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	395	Herbivore	Non-ruminant	Ingleside	Pleistocene	Cerling et al. 1999	enamel	tooth	-10.6	-19.4	NA	nd	nd	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	470	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-12.0	-20.8	NA	31.2	0.3	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	525	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-11.9	-20.7	NA	30.8	-0.1	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	591	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 3	-9.9	-18.7	NA	30.3	-0.5	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	591	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-9.9	-18.7	NA	30.3	-0.5	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	593	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-11.1	-19.9	NA	31.7	0.8	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	606	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-12.5	-21.3	NA	30.6	-0.3	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	650	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 1	-10.7	-19.5	NA	29.6	-1.2	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	672	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-12.6	-21.4	NA	30.6	-0.3	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	727	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-11.7	-20.5	NA	30.4	-0.4	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	728	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.5	-19.3	NA	30.9	0.0	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	766	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2	-10.8	-19.6	NA	29.2	-1.6	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	773	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-10.1	-18.9	NA	nd	-2.6	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	899	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-12.4	-21.2	NA	28.6	-2.2	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	906	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-10.6	-19.4	NA	28.5	-2.3	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	980	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2	-11.4	-20.2	NA	29.0	-1.8	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	30967	1922	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-7.2	-16.0	NA	0.0	nd	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	40450	1	Herbivore	Non-ruminant	Wing Avenue	Pleistocene	Present Study	collagen	maxilla	-20.0	-20.0	4.5	3.0	3.0	3.0
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	43067	39	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	enamel	molar 2	-10.6	-19.4	NA	nd	-6.1	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	43067	103	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	enamel	molar	-10.2	-18.9	NA	nd	-5.0	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	43067	104	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	enamel	molar 3	-9.9	-18.7	NA	nd	-4.5	nd
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	908	2302	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	rib	-25.6	nd	3.1	4.7	4.7	4.7
Proboscidea	Elephantidae	<i>Mammot</i>	<i>americanum</i>	908	2305	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	dentary	-25.0	nd	2.3	4.2	4.2	4.2
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	908	2377	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	enamel	tooth	-1.8	-10.6	NA	29.0	-1.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	908	2408	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Koch 2004	enamel	cheek tooth	-1.8	-10.6	NA	30.1	-0.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	133	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 2 or 3	-5.1	-13.9	NA	29.9	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	296	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 2 or 3	-1.5	-10.3	NA	30.0	-0.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	358	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 2 or 3	-1.4	-10.2	NA	29.1	-1.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	928	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	cheek tooth	-2.1	-10.9	NA	29.3	-1.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	1006	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	molar 2 or 3	-0.1	-8.9	NA	29.9	-1.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	1013	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Koch 2004	enamel	cheek tooth	-1.2	-10.0	NA	30.4	-0.4	nd
Prob																		



Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	148	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-2.6	-11.4	NA	30.0	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	165	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 3	-1.9	-10.7	NA		-1.4	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	165	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-1.6	-10.4	NA	30.1	-0.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	214	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2 or 3	-1.0	-9.8	NA	29.9	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	227	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 3	-0.8	-9.6	NA		0.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	322	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	0.2	-8.6	NA	31.4	0.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	500	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 1 or 2	-1.4	-10.1	NA	30.4	-0.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	679	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar	-0.8	-9.6	NA	30.1	-0.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	711	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	tooth	-1.2	-10.0	NA	31.2	0.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	724	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 2 or 3	-1.1	-9.9	NA	29.9	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	787	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-1.1	-9.9	NA	28.0	-2.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	808	Herbivore	Non-ruminant	Ingleside	Pleistocene	Cerling et al. 1999	enamel	tooth	-0.9	-9.7	NA	nd	nd	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	818	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar 3	-2.3	-11.1	NA	28.5	-2.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1214	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	molar 2 or 3	-1.6	-10.3	NA		-2.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1214	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-1.0	-9.7	NA	29.9	-1.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1273	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-1.9	-10.7	NA		-0.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1273	Herbivore	Non-ruminant	Ingleside	Pleistocene	Present Study	enamel	tooth	-1.7	-10.5	NA	29.4	-1.4	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1724	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 2 or 3	-1.1	-9.9	NA	29.9	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1787	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-1.1	-9.9	NA	28.0	-2.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	30967	1818	Herbivore	Non-ruminant	Ingleside	Pleistocene	Koch 2004	enamel	molar 3	-2.3	-11.0	NA	28.6	-2.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	31030	3	Herbivore	Non-ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	premolar 2 c	-7.6	-16.4	NA	26.2	-4.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	31030	8	Herbivore	Non-ruminant	Valley Farms	Pleistocene	Koch 2004	enamel	molar 2 or 3	-3.1	-11.9	NA	28.0	-2.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	40529	9	Herbivore	Non-ruminant	E & A Gravel Pit	Pleistocene	Present Study	enamel	molar	-1.2	-9.9	NA		-3.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	40545	17	Herbivore	Non-ruminant	Nueces River	Pleistocene	Present Study	enamel	molar 3	-1.4	-10.2	NA		-0.1	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	40722	1	Herbivore	Non-ruminant	Laubach Cave	Pleistocene	Koch 2004	enamel	cheek tooth	-3.0	-11.8	NA	30.2	-0.6	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	40806	433	Herbivore	Non-ruminant	Bonfire Shelter	Pleistocene	Koch 2004	enamel	premolar 4	-2.8	-11.6	NA	29.5	-1.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	43067	37	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Koch 2004	enamel	tooth	-1.0	-9.8	NA	28.7	-2.1	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	43067	37	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	enamel	molar 2 or 3	-1.0	-9.8	NA	28.7	-2.1	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	43442	1	Herbivore	Non-ruminant	In The Glass Ca	Pleistocene	Present Study	enamel	tooth	-1.6	-10.4	NA		-3.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	BDM	#4	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	0.3	-8.5	NA	24.2	-6.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	BDM	na	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	-1.9	-10.7	NA	29.9	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	BDM	na	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	-1.6	-10.4	NA	29.8	-1.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	BDM	na	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	tooth	-0.8	-9.6	NA	27.6	-3.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	MSU	7391	Herbivore	Non-ruminant	Schulze Cave	Pleistocene	Koch 2004	enamel	premolar	-4.2	-13.0	NA	29.1	-1.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	MSU	uncat.	Herbivore	Non-ruminant	Easily.Ranch	Pleistocene	Koch 2004	enamel	cheek tooth	-0.8	-9.6	NA	30.2	-0.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-12	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.8	-11.6	NA	30.6	-0.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-19	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.3	-11.1	NA	30.1	-0.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-21	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.2	-11.0	NA	30.7	-0.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-23	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-4.6	-13.4	NA	29.8	-1.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-B	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-1.8	-10.5	NA	30.4	-0.4	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-C	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.5	-11.2	NA	30.0	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-D	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.1	-10.9	NA	29.9	-1.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-E	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.1	-11.9	NA	29.1	-1.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-F	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.3	-12.1	NA	29.1	-1.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-I	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.3	-11.1	NA	30.4	-0.4	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-K	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.7	-11.5	NA	28.0	-2.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-M	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.5	-12.3	NA	30.0	-0.8	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-N	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.0	-10.8	NA	30.7	-0.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMNH	WACO-Q	Herbivore	Non-ruminant	Vaco Mammoth Sit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.3	-12.1	NA	29.3	-1.6	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	60345	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.2	-11.0	NA	29.1	-1.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	60351	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-1.3	-10.1	NA	29.7	-1.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	60670	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	molar 3	-2.4	-11.2	NA	27.2	-3.6	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	60670	Herbivore	Non-ruminant	Clear Creek	Pleistocene	Koch 2004	enamel	molar 3	-1.1	-9.9	NA	27.8	-3.0	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	60844	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.2	-12.0	NA	28.3	-2.5	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	61233	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	cheek tooth	-3.5	-12.3	NA	30.0	-0.9	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	61244	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	cheek tooth	-1.3	-10.1	NA	29.4	-1.4	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	61245	Herbivore	Non-ruminant	Ben Franklin	Pleistocene	Koch 2004	enamel	cheek tooth	-1.3	-10.1	NA	29.5	-1.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	62287	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-1.7	-10.5	NA	29.7	-1.1	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	62357	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.7	-11.5	NA	28.2	-2.6	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	62358	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.9	-12.7	NA	28.5	-2.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	62359	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.6	-12.4	NA	28.5	-2.3	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	70153	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-2.3	-11.1	NA	29.1	-1.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	70161	Herbivore	Non-ruminant	Moore.Pit	Pleistocene	Koch 2004	enamel	cheek tooth	-3.4	-12.2	NA	27.6	-3.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	SMP	uncat	Herbivore	Non-ruminant	Blackwater Draw	Pleistocene	Koch 2004	enamel	molar	-7.2	-16.0	NA	23.9	-6.7	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	incataloguedA		Herbivore	Non-ruminant		Pleistocene	Present Study	enamel	tooth	-0.7	-9.5	NA		-2.2	nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	41465	172	Herbivore	Non-ruminant	Laubach 5	Pleistocene	Present Study	collagen	carpal	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	43067	37	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	collagen	femur	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	43067	101	Herbivore	Non-ruminant	Congress Avenue	Pleistocene	Present Study	collagen	n/a	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	40613	1.11	Herbivore	Non-ruminant	San Domingo Creek	Pleistocene	Present Study	collagen	rib	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	933	748	Herbivore	Non-ruminant	Friesenhahn Cave	Pleistocene	Present Study	collagen	skull	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Proboscidea</i>	<i>sp.</i>	L327	7	Herbivore	Non-ruminant	Near Enloe Bridge	Pleistocene	Present Study	collagen	dentine	bdl	nd	bdl			nd
Proboscidea	Elephantidae	<i>Proboscidea</i>	<i>sp.</i>	908	2443	Herbivore	Non-ruminant	Kincaid Shelter	Pleistocene	Present Study	collagen	rib	bdl	nd	bdl			nd
Proboscidea	Gomphotheriidae	<i>Cuvieronius</i>	<i>sp.</i>	30967	219	Herbivore	Non-ruminant	Ingleside	Pleistocene	Yann et al. 2016	enamel	molar	-7.4	-16.2	NA	29.3	-1.5	nd

**Table S6. RMA relationships and  $\delta^{13}\text{C}$  carbonate-  $\delta^{13}\text{C}$  collagen spacing associated with enamel-collagen offsets. Data are from Codron et al. 2018.**

Group	RMA Slope	RMA Intercept	r <sup>2</sup>	p-value	Mean $\delta^{13}\text{C}_{\text{collagen}}$	Mean spacing ( $\delta^{13}\text{C}_{\text{carbonate}} - \delta^{13}\text{C}_{\text{collagen}}$ )	Spacing Stdev	mean $\delta^{13}\text{C}_{\text{corrected}}$	mean $\delta^{13}\text{C}_{\text{corrected}} -$ mean $\delta^{13}\text{C}_{\text{collagen}}$
Ruminant	1.21	11.03	0.90	<0.01	-14.7	8.8	2.2	-15.2	-0.5
Non-ruminant	1.05	9.43	0.88	<0.01	-13.0	8.8	1.8	-13.0	0.0
Felidae	0.96	3.92	0.91	<0.01	-14.1	4.4	1.2	-13.6	0.5
Canidae	1.12	6.77	0.90	<0.01	-15.1	5.0	1.2	-15.1	0.0

Table S7. Statistical tests of changes in body mass and isotopes from the Pleistocene to Holocene. Welsh Two Sample t-test

MASS: PLEISTOCENE - HOLOCENE

Status	Order	Family	Genus	Species	Common Name	ANOVA p-value	Holocene Mean Mass	Pleistocene Mean Mass	t	p-value	$\alpha$ -Bonferroni (=0.0038)	df	estimate	conf.low	conf.high
Extant	Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	0.519	52.1	58.3	-0.64	0.533	n	14.5	-6.2	-26.9	14.5
Extinct/Extant	Artiodactyla	Bovidae	<i>Bison</i> *	<i>antiquus-bison</i>	Bison	1.7E-10	476.7	778.5	-6.93	2.3E-10	y	119.0	11.9	4.1	19.7
Extant	Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	Deer	0.018	73.4	61.4	3.01	0.003	y	137.3	-301.8	-388.0	-215.5
Extant	Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	Domestic dog	0.036	8.4	11.5	-1.43	0.241	n	3.3	-3.1	-9.6	3.4
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	Coyote	0.297	9.6	10.4	-1.08	0.284	n	56.8	-0.8	-2.2	0.7
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans/familiaris</i>	Coyote or Dog	0.539	9.5	9.1	0.58	0.565	n	32.2	0.4	-1.1	1.9
Extant	Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	Wolf	0.686	28.0	29.3	-0.43	0.670	n	22.4	-1.2	-7.2	4.7
Extant/Extinct	Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	Wolf, Coyote or Dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	Bobcat	0.068	15.9	11.1	1.88	0.089	n	10.5	4.8	-0.9	10.4
Extant	Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	Jaguar	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	Striped skunk	0.649	2.0	2.3	-0.94	0.375	n	8.4	-0.3	-1.2	0.5
Extant	Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	Skunk	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	Raccoon	0.717	7.1	5.8	0.35	0.751	n	2.8	1.4	-11.6	14.3
Extant	Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Black bear	0.874	173.7	178.5	-0.15	0.885	n	9.9	-4.8	-76.8	67.2
Extant	Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	Jackrabbit	0.016	4.5	2.8	3.07	0.005	n	24.1	1.7	0.5	2.8
Extant	Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	Cottontail rabbit	3.6E-04	0.8	1.0	-3.55	0.001	y	134.9	-0.2	-0.3	-0.1

$\delta^{13}C$ : PLEISTOCENE - HOLOCENE

Status	Order	Family	Genus	Species	Common Name	ANOVA p-value	Holocene Mean $\delta^{13}C$	Pleistocene Mean $\delta^{13}C$	t	p-value	$\alpha$ -Bonferroni (=0.0035)	df	estimate	conf.low	conf.high
Extant	Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	0.933	-19.0	-18.9	-0.27	0.795	n	10.3	-0.1	-0.9	0.7
Extinct/Extant	Artiodactyla	Bovidae	<i>Bison</i> *	<i>antiquus-bison</i>	Bison	0.163	-10.1	-9.4	-1.39	0.185	n	14.6	-0.7	-1.9	0.4
Extant	Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	Deer	0.023	-19.2	-19.9	2.53	0.015	n	43.5	0.8	0.2	1.4
Extant	Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	Domestic dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	Coyote	0.274	-13.5	-14.9	1.38	0.208	n	7.7	1.4	-1.0	3.8
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans/familiaris</i>	Coyote or Dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	Wolf	0.486	-11.5	-13.3	0.84	0.437	n	5.0	1.8	-3.6	7.1
Extant/Extinct	Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	Wolf, Coyote or Dog	0.426	-14.4	-15.5	0.52	0.652	n	2.2	1.1	-7.1	9.2
Extant	Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	Bobcat	0.016	-15.6	-17.7	2.56	0.040	y	6.6	2.2	0.1	4.2
Extant	Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	Jaguar	0.001	-10.4	-15.6	5.78	0.009	y	3.1	5.2	2.4	8.1
Extant	Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	Striped skunk	0.621	-14.9	-15.4	0.61	0.554	n	9.0	0.5	-1.3	2.3
Extant	Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	Skunk	0.543	-16.9	-17.4	0.57	0.592	n	4.8	0.4	-1.5	2.4
Extant	Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	Raccoon	0.335	-16.2	-17.5	1.17	0.391	n	1.6	1.2	-4.9	7.3
Extant	Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Black bear	0.409	-18.2	-18.8	0.86	0.412	n	8.5	0.5	-0.9	2.0
Extant	Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	Jackrabbit	0.001	-16.3	-18.3	3.22	0.002	y	66.0	2.0	0.8	3.2
Extant	Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	Cottontail rabbit	7.6E-05	-17.6	-18.7	4.38	1.7E-05	y	286.3	1.1	0.6	1.6
Extant	Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	Collared peccary	0.438	-16.5	-16.2	-0.96	0.494	n	1.2	-0.4	-3.7	3.0

$\delta^{15}N$ : PLEISTOCENE - HOLOCENE

Status	Order	Family	Genus	Species	Common Name	ANOVA p-value	Holocene Mean $\delta^{15}N$	Pleistocene Mean $\delta^{15}N$	t	p-value	$\alpha$ -Bonferroni (=0.0035)	df	estimate	conf.low	conf.high
Extant	Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	0.844	6.5	6.7	-0.43	0.692	n	3.6	-0.2	-1.2	0.9
Extinct/Extant	Artiodactyla	Bovidae	<i>Bison</i> *	<i>antiquus-bison</i>	Bison	2.5E-04	6.1	8.7	-1.50	0.373	n	1.0	-2.6	-23.6	18.5
Extant	Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	Deer	0.120	6.5	7.1	-1.05	0.315	n	12.3	-0.6	-1.9	0.7
Extant	Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	Domestic dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	Coyote	0.743	9.4	9.6	-0.36	0.732	n	6.4	-0.3	-2.2	1.7
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans/familiaris</i>	Coyote or Dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	Wolf	0.138	9.8	11.8	-1.85	0.127	n	4.8	-2.0	-4.7	0.8

Extant/Extinct	Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	Wolf, Coyote or Dog	0.826	9.1	8.8	0.13	0.910	n	2.1	0.3	-8.4	9.0
Extant	Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	Bobcat	0.001	9.1	6.8	3.88	0.006	n	7.2	2.3	0.9	3.7
Extant	Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	Jaguar	0.079	13.1	12.1	1.93	0.169	n	2.5	1.0	-0.9	2.9
Extant	Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	Striped skunk	0.954	9.5	9.6	-0.05	0.960	n	4.6	-0.1	-4.0	3.9
Extant	Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	Skunk	0.330	11.0	9.9	0.90	0.414	n	4.5	1.1	-2.1	4.2
Extant	Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	Raccoon	1.000	8.7	8.7	0.00	1.000	n	5.6	0.0	-2.0	2.0
Extant	Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Black bear	0.963	5.7	5.8	-0.05	0.965	n	5.8	0.0	-2.6	2.5
Extant	Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	Jackrabbit	0.081	5.3	5.8	-1.44	0.156	n	48.4	-0.6	-1.4	0.2
Extant	Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	Cottontail rabbit	7.3E-06	5.3	4.7	4.12	0.000	y	167.9	0.7	0.3	1.0
Extant	Artiodactyla	Tayassuidae	<i>Pecari</i>	<i>tajacu</i>	Collared peccary	0.207	6.5	7.2	-1.84	0.264	n	1.4	-0.7	-3.4	2.0

MASS: HOLOCENE - MODERN

Status	Order	Family	Genus	Species	Common Name	ANOVA p-value	Modern Mean Mass	Holocene Mean Mass	t	p-value	α-Bonferroni (=0.01)	df	estimate	conf.low	conf.high
x	Artiodactyla	Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extinct/Extant	Artiodactyla	Bovidae	<i>Bison</i>	<i>antiquus-bison</i>	Bison	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Artiodactyla	Cervidae	<i>Odocoileus</i>	<i>sp.</i>	Deer	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	Domestic dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans</i>	Coyote	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>latrans/familiaris</i>	Coyote or Dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Canidae	<i>Canis</i>	<i>lupus</i>	Wolf	2.2E-04	21.7	28.0	3.04	0.011	n	10.7	6.3	1.7	10.9
Extant/Extinct	Carnivora	Canidae	<i>Canis</i>	<i>sp.</i>	Wolf, Coyote or Dog	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Felidae	<i>Lynx</i>	<i>rufus</i>	Bobcat	0.035	11.7	15.9	1.75	0.114	n	8.9	4.2	-1.2	9.7
Extant	Carnivora	Felidae	<i>Panthera</i>	<i>onca</i>	Jaguar	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	Striped skunk	0.128	1.5	2.0	2.38	0.155	n	1.8	0.4	-0.5	1.3
Extant	Carnivora	Mephitidae	<i>Spilogale</i>	<i>sp.</i>	Skunk	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Procyonidae	<i>Procyon</i>	<i>lotor</i>	Raccoon	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Carnivora	Ursidae	<i>Ursus</i>	<i>americanus</i>	Black bear	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Extant	Lagomorpha	Leporidae	<i>Lepus</i>	<i>sp.</i>	Jackrabbit	0.018	2.6	4.5	4.42	2.5E-04	y	20.7	1.9	1.0	2.8
Extant	Lagomorpha	Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	Cottontail rabbit	8.3E-05	1.3	0.8	-2.26	0.046	n	10.4	-0.5	-1.1	0.0



**Table S9. Results of ANOVA tests for isotope values across enamel ( $\delta^{13}\text{C}$ ), collagen ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ), and enamel versus collagen (corrected  $\delta^{13}\text{C}$ ). Bonferroni adjusted significance values given**  
 Only groups with 7 or more samples were included. Bonferroni corrections were made for multiple comparisons. No comparisons were significant after adjustment

Family	Genus	Species	PLEISTOCENE: Enamel $\delta^{13}\text{C}$					PLEISTOCENE: Collagen $\delta^{13}\text{C}$ $\delta^{15}\text{N}$								
			Number of Specimens	Number of Elements	df	F-value	P-value	Bonferroni adjusted significance level	Number of Specimens	Number of Elements	df	F-value	P-value	Bonferroni adjusted significance level		
Antilocapridae	<i>Antilocapra</i>	<i>americana</i>	0	--	--	--	--	--	2	--	--	--	--	--	--	
Antilocapridae	<i>Capromeryx</i>	<i>sp.</i>	1	--	--	--	--	--	0	--	--	--	--	--	--	
Antilocapridae	<i>Tetrameryx</i>	<i>sp.</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Bovidae	<i>Bison</i>	<i>antiquus</i>	2	--	--	--	--	--	2	--	--	--	--	--	--	
Bovidae	<i>Bison</i>	<i>bison</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Bovidae	<i>Bison</i>	<i>latifrons</i>	1	--	--	--	--	--	0	--	--	--	--	--	--	
Bovidae	<i>Bison</i>	<i>sp.</i>	29	8	7/21	1.00	0.460	0.002	12	5	4/7	1.04	0.452	0.51	0.730	0.005
Camelidae	<i>Camelops</i>	<i>hesternus</i>	22	5	4/17	1.03	0.419	0.005	0	--	--	--	--	--	--	
Camelidae	<i>Palaeolama</i>	<i>mirifica</i>	5	--	--	--	--	--	0	--	--	--	--	--	--	
Canidae	<i>Canis</i>	<i>dirus</i>	3	--	--	--	--	--	5	--	--	--	--	--	--	
Canidae	<i>Canis</i>	<i>familiaris</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Canidae	<i>Canis</i>	<i>latrans</i>	0	--	--	--	--	--	5	--	--	--	--	--	--	
Canidae	<i>Canis</i>	<i>lupus</i>	0	--	--	--	--	--	2	--	--	--	--	--	--	
Canidae	<i>Vulpes</i>	<i>sp.</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Cervidae	<i>Navahocerus</i>	<i>fricki</i>	1	--	--	--	--	--	0	--	--	--	--	--	--	
Cervidae	<i>Odocoileus</i>	<i>sp.</i>	6	--	--	--	--	--	11	4	3/7	1.76	0.242	4.33	0.050	0.008
Elephantidae	<i>Mammut</i>	<i>americanum</i>	2	--	--	--	--	--	0	--	--	--	--	--	--	
Elephantidae	<i>Mammuthus</i>	<i>sp.</i>	76	10	9/66	3.14	0.003	0.001	0	--	--	--	--	--	--	
Equidae	<i>Equus</i>	<i>sp.</i>	83	14	13/69	1.62	0.100	0.001	5	--	--	--	--	--	--	
Felidae	<i>Felis</i>	<i>idii/yagouarou</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Felidae	<i>Homotherium</i>	<i>serum</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Felidae	<i>Lynx</i>	<i>rufus</i>	0	--	--	--	--	--	5	--	--	--	--	--	--	
Felidae	<i>Panthera</i>	<i>leo atrox</i>	2	--	--	--	--	--	0	--	--	--	--	--	--	
Felidae	<i>Panthera</i>	<i>onca</i>	1	--	--	--	--	--	3	--	--	--	--	--	--	
Felidae	<i>Puma</i>	<i>concolor</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Felidae	<i>Smilodon</i>	<i>fatalis</i>	4	--	--	--	--	--	1	--	--	--	--	--	--	
Gomphotheriidae	<i>Cuvierianus</i>	<i>sp.</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Leporidae	<i>Lepus</i>	<i>sp.</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Leporidae	<i>Sylvilagus</i>	<i>sp.</i>	0	--	--	--	--	--	40	5	4/35	1.70	0.173	1.10	0.372	0.005
Mephitidae	<i>Mephitis</i>	<i>mephitis</i>	0	--	--	--	--	--	4	--	--	--	--	--	--	
Mephitidae	<i>Spilogale</i>	<i>sp.</i>	0	--	--	--	--	--	9	--	--	--	--	--	--	
Mustelidae	<i>Mustela</i>	<i>sp.</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Mustelidae	<i>Taxidea</i>	<i>taxus</i>	0	--	--	--	--	--	0	--	--	--	--	--	--	
Procyonidae	<i>Procyon</i>	<i>lotor</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Tapiridae	<i>Tapirus</i>	<i>veroensis</i>	2	--	--	--	--	--	0	--	--	--	--	--	--	
Tayassuidae	<i>Platygonus</i>	<i>compressus</i>	2	--	--	--	--	--	2	--	--	--	--	--	--	
Ursidae	<i>Arctodus</i>	<i>simus</i>	0	--	--	--	--	--	1	--	--	--	--	--	--	
Ursidae	<i>Ursus</i>	<i>americanus</i>	0	--	--	--	--	--	4	--	--	--	--	--	--	

1 for multiple comparisons across number of elements.

PLEISTOCENE: All Elements						HOLOCENE: Enamel						HOLOCENE: Collagen						
Corrected $\delta^{13}C$						$\delta^{13}C$						$\delta^{13}C$ $\delta^{15}N$						
Number of Specimens (enamel:collagen)	Number of Elements	df	F-value	P-value	Bonferroni adjusted significance level	Number of Specimens	Number of Elements	df	F-value	P-value	Bonferroni adjusted significance level	Number of Specimens	Number of Elements	df	F-value	P-value	F-value	P-value
0:2	--	--	--	--	--	0	--	--	--	--	--	16	3	2/13	0.63	0.547	0.23	0.799
1:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
2:2	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:0	--	--	--	--	--	18	7	6/11	0.37	0.886	0.002	31	3	2/28	3.80	0.035	2.56	0.095
1:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
29:12	6	5/35	1.10	0.379	0.003	0	--	--	--	--	--	0	--	--	--	--	--	--
22:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
5:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
3:5	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:0	--	--	--	--	--	0	--	--	--	--	--	3	--	--	--	--	--	--
0:5	--	--	--	--	--	0	--	--	--	--	--	20	5	4/15	0.78	0.555	2.87	0.060
0:2	--	--	--	--	--	0	--	--	--	--	--	7	3	2/4	0.59	0.598	0.66	0.564
0:0	--	--	--	--	--	0	--	--	--	--	--	1	--	--	--	--	--	--
1:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
6:11	--	--	--	--	--	7	5	4/2	1.34	0.470	0.005	50	5	4/45	0.64	0.635	1.04	0.399
2:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
76:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
83:5	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:5	--	--	--	--	--	0	--	--	--	--	--	8	3	2/5	0.23	0.803	0.29	0.764
2:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
1:3	--	--	--	--	--	0	--	--	--	--	--	3	--	--	--	--	--	--
0:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
4:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:0	--	--	--	--	--	0	--	--	--	--	--	43	4	3/39	0.03	0.992	0.08	0.968
0:40	--	--	--	--	--	0	--	--	--	--	--	187	5	4/182	1.02	0.398	3.78	0.006
0:4	--	--	--	--	--	0	--	--	--	--	--	7	3	2/4	0.40	0.694	4.28	0.101
0:9	--	--	--	--	--	0	--	--	--	--	--	4	--	--	--	--	--	--
0:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:0	--	--	--	--	--	0	--	--	--	--	--	8	3	3/4	0.16	0.918	0.80	0.556
0:1	--	--	--	--	--	0	--	--	--	--	--	10	4	6/3	5.73	0.090	1.13	0.498
2:0	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
2:2	--	--	--	--	--	0	--	--	--	--	--	2	--	--	--	--	--	--
0:1	--	--	--	--	--	0	--	--	--	--	--	0	--	--	--	--	--	--
0:4	--	--	--	--	--	0	--	--	--	--	--	2	--	--	--	--	--	--

Bonferroni adjusted significance level	HOLOCENE: All Elements			Corrected $\delta^{13}C$		Bonferroni adjusted significance level
	Number of Specimens (enamel:collagen)	Number of Elements	df	F-value	P-value	
0.017	0:16	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
0.017	18:31	4	3/45	2.24	0.967	0.008
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:3	--	--	--	--	--
0.005	0:20	--	--	--	--	--
0.017	0:7	--	--	--	--	--
--	0:1	--	--	--	--	--
--	0:0	--	--	--	--	--
0.005	7:50	6	5/51	1.29	0.285	0.003
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:8	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:3	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:0	--	--	--	--	--
0.008	0:43	--	--	--	--	--
0.005	0:187	--	--	--	--	--
0.017	0:7	--	--	--	--	--
--	0:4	--	--	--	--	--
--	0:0	--	--	--	--	--
0.017	0:8	--	--	--	--	--
0.008	0:10	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:2	--	--	--	--	--
--	0:0	--	--	--	--	--
--	0:2	--	--	--	--	--