

Supplementary Table 2. Results for Primary and Secondary Outcomes from Subgroup Analysis Based on Lyon Consensus Criteria								
	HTHS		HTLS		LTHS		LTLS	
	Pathologic GERD	Inconclusive GERD						
<b>Esophageal Acid Exposure Time</b>								
Baseline	8.9 ± 14.1	4.9 ± 5.4	17.2 ± 28.1	5.5 ± 6.6	15.5 ± 12.6	5.7 ± 4.4	9.6 ± 6.5	5.2 ± 4.8
Final	7.1 ± 5.4	3.3 ± 2.6	10.1 ± 10.5	3.4 ± 4.7	9.1 ± 6.2	3.5 ± 4.7	8.8 ± 3.3	3.4 ± 2.9
Change	1.9 ± 5.5	1.6 ± 2.8	7.1 ± 13.3**	2.2 ± 4.5*	6.4 ± 8.6**	2.2 ± 1.8**	1.8 ± 4.1*	1.8 ± 2.5*
<b>Total Number of Reflux Episodes</b>								
Baseline	182.3 ± 64.2	69.4 ± 72.5	171.7 ± 105.8	65.5 ± 26.0	183.9 ± 148.7	55.9 ± 49.7	165.8 ± 93.9	51.3 ± 37.7
Final	149.7 ± 37.4	49.1 ± 52.5	138.2 ± 68.9	39.5 ± 34.1	132.4 ± 81.2	47.6 ± 37.6	150.4 ± 89.9	31.5 ± 31.8
Change	33.5 ± 59.9	20.2 ± 22.5	33.5 ± 31.8**	25.9 ± 24.7*	51.6 ± 75.2*	8.3 ± 24.5	14.2 ± 58.9	9.8 ± 16.9
<b>GERDQ Score</b>								
Baseline	6.3 ± 2.6	7.0 ± 2.6	6.4 ± 4.5	6.4 ± 3.6	5.9 ± 3.1	8.5 ± 5.1	5.9 ± 3.9	6.4 ± 1.9
Final	4.7 ± 3.8	6.3 ± 4.0	2.2 ± 2.7	3.2 ± 3.4	3.4 ± 3.4	5.7 ± 2.5	3.4 ± 3.1	3.0 ± 1.4
Change	1.5 ± 4.2	0.7 ± 5.5	4.3 ± 4.3**	3.2 ± 4.1*	2.5 ± 3.1*	2.8 ± 3.3*	2.5 ± 3.6*	3.4 ± 3.0**
<b>GSAS Score</b>								
Baseline	9.8 ± 5.5	9.8 ± 6.9	10.6 ± 8.9	9.8 ± 6.3	8.8 ± 4.9	10.5 ± 5.4	9.1 ± 7.2	10.4 ± 8.0
Final	5.8 ± 7.1	6.0 ± 0.8	3.6 ± 3.5	4.5 ± 4.6	4.2 ± 3.9	5.0 ± 3.8	5.4 ± 4.8	3.8 ± 3.7
Change	4.0 ± 5.5*	3.8 ± 4.6*	7.0 ± 6.5**	5.3 ± 5.1**	4.6 ± 4.4**	5.5 ± 4.7**	4.0 ± 5.2*	6.6 ± 6.0**

Within Group Differences: \*P<0.05, \*\*P<0.01, \*\*\*P<0.001