

Supporting Information

Tbx18 Orchestrates Cytostructural Transdifferentiation of Cardiomyocytes to Pacemaker Cells by Recruiting the Epithelial-Mesenchymal Transition Program

D. Brian Foster^{1,*,‡,¥}, Jin-mo Gu^{2,‡,¥}, Elizabeth H. Kim³, David W. Wolfson, Robert O'Meally⁴,
Robert N. Cole⁴, & Hee Cheol Cho^{5,*}

¹Division of Cardiology, Department of Medicine, The Johns Hopkins University School of Medicine, Baltimore, MD, 21205

²Department of Pediatrics, Emory University, Atlanta, GA, 30322

³Cedars-Sinai Medical Center, Los Angeles, CA, 90048

⁴Proteomics Core Facility, The Johns Hopkins University School of Medicine, Baltimore, MD, 21205

⁵Department of Surgery, The Johns Hopkins University School of Medicine, Baltimore, MD, 21205

Table of Contents

Figure S1. Transcriptome/Proteome Correlation

Figure S2. Inferred Upstream Regulation of Proteins by Gata4, Mef2, Tbx5, and Hand2

Supplement S1. Tbx18 Proteome.xlsx

Supplement S2. Tbx18 Transcriptome.xlsx




Figure S1. Transcriptome/Proteome Correlation




Figure S2. Inferred Upstream Regulation of Proteins by Gata4, Mef2, Tbx5, and Hand2