Supplemental Table 1. Baseline cohort respondent characteristics

		Dual users n=200		Exclusive vapers n=160		Overall N=360	
		n	%	n	%	n	%
Sex	Male	94	47.0	72	45.0	166	46.1
	Female	106	53.0	88	55.0	194	53.9
Age group	18-24	47	23.5	9	5.6	56	15.6
	25-39	45	22.5	32	20.0	77	21.4
	40-54	52	26.0	41	25.6	93	25.8
	55 and up	56	28.0	78	48.8	134	37.2
Income	Low	74	37.0	46	28.8	120	33.3
	Medium	52	26.0	44	27.5	96	26.7
	High	74	37.0	70	43.8	144	40.0
Education	Low	63	31.5	44	27.5	107	29.7
	Medium	89	44.5	79	49.4	168	46.7
	High	48	24.0	37	23.1	85	23.6
Smoking status	Daily smoker	135	67.5	0	0.0	135	37.5
	Non-daily smoker	65	32.5	0	0.0	65	18.1
	Ex-smoker	0	0.0	160	100.0	160	44.4
Vaping status, smoking status	Daily vaper, daily smoker	65	32.5	0	0.0	65	18.1
	Daily vaper, non-daily smoker	35	17.5	0	0.0	35	9.7
	Daily vaper, ex-smoker	0	0.0	148	92.5	148	41.1
	Weekly vaper, daily smoker	70	35.0	0	0.0	70	19.4
	Weekly vaper, non-daily smoker	30	15.0	0	0.0	30	8.3
	Weekly vaper, ex-smoker	0	0.0	12	7.5	12	3.3
Flavor/device use most often							
Cartridge	Tobacco/unflavored	31	15.5	15	9.4	46	12.8
	Menthol/mint	24	12.0	9	5.6	33	9.2
	Fruit/other	22	11.0	11	6.9	33	9.2
Tank	Tobacco/unflavored	23	11.5	33	20.6	56	15.6
	Menthol/mint	20	10.0	17	10.6	37	10.3
	Fruit/other	61	30.5	71	44.4	132	36.7
Disposable	Tobacco/unflavored	6	3.0	2	1.3	8	2.2
	Non-tobacco flavors	13	6.5	2	1.3	15	4.2

Data are unweighted and unadjusted. Dual users: currently smoking and vaping. Exclusive vapers: ex-smokers who switched to ENDS.

Supplemental Table 2. Continued abstinence from smoking (versus relapse back to smoking) in 2020 among baseline frequent exclusive ENDS users who were ex-smokers in 2018 (n=160)

2018 ENDS flavor/device being used most often	2020 smoking status			
	Weighted % (n)			
	Remained quit	Returned to smoking		
Tobacco/unflavored: all devices (n=50)	93.2 (47)	6.8 (3)		
Menthol/mint: all devices (n=27)	83.4 (24)	16.6 (3)		
Fruit and other flavors: disposable/tank (n=72)	89.3 (64)	10.7 (8)		
Fruit and other flavors: cartridge* (n=11)	95.2 (10)	4.8 (1)		
Overall	90.2 (145)	9.8 (15)		

Data are weighted and adjusted for sex, age group and time-in-sample. *Flavor-device combination enforced under the 2020 federal policy.

Supplemental Table 3. Smoking status in 2020 among baseline (2018) dual users (smokers and frequent ENDS users)

2018 ENDS flavor/device used most often by dual users	2020 smoking status Weighted % (n)					
N=200	Remained smoker & frequent vaper	Remained smoker & reduced/quit vaping	Overall continued smoking	Quit smoking & remained frequent vaper	Quit smoking & reduced/quit vaping	Overall quit smoking
Tobacco/unflavored: all devices (n=60)	61.8 (36)	22.3 (14)	83.9 (50)	10.6 (5)	5.2 (5)	16.1 (10)
Menthol/mint: all devices (n=50)	51.5 (23)	30.1 (18)	81.2 (41)	12.9 (4)	5.5 (5)	18.8 (9)
Fruit and other flavors: disposable/tank (n=68)	37.1 (23)	28.3 (21)	66.8 (44)	26.2 (16)	8.4 (8)	33.2 (24)
Fruit and other flavors: cartridge* (n=22)	62.3 (10)	12.1 (4)	78.4 (14)	4.9 (3)	20.7 (5)	21.6 (8)
Overall (N=200)	52.2 (92)	25.3 (57)	77.5 (149)	14.9 (28)	7.6 (23)	22.5 (53)

Data are weighted and adjusted for: sex, age, time-in-sample, and baseline smoking status (daily/non-daily).

Overall estimates deviate slightly from the two previous columns due to model parameter differences after combining the two groups.

*Flavor-device combination enforced under the 2020 federal policy.