

Supporting Information

Persistence of endogenous SARS-CoV-2 and pepper mild mottle virus RNA in wastewater settled solids

Laura Roldan-Hernandez¹, Katherine E. Graham¹, Dorothea Duong², Alexandria B. Boehm¹

¹ Department of Civil and Environmental Engineering, Stanford University, 473 Via Ortega, Stanford 94305, California, United States

² Verily Life Sciences, South San Francisco, 94080, California, United States

Corresponding Author:

Alexandria B. Boehm, 650-724-9128, aboehm@stanford.edu

Number of pages: 5

Number of Tables: 3

17 **Table S1: Search terms and statistics for literature review; Persistence of SARS-CoV-2 and PMMoV**
 18 **in wastewater or environmental waters.**

Virus	Search engine and field	Search terms	Number of papers identified	Number of papers included	Number of k extracted	References
SARS-CoV-2	Web of science core collection Search field = title	SARS-CoV-2 AND wastewater AND persistence OR decay OR stability	9	5	21	1–5
PMMoV	Web of science core collection Search field = abstract	PMMoV OR Pepper Mild Mottle Virus AND wastewater or environment* AND persistence OR decay OR stability OR viability	6	1	3	6

19 k = first-order decay rate constant

20 **Table S2: Primers and probes for RT-ddPCR assays**

Assay target	Primer/Probe Sequence (5'-3')		Aplicon length (bp)	Reference
SARS-CoV-2 N1	Forward	GACCCCAAAATCAGCGAAAT	72	Lu et al. ⁷
	Reverse	TCTGGTTACTGCCAGTTGAATCTG		
	Probe	ACCCCGCATTACGTTGGTGGACC (5' FAM/ZEN/3' IBFQ)		
SARS-CoV-2 N2	Forward	TTACAAACATTGGCCGCAAA	62	Lu et al. ⁷
	Reverse	GCG CGACATTCCGAAGAA		
	Probe	ACAATTGCCCCCAGCGCTTCAG (5' HEX/ZEN/3' IBFQ)		
BCoV	Forward	CTGGAAGTTGGTGGAGTT	85	Decaro et al. ⁸
	Reverse	ATTATCGGCCTAACATACATC		
	Probe	CCTTCATATCTATACACATCAAGTTGTT (5' FAM/ZEN/3' IBFQ)		
PMMoV	Forward	GAGTGGTTGACCTAACGTTGA	68	Haramoto et al. ⁹ and Zhang et al. ¹⁰
	Reverse	TTGTCGGTTGCAATGCAAGT		
	Probe	CCTACCGAAGCAAATG (5' HEX/ZEN/3' IBFQ)		

21

Table S3: Characteristics of POTWs and primary settled solid samples

Description	POTW A	POTW B
Name	San José-Santa Clara Regional Wastewater Facility	Sacramento Regional Wastewater Treatment Plant
Population served	1.4 million	1.6 million
Flow (MGD)	110	124
Average residence time in the sewer network (hours)	4-18	15
Preliminary treatment (upstream of primary clarifiers)	Addition of FeCl ₃ at the headworks, bar screening, and grit removal	Addition of NaOCl and calcium nitrate at the headworks, bar screening, addition of FeCl ₃ , and grit removal
Average residence time of solids in the primary clarifier (hours)	1-2	1
Type of sample	24-hour composite (500 mL gathered every 4 hours)	grab
Percent of solid (%) in primary settled solid samples	14.1	16.6

References:

- (1) Ahmed, W.; Bertsch, P. M.; Bibby, K.; Haramoto, E.; Hewitt, J.; Huygens, F.; Gyawali, P.; Korajkic, A.; Riddell, S.; Sherchan, S. P.; Simpson, S. L.; Sirikanchana, K.; Symonds, E. M.; Verhagen, R.; Vasan, S. S.; Kitajima, M.; Bivins, A. Decay of SARS-CoV-2 and Surrogate Murine Hepatitis Virus RNA in Untreated Wastewater to Inform Application in Wastewater-Based Epidemiology. *Environmental Research* **2020**, 191, 110092. <https://doi.org/10.1016/j.envres.2020.110092>.
- (2) Bivins, A.; Greaves, J.; Fischer, R.; Yinda, K. C.; Ahmed, W.; Kitajima, M.; Munster, V. J.; Bibby, K. Persistence of SARS-CoV-2 in Water and Wastewater. *Environ. Sci. Technol. Lett.* **2020**, 7 (12), 937–942. <https://doi.org/10.1021/acs.estlett.0c00730>.
- (3) Hokajarvi, A.-M.; Rytkonen, A.; Tiwari, A.; Kauppinen, A.; Oikarinen, S.; Lehto, K.-M.; Kankaanpää, A.; Gunnar, T.; Al-Hello, H.; Blomqvist, S.; Miettinen, I. T.; Savolainen-Kopra, C.; Pitkänen, T. The Detection and Stability of the SARS-CoV-2 RNA Biomarkers in Wastewater Influent in Helsinki, Finland. *Science of The Total Environment* **2021**, 770, 145274. <https://doi.org/10.1016/j.scitotenv.2021.145274>.
- (4) Weidhaas, J.; Aanderud, Z. T.; Roper, D. K.; VanDerslice, J.; Gaddis, E. B.; Ostermiller, J.; Hoffman, K.; Jamal, R.; Heck, P.; Zhang, Y.; Torgersen, K.; Laan, J. V.; LaCross, N. Correlation of SARS-CoV-2 RNA in Wastewater with COVID-19 Disease Burden in Sewersheds. *Science of The Total Environment* **2021**, 775, 145790. <https://doi.org/10.1016/j.scitotenv.2021.145790>.

- (5) de Oliveira, L. C.; Torres-Franco, A. F.; Lopes, B. C.; Santos, B. S. Á. da S.; Costa, E. A.; Costa, M. S.; Reis, M. T. P.; Melo, M. C.; Polizzi, R. B.; Teixeira, M. M.; Mota, C. R. Viability of SARS-CoV-2 in River Water and Wastewater at Different Temperatures and Solids Content. *Water Research* **2021**, *195*, 117002. <https://doi.org/10.1016/j.watres.2021.117002>.
- (6) Rachmadi, A. T.; Kitajima, M.; Pepper, I. L.; Gerba, C. P. Enteric and Indicator Virus Removal by Surface Flow Wetlands. *Science of The Total Environment* **2016**, *542*, 976–982. <https://doi.org/10.1016/j.scitotenv.2015.11.001>.
- (7) Lu, X.; Wang, L.; Sakthivel, S. K.; Whitaker, B.; Murray, J.; Kamili, S.; Lynch, B.; Malapati, L.; Burke, S. A.; Harcourt, J.; Tamin, A.; Thornburg, N. J.; Villanueva, J. M.; Lindstrom, S. US CDC Real-Time Reverse Transcription PCR Panel for Detection of Severe Acute Respiratory Syndrome Coronavirus 2. *Emerg. Infect. Dis.* **2020**, *26* (8), 1654–1665. <https://doi.org/10.3201/eid2608.201246>.
- (8) Decaro, N.; Elia, G.; Campolo, M.; Desario, C.; Mari, V.; Radogna, A.; Colaianni, M. L.; Cirone, F.; Tempesta, M.; Buonavoglia, C. Detection of Bovine Coronavirus Using a TaqMan-Based Real-Time RT-PCR Assay. *Journal of Virological Methods* **2008**, *151* (2), 167–171. <https://doi.org/10.1016/j.jviromet.2008.05.016>.
- (9) Haramoto, E.; Kitajima, M.; Kishida, N.; Konno, Y.; Katayama, H.; Asami, M.; Akiba, M. Occurrence of Pepper Mild Mottle Virus in Drinking Water Sources in Japan. *Appl. Environ. Microbiol.* **2013**, *79* (23), 7413–7418. <https://doi.org/10.1128/AEM.02354-13>.
- (10) Zhang, T.; Breitbart, M.; Lee, W. H.; Run, J.-Q.; Wei, C. L.; Soh, S. W. L.; Hibberd, M. L.; Liu, E. T.; Rohwer, F.; Ruan, Y. RNA Viral Community in Human Feces: Prevalence of Plant Pathogenic Viruses. *PLoS Biol* **2005**, *4* (1), e3. <https://doi.org/10.1371/journal.pbio.0040003>.