

Figure S1.







Figure S2.

Short exposure of Caspase1 in Fig. 2C




Figure S3.






Figure S4.



**A**



**B**



**C**



**D**






Figure S5.




Figure S6.





Figure S7.





Figure S8.








Figure S9.



**Suppl. Table 1. Protein concentration and percentage in LPS.**

	LPS (10 µg/ml)		
	<i>E. coli</i>	<i>K. pneumoniae</i>	<i>P. aeruginosa</i> (PAO1)
Protein concentration (µg/ml)	0.65172	1.14952	0.07532
Protein percentage (%)	6.5172	11.4952	0.7532

**Suppl. Table 2. Sequences of qPCR primers**

Target	Forward sequence (5' to 3')	Reverse sequence (5' to 3')
mouse <i>Tnfa</i>	GCCTCTTCTCATTCTGCTTG	CTGATGAGAGGGAGGCCATT
mouse <i>Il6</i>	GAGGATACCACTCCCAACAGACC	AAGTGCATCATCGTTGTTTCATAC
mouse <i>Il1b</i>	GGAGAACCAAGCAACGACAAAATA	TGGGGAACCTCTGCAGACTCAAAC
mouse <i>Cxcl1</i>	CAATGAGCTGCGCTGTCAGTG	CTTGGGGACACCTTTTAGCATC
mouse <i>Cxcl2</i>	CCAAGGGTTGACTTCAAGAAC	AGCGAGGCACATCAGGTACG
mouse <i>Cramp</i>	GCCGCTGATTCTTTTGACAT	GCCAAGGCAGGCCTACTACT
mouse <i>Gapdh</i>	GGAGAACCTGCCAAGTATG	TGGGAGTTGCTGTTGAAG