Clinical informat

			<u># Cimicai miormat</u>		
Sample Number	pathologic diagnoses	Gender	Age(y/o	Location	
1	moderately-poorly differentiated	M	69	colon (patient 1)	
2	well-moderately differentiated	F	68	colon (patient 2)	
3	well-moderately differentiated	M	31	colon (patient 3)	
4	poorly differentiated	M	69	gastric (patient 1)	
5	poorly differentiated	F	68	gastric (patient 2)	
6	poorly differentiated	M	31	gastric (patient 3)	

Maximum Diameter(m m)	pTNM Classification	Staging	vascular invasion	omentu m invasion
30	T4aN1bM0	IIIB	_	-
30	T4aN0M0	IIB	-	-
50	T4aN0M0	IIB	_	-
60	T4N2M0	IIIA	+	-
40	T4aN2M0	IIIA	_	-
20	T4aN1M0	IIIA	-	-
	Diameter(m m) 30 30 50 60 40	Diameter(m m) pTNM Classification 30 T4aN1bM0 30 T4aN0M0 50 T4aN0M0 60 T4N2M0 40 T4aN2M0	Diameter(m m) pTNM Classification Staging 30 T4aN1bM0 IIIB 30 T4aN0M0 IIB 50 T4aN0M0 IIB 60 T4N2M0 IIIA 40 T4aN2M0 IIIA	Diameter(m m) pTNM Classification Staging invasion vascular invasion 30 T4aN1bM0 IIIB - 30 T4aN0M0 IIB - 50 T4aN0M0 IIB - 60 T4N2M0 IIIA + 40 T4aN2M0 IIIA -

perineural invasion	lymphatic metastasis	note	Immuno	histochen
			MSH2	MSH6
-	+	/	+	+
-	•	/	+	+
-	-	partly mucinous adenocarcinoma	+	+
+	+	/	+	+
+	+	partly signet ring cell	+	+
+	+	partly signet ring cell	+	+
			<u> </u>	

nistry					
PMS2	MLH1	Ki67	HER2	ERER	CK7
+	+	/	/	/	/
+	+	/	/	/	/
+	+	70%	/	/	/
+	+	/	-	-	+
+	+	/	-	-	+
+	+	80%	-	-	+
<u> </u>				l	