



Supplementary Figure 1. Nakao et al.




Supplementary Figure 2. Nakao et al.



Supplementary Figure 3. Nakao et al.

MVs
(vector control) 


CPS14⁺MVs 




Supplementary Figure 4. Nakao et al.

MVs
(vector control) 


Lot-1



Lot-2




Lot-3




CPS14⁺MVs 


Lot-1




Lot-2




Lot-3



MVs
(vector control) 




CPS14+MVs 




Supplementary Figure 6. Nakao et al.

(A) Timeline of immunization, different doses of vaccines




(B) Humoral immune responses in serum after vaccination with different doses


PPSV23




PCV13



CPS14⁺ MVs




(C) Vaccination with PPSV23, PCV13, and CPS14⁺MVs at same CPS14 doses




Supplementary Figure 7. Nakao et al.


(A) SDS resistance




(B) Timeline of immunization, using CPS14⁺MVs treated with formalin or detergent




(C) Humoral immune responses against CPS14: treatment with formalin or SDS




(D) Timeline of immunization, using CPS14⁺MVs with or without heat treatment



(E) Humoral immune responses against CPS14: Heat treatment




Supplementary Figure 8. Nakao et al.



Supplementary Figure 9. Nakao et al.

(A) Secondary electron images



(B) Refractory electron images

