

Supplementary Online Content

Björk-Eriksson T, Boström M, Bryngelsson IL, et al. Mortality among pediatric patients with acute lymphoblastic leukemia in Sweden from 1988 to 2017. *JAMA Netw Open*. 2022;5(11):e2243857. doi:10.1001/jamanetworkopen.2022.43857

eTable 1. Inclusion Criteria Used in the Cancer Register and the Patient Register

eTable 2. Codes for Cause-specific Mortality

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. Inclusion Criteria Used in the Cancer Register and the Patient Register

Registers	Codes
Cancer Register	
ICD-7 codes	204.0, 204.1, 204.9, 207.0, 207.9
PAD codes	206, 296, 826, 996
Patient Register	
ICD-10 codes	C91.0, C91.1, C91.3, C91.5, C91.7, C91.9, C95.0, C95.9
ICD-9 codes	204.0, 204.1, 204.9, 208.0, 208.9

Abbreviations: ICD, International Classification of Diseases; PAD, Pathological-Anatomical Diagnosis.

eTable 2. Codes for Cause-specific Mortality

Cause-specific mortality	ICD-10	ICD-9
Malignant tumors	C00-C97	140-208
Malignant neoplasm of the brain	C71	191
Malignant neoplasm of lymphoid, hematopoietic, and related tissues	C90-C96	204-208
Ischemic heart disease	I20-I25	410-414
Cerebrovascular disease	I61-I64	431-434, 436

Abbreviation: ICD, International Classification of Diseases.