

**Appendix 1. Age Distribution at the Baseline Study Visit Among 385 Reproductive-Aged Black Participants in the Study Environment Lifestyle and Fibroids (SELF) Who Had a Leiomyoma Detected at the Baseline Visit**

	Number (%)
Sociodemographic variables	
Age (years)	
23-25	38 (9.9)
26-28	89 (23.1)
29-31	118 (30.6)
32-35	140 (36.4)

Wegienka G, Havstad S, Coleman C, Cooper T, Wesselink A, Upson K, et al. Ultrasound-confirmed, age-specific uterine leiomyoma incidence in a cohort of black individuals. *Obstet Gynecol* 2022;140.

The authors provided this information as a supplement to their article.

©2022 American College of Obstetricians and Gynecologists.

**Appendix 2. Number of Completed Follow-up Study Visits in the Study Environment Lifestyle and Fibroids (SELF) by Age at Baseline Visit**

Sociodemographic variables	Number of women by total follow-up visits completed (% of all women n=1241)			
	1	2	3	4
Age (years)				
23-25	21 (1.7)	29 (2.3)	65 (5.2)	200 (16.1)
26-28	9 (0.7)	24 (1.9)	67 (5.4)	221 (17.8)
29-31	13 (1.0)	21 (1.7)	54 (4.4)	239 (19.3)
32-35	9 (0.7)	11 (0.9)	47 (3.8)	211 (17.0)

Wegienka G, Havstad S, Coleman C, Cooper T, Wesselink A, Upson K, et al. Ultrasound-confirmed, age-specific uterine leiomyoma incidence in a cohort of black individuals. *Obstet Gynecol* 2022;140.

The authors provided this information as a supplement to their article.

©2022 American College of Obstetricians and Gynecologists.