

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

n/a Confirmed

- The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
- A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
- The statistical test(s) used AND whether they are one- or two-sided
Only common tests should be described solely by name; describe more complex techniques in the Methods section.
- A description of all covariates tested
- A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
- A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
- For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
Give P values as exact values whenever suitable.
- For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
- For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
- Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection	ImageQuant 800 was controlled by IQ800 control software (Ver. 1.1.2, Amersham). A modular HPLC system (Shimadzu) was operated by LabSolutions LC/GC (Ver. 5.42, Shimadzu). BIAcoreJ was operated by BIAcoreJ control software (Ver. 1.1, Cytiva). All-in-One fluorescence microscope BZ-X800 was controlled by BZ-X viewer (ver. 01.03.02.01, Keyence). A micor-CT (LaTheta LCT-200) was operated by LaTheta (ver. 3.40, Hitachi Aloca Medical). Tri-Carb liquid scintillation analyzer (model TRI-CARB 2900TR, PerkinElmer Life and Analytical Sciences) was operated by Microsoft Windows NT (Ver. 4).
Data analysis	Blotting images were analyzed with ImageQuant TL (Ver. 8.1, Amersham). SPR sensorgrams were analyzed with BIAevaluation 3.0 software (Cytiva). Optical images were analyzed with BZ-X Analyzer (ver. 1.4.1.1, Keyence). Statistical analyses were performed with Microsoft Excel for Mac (ver. 15.33) with a data analysis add-in, Mac statistical analysis ver. 3.0 (Esumi). BMD assessment and reconstruction of 3D images of bones were conducted using LaTheta (ver. 3.40, Hitachi Aloca Medical) and VGStudio MAX 2.2 (Volume Graphics).

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our [policy](#)

The authors declare that the data supporting the findings of this study are available within the paper and its Supplementary Information files, or from the corresponding author upon reasonable request. Source data are provided with this paper.

Human research participants

Policy information about [studies involving human research participants and Sex and Gender in Research](#).

Reporting on sex and gender	N/A
Population characteristics	N/A
Recruitment	N/A
Ethics oversight	N/A

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

- Life sciences Behavioural & social sciences Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see [nature.com/documents/nr-reporting-summary-flat.pdf](https://www.nature.com/documents/nr-reporting-summary-flat.pdf)

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size	No sample-size calculations were performed. Sample size was determined based on pilot experiments, laboratory experience, and comparison with similar previous works (doi: 10.1042/BJ20090474.; doi: 10.1016/j.bbrc.2012.03.024.; doi: 10.1074/jbc.M113.520536.; and doi: 10.1038/srep08994.).
Data exclusions	Data were only excluded for failed experiments, such as negative results on the positive control.
Replication	All experiments were replicated a minimum of three times with the exception of several data for the measurement of enzymatic activity and for the gel filtration chromatographic profiles of GAG polysaccharides. The latter two experiments were generally performed in duplicate trials, and repeated reproducibly at least two times.
Randomization	Randomization was not necessary for this study. Data variability was controlled through the inclusion of multiple biological replicates, and/or inclusion of multiple technical replicates within the respective experiments.
Blinding	Cell-to-substrate adhesion assay was conducted blind. The other quantitative data are not subjective but rather based on automated analyses.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).
Research sample	State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.
Sampling strategy	Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.
Data collection	Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.
Timing	Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Non-participation	State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.
Randomization	If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.
Research sample	Describe the research sample (e.g. a group of tagged <i>Passer domesticus</i> , all <i>Stenocereus thurberi</i> within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.
Data collection	Describe the data collection procedure, including who recorded the data and how.
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.

Did the study involve field work? Yes No

Field work, collection and transport

Field conditions	<i>Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).</i>
Location	<i>State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).</i>
Access & import/export	<i>Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).</i>
Disturbance	<i>Describe any disturbance caused by the study and how it was minimized.</i>

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a	Involved in the study
<input type="checkbox"/>	<input checked="" type="checkbox"/> Antibodies
<input type="checkbox"/>	<input checked="" type="checkbox"/> Eukaryotic cell lines
<input checked="" type="checkbox"/>	<input type="checkbox"/> Palaeontology and archaeology
<input type="checkbox"/>	<input checked="" type="checkbox"/> Animals and other organisms
<input checked="" type="checkbox"/>	<input type="checkbox"/> Clinical data
<input checked="" type="checkbox"/>	<input type="checkbox"/> Dual use research of concern

Methods

n/a	Involved in the study
<input checked="" type="checkbox"/>	<input type="checkbox"/> ChIP-seq
<input checked="" type="checkbox"/>	<input type="checkbox"/> Flow cytometry
<input checked="" type="checkbox"/>	<input type="checkbox"/> MRI-based neuroimaging

Antibodies

Antibodies used	<p>Primary antibodies: mouse anti-FLAG (M2, #F1804, 1:1,000, Sigma-Aldrich), rabbit anti-His-tag [#2365, 1:1,000, Cell signaling Technology (CST)], rabbit anti-FAM20C (#25395-1-AP, 1:1,000, Proteintech), mouse anti-FAM20B, (1018512, #MAB8427, 1:250, R&D systems), mouse anti-C4ST-1 (L18, #sc-100868, 1:200, Santa Cruz Biotechnology), mouse anti-GAPDH (5A12, #014-25524, 1:1,000, Fujifilm Wako), mouse anti-N-cadherin (GC4, #C3865, 5 ng ml⁻¹ for neutralization, Sigma-Aldrich), mouse anti-cadherin-11 (16G5, #ab151446, 5 ng ml⁻¹ for neutralization, Abcam), rabbit anti-ERK1/2 (#9102, 1:1,000, CST), rabbit anti-phospho-ERK1/2 (#9101, 1:1,000, CST), rabbit anti-Smad1 (#9743, 1:1,000, CST), rabbit anti-phospho-Smad1/5/8 (#9511, 1:1,000, CST), rabbit anti-Smad3 (#9523, 1:1,000, CST), and rabbit anti-phospho-Smad3(#9520, 1:1,000, CST).</p> <p>Secondary antibodies: sheep anti-mouse IgG HRP-linked (#NA931, 1:5,000, Cytiva), donkey anti-rabbit IgG HRP-linked (#NA934, 1:10,000, Cytiva), and mouse anti-goat IgG HRP-linked (#sc-2354, 1:5,000, Santa Cruz).</p>
Validation	<p>Each primary antibody was validated for the species specificity and application with information available from the manufacturer's website, as follows:</p> <p>https://www.sigmaaldrich.com/deepweb/assets/sigmaaldrich/product/documents/119/160/f1804bul-mk.pdf https://www.cellsignal.jp/products/primary-antibodies/his-tag-antibody/2365 https://www.ptglab.co.jp/products/FAM20C-Antibody-25395-1-AP.htm https://resources.rndsystems.com/pdfs/datasheets/mab8427.pdf?v=20221209&_ga=2.206298771.1011545240.1670646045-794074534.1494233793 https://datasheets.scbt.com/sc-100868.pdf https://labchem-wako.fujifilm.com/jp/product_data/docs/O1842354_doc01.pdf https://www.sigmaaldrich.com/JP/ja/product/sigma/c3865 https://www.abcam.co.jp/ob-cadherin-antibody-16g5-ab151446.html https://www.cellsignal.jp/products/primary-antibodies/p44-42-mapk-erk1-2-antibody/9102 https://www.cellsignal.jp/products/primary-antibodies/phospho-p44-42-mapk-erk1-2-thr202-tyr204-antibody/9101?_ =1670647550617&Ntt=9101&tahead=true https://www.cellsignal.jp/products/primary-antibodies/smad1-antibody/9743 https://www.cellsignal.com/products/uncategorized/phospho-smad1-ser463-465-smad5-ser463-465-smad9-ser465-467-antibody/9511 https://www.cellsignal.jp/products/primary-antibodies/smad3-c67h9-rabbit-mab/9523 https://www.cellsignal.jp/products/primary-antibodies/phospho-smad3-ser423-425-c25a9-rabbit-mab/9520</p>

Eukaryotic cell lines

Policy information about [cell lines and Sex and Gender in Research](#)

Cell line source(s)	Mouse L fibroblasts and their mutant derivatives, sog9 cells, were kindly provided by Dr. Frank Tufaro (Allera Health Products, St. Petersburg, FL, U. S. A.). HeLa cells (ATCC®, CCL-2™) and COS-1 cells (ATCC®, CRL-1650™) were obtained from American Type Culture Collection (ATCC). The human osteosarcoma cell line, Saos-2 (RCB0428), and mouse osteoblastic cell line, MC3T3-E1 (RCB1126), were purchased from the RIKEN BRC through the National Bio-Resource Project of the MEXT/AMED, Japan.
Authentication	Mouse L fibroblasts and sog9 cells were authenticated by PCR based assay using specific primer sets for GAG biosynthetic enzymes, Ext1, and C4st1 (doi: 10.1074/jbc.M609320200.). No further authentication was performed for commercially available cell lines.
Mycoplasma contamination	All cells used in this study have been tested for mycoplasma contamination by Providers. We also checked that by a conventional PCR-based detection method using specific primer sets (DOI: 10.1385/1-59259-406-9:319). All cell lines tested were confirmed to be negative for mycoplasma contamination.
Commonly misidentified lines (See ICLAC register)	No commonly misidentified cell lines were used in this study.

Palaeontology and Archaeology

Specimen provenance	<i>Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.</i>
Specimen deposition	<i>Indicate where the specimens have been deposited to permit free access by other researchers.</i>
Dating methods	<i>If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.</i>
<input type="checkbox"/>	Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.
Ethics oversight	<i>Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.</i>

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other research organisms

Policy information about [studies involving animals; ARRIVE guidelines](#) recommended for reporting animal research, and [Sex and Gender in Research](#)

Laboratory animals	C6ST1 transgenic mice (C57BL/6 genetic background, doi: 10.1038/nn.3023.) were kept under specific pathogen-free conditions in an environmentally controlled (23 ± 1°C with 50 ± 10% humidity), bio-clean room at the Institute of Laboratory Animals, Kobe Pharmaceutical University. Animals were maintained on standard rodent food and on a 12-h light/dark cycle.
Wild animals	The study did not involve wild animals.
Reporting on sex	The study did not conduct sex-based analysis, because it has been reported that the Raine syndrome etiology might be not gender-specific [Faundes, V., et al. Raine syndrome: an overview. Eur. J. Med. Genet. 57, 536-542 (2014)].
Field-collected samples	The study did not involve samples collected from the field.
Ethics oversight	Animal experiments were conducted according to the institutional ethics guidelines for animal experiments and safety guidelines for gene manipulation experiments of Kobe Pharmaceutical University. All animal procedures were approved by the Kobe Pharmaceutical University Committee on Animal Research and Ethics.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about [clinical studies](#)

All manuscripts should comply with the ICMJE [guidelines for publication of clinical research](#) and a completed [CONSORT checklist](#) must be included with all submissions.

Clinical trial registration	<input type="text" value="Provide the trial registration number from ClinicalTrials.gov or an equivalent agency."/>
Study protocol	<input type="text" value="Note where the full trial protocol can be accessed OR if not available, explain why."/>
Data collection	<input type="text" value="Describe the settings and locales of data collection, noting the time periods of recruitment and data collection."/>
Outcomes	<input type="text" value="Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures."/>

Dual use research of concern

Policy information about [dual use research of concern](#)

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes	
<input type="checkbox"/>	<input type="checkbox"/>	Public health
<input type="checkbox"/>	<input type="checkbox"/>	National security
<input type="checkbox"/>	<input type="checkbox"/>	Crops and/or livestock
<input type="checkbox"/>	<input type="checkbox"/>	Ecosystems
<input type="checkbox"/>	<input type="checkbox"/>	Any other significant area

Experiments of concern

Does the work involve any of these experiments of concern:

No	Yes	
<input type="checkbox"/>	<input type="checkbox"/>	Demonstrate how to render a vaccine ineffective
<input type="checkbox"/>	<input type="checkbox"/>	Confer resistance to therapeutically useful antibiotics or antiviral agents
<input type="checkbox"/>	<input type="checkbox"/>	Enhance the virulence of a pathogen or render a nonpathogen virulent
<input type="checkbox"/>	<input type="checkbox"/>	Increase transmissibility of a pathogen
<input type="checkbox"/>	<input type="checkbox"/>	Alter the host range of a pathogen
<input type="checkbox"/>	<input type="checkbox"/>	Enable evasion of diagnostic/detection modalities
<input type="checkbox"/>	<input type="checkbox"/>	Enable the weaponization of a biological agent or toxin
<input type="checkbox"/>	<input type="checkbox"/>	Any other potentially harmful combination of experiments and agents

ChIP-seq

Data deposition

- Confirm that both raw and final processed data have been deposited in a public database such as [GEO](#).
- Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links
May remain private before publication.

Files in database submission

Genome browser session
(e.g. [UCSC](#))

Methodology

Replicates

Sequencing depth

Antibodies	<i>Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.</i>
Peak calling parameters	<i>Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.</i>
Data quality	<i>Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.</i>
Software	<i>Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.</i>

Flow Cytometry

Plots

Confirm that:

- The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- All plots are contour plots with outliers or pseudocolor plots.
- A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation	<i>Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.</i>
Instrument	<i>Identify the instrument used for data collection, specifying make and model number.</i>
Software	<i>Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.</i>
Cell population abundance	<i>Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.</i>
Gating strategy	<i>Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.</i>

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type	<i>Indicate task or resting state; event-related or block design.</i>
Design specifications	<i>Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.</i>
Behavioral performance measures	<i>State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).</i>

Acquisition

Imaging type(s)	<i>Specify: functional, structural, diffusion, perfusion.</i>
Field strength	<i>Specify in Tesla</i>
Sequence & imaging parameters	<i>Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.</i>
Area of acquisition	<i>State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.</i>
Diffusion MRI	<input type="checkbox"/> Used <input type="checkbox"/> Not used

Preprocessing

Preprocessing software	<i>Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).</i>
Normalization	<i>If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.</i>
Normalization template	<i>Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.</i>
Noise and artifact removal	<i>Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).</i>
Volume censoring	<i>Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.</i>

Statistical modeling & inference

Model type and settings	<i>Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).</i>
Effect(s) tested	<i>Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.</i>
Specify type of analysis:	<input type="checkbox"/> Whole brain <input type="checkbox"/> ROI-based <input type="checkbox"/> Both
Statistic type for inference (See Eklund et al. 2016)	<i>Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.</i>
Correction	<i>Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).</i>

Models & analysis

n/a	Included in the study
<input type="checkbox"/>	<input type="checkbox"/> Functional and/or effective connectivity
<input type="checkbox"/>	<input type="checkbox"/> Graph analysis
<input type="checkbox"/>	<input type="checkbox"/> Multivariate modeling or predictive analysis
Functional and/or effective connectivity	<i>Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).</i>
Graph analysis	<i>Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).</i>
Multivariate modeling and predictive analysis	<i>Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.</i>