

## Supplemental data

Supplemental Table 1: Other diagnoses.

<b>Biopsy Diagnosis</b>	<b>No. of biopsies</b>
Other (non-diagnostic/normal/descriptive/tumor)	277
Thrombotic Microangiopathy	97
Minimal Change Disease	96
Post-infectious GN	90
Tubulointerstitial Nephropathy and Fibrosis	74
Chronic Interstitial Nephritis	59
Oxalate Nephropathy	34
Fibrillary Glomerulonephritis	34
Cast Nephropathy	33
Cryoglobulinemic Glomerulonephritis	30
Genetic Kidney Disease	27
MPGN pattern	22
C3 Glomerulopathy	19
Anti-GBM nephritis	19
Arteriosclerosis	19
PGNMID	18
C1q Nephropathy	12
Light Chain Proximal Tubulopathy	10
Immunotactoid GN	8
MIDD	2

**Supplemental Table 2 –Patient location other than Ohio and Florida.**

<b>Location</b>	<b>Number of Patients</b>
Pennsylvania	91
New York State	45
West Virginia	48
Michigan	34
Indiana	32
Caribbean	28
Kentucky	28
Middle East	20
Georgia	12
Texas	10
Maryland	7
South America	7
Virginia	6
Tennessee	6
Asia	5
California	5
Illinois	5
North Carolina	5
N/A	5
Oklahoma	4
South Carolina	4
Arkansas	3
Arizona	3
Central America	3
Louisiana	3
Wisconsin	3
Alaska	2
Alabama	2
Connecticut	2
Massachusetts	2
Maine	2
Africa	1
Australia	1
District of Columbia	1
Iowa	1
Minnesota	1
Missouri	1
Mississippi	1
Montana	1

New Hampshire	1
New Jersey	1
New Mexico	1
Nevada	1
United Kingdom	1