

Study or Subgroup	CRPS			Control			Weight	Std. Mean Difference		Year
	Mean	SD	Total	Mean	SD	Total		IV, Random, 95% CI	IV, Random, 95% CI	
Kemler 2000	10.5	39.13	20	3.4	27.24	50	10.2%	0.23	[-0.29, 0.75]	2000
Kemler 2000	10.6	38.24	33	5.4	27.78	50	13.9%	0.16	[-0.28, 0.60]	2000
Huge 2008	13.8	9.3	34	9.83	7.6	56	14.4%	0.48	[0.04, 0.91]	2008
Kolb 2012	9.7	7.5	20	11.9	9.4	20	7.3%	-0.25	[-0.88, 0.37]	2012
Rooijen 2013	18.46	16.14	21	11.06	13.59	42	9.8%	0.50	[-0.03, 1.04]	2013
Rooijen 2013	17.63	12.84	30	9.13	16	42	11.9%	0.57	[0.09, 1.05]	2013
Rooijen 2013	19.67	18.3	30	13.6	17.6	42	12.2%	0.34	[-0.14, 0.81]	2013
Rooijen 2013	13.9	19.6	24	10.03	15.3	42	10.9%	0.23	[-0.28, 0.73]	2013
Terkelsen 2014	17.2	6.5	20	12.3	4.2	20	6.7%	0.88	[0.23, 1.53]	2014
Rasmussen 2018	20	17.2	8	6.5	12.3	8	2.7%	0.85	[-0.18, 1.89]	2018
Total (95% CI)			240			372	100.0%	0.36	[0.19, 0.53]	

Heterogeneity: Tau² = 0.01; Chi² = 9.65, df = 9 (P = 0.38); I² = 7%

Test for overall effect: Z = 4.09 (P < 0.0001)

