

| Study or Subgroup | CRPS | | | Control | | | Weight | Std. Mean Difference | | Year |
|-----------------------|------|------|------------|---------|------|------------|---------------|----------------------|----------------------|------|
| | Mean | SD | Total | Mean | SD | Total | | IV, Random, 95% CI | IV, Random, 95% CI | |
| Sieweke 1999 | 2.1 | 5.8 | 17 | 1.9 | 4.8 | 15 | 13.4% | 0.04 | [-0.66, 0.73] | 1999 |
| Gierthmühlen 2012 | 0.4 | 0.35 | 257 | 0.32 | 0.24 | 32 | 20.5% | 0.23 | [-0.13, 0.60] | 2012 |
| Kolb 2012 | 4 | 4.7 | 20 | 2 | 1 | 20 | 14.6% | 0.58 | [-0.06, 1.21] | 2012 |
| Wolanin 2012 | 6 | 7.7 | 32 | 1.3 | 3 | 35 | 17.4% | 0.81 | [0.31, 1.31] | 2012 |
| Rooijen 2013 | 1.9 | 1.9 | 17 | 2 | 1.5 | 42 | 16.0% | -0.06 | [-0.62, 0.50] | 2013 |
| Rooijen 2013 | 1.47 | 0.77 | 31 | 2 | 1.5 | 42 | 18.1% | -0.42 | [-0.89, 0.05] | 2013 |
| Total (95% CI) | | | 374 | | | 186 | 100.0% | 0.19 | [-0.17, 0.56] | |

Heterogeneity: Tau² = 0.14; Chi² = 14.84, df = 5 (P = 0.01); I² = 66%

Test for overall effect: Z = 1.03 (P = 0.30)

