| | СН | | EH | | Risk Ratio | | | Risk Ratio | | | |
|--------------------------------------------------------|--------|-------|--------|-------|------------|--------------------|------|------------|-----------------|-------|-----|
| Study or Subgroup | Events | Total | Events | Total | Weight | IV, Fixed, 95% CI | Year | | IV, Fixed, 95 | 5% CI | |
| Hu, 2003 | 0 | 52 | 2 | 63 | 2.5% | 0.24 [0.01, 4.92] | 2003 | | • | | |
| Cheng, 2012 | 2 | 63 | 2 | 41 | 6.1% | 0.65 [0.10, 4.44] | 2012 | | - | | |
| Yang, 2014 | 2 | 350 | 1 | 346 | 3.9% | 1.98 [0.18, 21.70] | 2014 | | | • | |
| Chen, 2014 | 2 | 118 | 7 | 80 | 9.3% | 0.19 [0.04, 0.91] | 2014 | - | | | |
| Chinburen, 2015 | 13 | 45 | 12 | 24 | 60.3% | 0.58 [0.31, 1.06] | 2015 | | - | | |
| Orimo, 2021 | 4 | 132 | 11 | 101 | 18.0% | 0.28 [0.09, 0.85] | 2021 | | | | |
| Total (95% CI) | | 760 | | 655 | 100.0% | 0.47 [0.30, 0.76] | | | • | | |
| Total events | 23 | | 35 | | | | | | | | |
| Heterogeneity: Chi² = 4.23, df = 5 (P = 0.52); I² = 0% | | | | | | | | 0.01 | 0.1 | 10 | 100 |
| Test for overall effect: Z = 3.10 (P = 0.002) | | | | | | | | 0.01 | Favours [CH] Fa | | 100 |

supplementary figure 3: Liver cell failure for CH and EH