nature portfolio

Corresponding author(s): DBPR COMMSCHEM-20-0224B-Z Last updated by author(s): Jun 7, 2021

Reporting Summary

Nature Portfolio wis in reporting. For furt	hes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency ther information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u> .
Statistics	Control of the control of the figure legand table legand main text or Methods section
1	alyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a Confirmed	
	sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	nt on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
The statist Only commo	ical test(s) used AND whether they are one- or two-sided on tests should be described solely by name; describe more complex techniques in the Methods section.
house de la constante de la co	on of all covariates tested
Samuel Barrers	ion of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
A full desc	ription of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) tion (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
For null hy Give P value	pothesis testing, the test statistic (e.g. F , t , r) with confidence intervals effect sizes, degrees of freedom and P value noted as as exact values whenever suitable.
For Bayesi	an analysis, information on the choice of priors and Markov chain Monte Carlo settings
For hierard	chical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
	of effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated
	Our web collection on statistics for biologists contains articles on many of the points above.
G 5.	l and a
Software an	
Policy information	about <u>availability of computer code</u>
Data collection	Provide a description of all commercial, open source and custom code used to collect the data in this study, specifying the version used OR state that no software was used.
Data analysis	Provide a description of all commercial, open source and custom code used to analyse the data in this study, specifying the version used OR state that no software was used.
For manuscripts utilizing reviewers. We strongly	g custom algorithms or software that are central to the research but not yet described in published literature, software must be made a railable to editors and g custom algorithms or software that are central to the research but not yet described in published literature, software must be made a railable to editors and g custom algorithms or software for further information.
Data	•
All manuscripts m - Accession code - A description o	about <u>availability of data</u> nust include a <u>data availability statement</u> . This statement should provide the following information, where applicable: is, unique identifiers, or web links for publicly available datasets if any restrictions on data availability asets or third party data, please ensure that the statement adheres to our <u>policy</u>
(·-	1) bla from the DDB detabase (DDB ID: 78YB, 78YB, 2nd 78XS)

Field-spe	cific re	porting		
Please select the or	ne below that is	the best fit for your research. If you are not sure, read the appropriate sections before making your selection.		
X Life sciences	Ве	havioural & social sciences		
For a reference copy of t	he document with al	i sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>		
Life scier	nces stu	dy design		
All studies must dis	sclose on these p	points even when the disclosure is negative.		
Sample size	Describe how sa was performed,	mple size was determined, detailing any statistical methods used to predetermine sample size OR if no sample-size calculation describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.		
Data exclusions		ata exclusions. If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the ad them, indicating whether exclusion criteria were pre-established.		
Replication	confirm			
Randomization		w samples/organisms/participants were allocated into experimental groups. If allocation was not random, describe how covariates alled OR if this is not relevant to your study, explain why.		
Blinding		Describe whether the investigators were blinded to group allocation during data collection and/or analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.		
Reportin	g for sp	pecific materials, systems and methods		
We require informati	ion from authors a	about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material,		
		your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.		
Materials & ex		ystems Methods n/a Involved in the study		
n/a Involved in th		ChIP-seq		
Eukaryotic		Flow cytometry		
Palaeonto	ology and archaeol	ogy MRI-based neuroimaging		
Animals a	nd other organism	is .		
Human re	search participant	'S		
Clinical da				
Dual use r	research of concer	n		
Antibodies				
		be all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.		
Antibodies used	` <u>`</u>			
Validation Descri		be the validation of each primary antibody for the species and application, noting any validation statements on the facturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.		
Eukaryotic	cell lines			
Policy information	n about <u>cell lines</u>			
Cell line source((s)	State the source of each cell line used.		
Authentication		Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.		
Mycoplasma contamination		Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.		
Commonly misidentified lines (See ICLAC register)		Name any commonly misidentified cell lines used in the study and provide a rationale for their use.		

Palaeontology and Archaeology Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the Specimen provenance issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, Indicate where the specimens have been deposited to permit free access by other researchers. Specimen deposition if new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where Dating methods they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided. Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information. identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance Ethics oversight was required and explain why not Note that full information on the approval of the study protocol must also be provided in the manuscript. Animals and other organisms Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals Laboratory animals Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were Wild animals caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals. For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, Field-collected samples photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance Ethics oversight was required and explain why not. Note that full information on the approval of the study protocol must also be provided in the manuscript. Human research participants Policy information about studies involving human research participants Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic Population characteristics information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR If not available, explain why.

Data collection

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about dual use research of concern

Hazards

Could the accidental, deliberation in the manuscript, pose a t	erate or reckless misuse of agents or technologies generated in the work, or the application of information presented hreat to:				
No Yes Public health National security					
Crops and/or livesto	ck				
Ecosystems					
Any other significant area					
,					
Experiments of concern					
Does the work involve any	of these experiments of concern:				
No Yes					
Demonstrate how to	o render a vaccine ineffective				
Confer resistance to	therapeutically useful antibiotics or antiviral agents				
Enhance the virulen	ce of a pathogen or render a nonpathogen virulent				
Increase transmissib	pility of a pathogen				
Alter the host range	of a pathogen				
Enable evasion of di	agnostic/detection modalities				
Enable the weaponi	zation of a biological agent or toxin				
Any other potential	y harmful combination of experiments and agents				
ChIP-seq					
Data deposition					
Confirm that both raw	and final processed data have been deposited in a public database such as GEO.				
Confirm that you have	deposited or provided access to graph files (e.g. BED files) for the called peaks.				
Data access links May remain private before public	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.				
Files in database submissi	on Provide a list of all files available in the database submission.				
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.				
Methodology					
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.				
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.				
Antibodies	Describe the antibodies used for the ChIP-seq experiments: as applicable, provide supplier name, catalog number, clone name, and lot number.				
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.				
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.				
Software	Describe the software used to collect and analyze the ChiP-seq data. For custom code that has been deposited into a community repository, provide accession details.				

ed for		_
<i>y</i> .		
	ed for	1
	3.	1
	*	

Flow Cytometry	
Plots	
Confirm that:	
The axis labels state the mar	ker and fluorochrome used (e.g. CD4-FITC).
The axis scales are clearly vis	ible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
All plots are contour plots wi	th outliers or pseudocolor plots.
A numerical value for number	er of cells or percentage (with statistics) is provided.
Methodology	
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.
Instrument	identify the instrument used for data collection, specifying make and model number.
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.
Tick this box to confirm that	a figure exemplifying the gating strategy is provided in the Supplementary Information.
Nacional Control of the Control of t	
Magnetic resonance i	maging
Experimental design	
Design type	Indicate task or resting state; event-related or block design.
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.
Behavioral performance measu	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).
Acquisition	
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.
Field strength	Specify in Tesla
Sequence & imaging parameter	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.
Diffusion MRI Used	☐ Not used
Preprocessing	
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).

Model type and settings Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Effect(s) tested	Volume censoring Def	fine your software and/or method and criteria for volume censoring, and state the extent of such censoring.
second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Effect(s) tested Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether AMOVA or factorial designs were used. Specify type of analysis: Whole brain ROI-based Both Statistic type for inference (See Eklund et al. 2016) Correction Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo). Models & analysis n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis Functional and/or effective connectivity Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information). Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or graup-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,	Statistical modeling & inference	2
Specify type of analysis: Whole brain ROI-based Both Statistic type for inference (See Eklund et al. 2016) Correction Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo). Models & analysis n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis Functional and/or effective connectivity Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information). Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,		
Statistic type for inference (See Eklund et al. 2016) Correction Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo). Models & analysis n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis Functional and/or effective connectivity Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information). Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. Clustering coefficient, efficiency,		
Correction Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo). Models & analysis n/a Involved in the study	Specify type of analysis: Whole	e brain ROI-based Both
Models & analysis n/a Involved in the study		ecify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.
Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis Functional and/or effective connectivity Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information). Graph analysis Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or graup-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,	Correction	scribe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).
mutual information). Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,	Functional and/or effective cor	
subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,	Functional and/or effective connect	
	Graph analysis	subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.