Supplemental Table	1. ICD-9 and ICD-10	diagnosis codes for	each condition

Diagnosis codes for history of each condition			
	ICD-9	ICD-10	
Heart attack	410, 412 429.79	I21, I22, I25.2	
Stroke	430, 431, 432, 433.01,	I60, I61, I62, I63, G46.3,	
	433.11, 433.21, 433.31,	G46.3	
	433.81, 433.91, 434.01,		
	434.11, 434.91		
Other cerebral vascular	362.34, 435, 436, 437, 438	G45, H34.0, I64, I65, I66,	
disease		I67, I68, I69	
Asthma	493, 648.9	J45	
Hypertension	401, 402, 403, 404, 405	I10, I11, I12, I13, I14, I15,	
		I16	
Hyperlipidemia	272.4, 272.2	E78.2, E78.4, E78.5	
Chronic obstructive	491, 492, 496	J41, J42, J43, J44	
pulmonary disease (COPD)			
Diagnosis codes for incident outcomes			
Heart attack		I21	
Stroke		I60, I61, I62, I63, G46.3,	
		G46.3	
Influenza		J09, J10, J11	
Pneumonia		J12, J13, J14, J15, J16, J17,	
		J18	
Asthma exacerbation		J45.21, J45.31, J45.41,	
		J45.51I, J45.901	

E-cig Former E-cig Current User **E-cig Never User** User Total **Race/Ethnicity Non-Hispanic Black** African 525 (93.8%) 28 (5.0%) 7 (1.3%) 560 African American or Black 5772 (91.6%) 430 (6.8%) 102 (1.6%) 6304 Afro-Caribbean 351 (93.4%) 20 (5.3%) 5 (1.3%) 376 **Non-Hispanic White** Ashkenazi Jewish 3081 (95.6%) 107 (3.3%) 34 (1.1%) 3222 Middle Eastern 751 (86.9%) 91 (10.5%) 22 (2.6%) 864 White or European-American 83414 (94.3%) 3881 (4.4%) 1139 (1.3%) 88434 Hispanic Central/South American 1200 (91.1%) 95 (7.2%) 22 (1.7%) 1317 Cuban 217 (91.6%) 10 (4.2%) 10 (4.2%) 237 Mexican 6521 (90.2%) 591 (8.2%) 118 (1.6%) 7230 Puerto Rican 620 (88.8%) 62 (8.9%) 16 (2.3%) 698 Other Latino/Hispanic 3669 (90.5%) 309 (7.6%) 76 (1.9%) 4054 Asian Chinese 3745 (94.5%) 172 (4.3%) 45 (1.1%) 3962 Filipino 2345 (87.4%) 271 (10.1%) 67 (2.5%) 2683 Japanese 2552 (93.3%) 140 (5.1%) 42 (1.5%) 2734 Korean 515 (89.3%) 42 (7.3%) 20 (3.5%) 577 Vietnamese 653 (90.7%) 47 (6.5%) 20 (2.8%) 720 Other Southeast Asian (Cambodian, 351 (90.2%) 32 (8.2%) 6 (1.5%) 389 Laotian, etc) South Asian (Indian, Pakistani, etc_) 1746 (95.6%) 66 (3.6%) 15 (0.8%) 1827 Native Hawaiian / Other Pacific 507 (89.6%) Islanders 47 (8.3%) 12 (2.1%) 566 Native Hawaiian 825 (89.2%) 74 (8.0%) 26 (2.8%) 925 Other Pacific Islander 534 (87.3%) 67 (10.9%) 11 (1.8%) 612 Native American Indian or Alaska 2865 (88.6%) 294 (9.1%) 3235 Native 76 (2.4%)

Supplemental Table 2. Distribution of e-cigarette use, by fine strata of race and ethnicity

Note: Supplemental Table 2 allows for the same individual to count in multiple racial and ethnic categories, if an individual selected multiple categories of self-reported race and ethnicity. Those who selected "Prefer not to answer" for self-reported race and ethnicity or who left this question blank were excluded from Supplemental Table 2 (n=791).