

Grillot N, Lebuffe G, Huet O, et al; Atlanrea Study Group; Société Française d'Anesthésie Réanimation (SFAR) Research Group. Effect of remifentanyl vs neuromuscular blockers during rapid sequence intubation on successful intubation without major complications among patients at risk of aspiration: a randomized clinical trial. *JAMA*. Published January 3, 2023. doi:10.1001/jama.2022.23550

Data Sharing Statement

Data

Data available: Yes

Data types: Deidentified participant data

How to access data: Patient-level data and full dataset and statistical code will be available upon reasonable request to the corresponding author (Email: antoine.roquilly@chu-nantes.fr). Consent was not obtained, but the presented data are anonymized, and the risk of identification is low. The potential benefits of sharing these data outweigh the potential harm.

When available: With publication

Supporting Documents

Document types: Statistical/analytic code, Informed consent form

How to access documents: Statistical/analytic code and informed consent form can be requested to the corresponding author (Email antoine.roquilly@chu-nantes.fr)

When available: With publication

Additional Information

Who can access the data: researchers whose proposed use of the data has been approved

Types of analyses: Data will be available for purposes directly related to the study subject area

Mechanisms of data availability: Data will be made available with investigator support after approval of a proposal and a signed data access agreement.